Cucumber Report

| Start : Feb 17, 5:48:23.109 pm	End : Feb 17, 5:48:44.031 pm	Duration : 20.922 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 8 FAILED - 1 SKIPPED - 24

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the Fixes Asset Return	1	0	1	0	20.922 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the Fixes Asset Return	Check if the replaced asset can be returned to its vendor	33	8	1	24	20.917 s

(F)- Check the Functionality of the Fixes Asset Return

FAILED	DURATION - 20.922 s	Scenarios		Steps	
		Total - 1		Total - 33	
/ 5:48:23.109 pm // 5:48:44.031 pm /		Pass - 0	1	Pass - 8	33
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 24	

(S)- Check if the replaced asset can be returned to its vendor

FAILED	DURATION - 20.917 s		Steps	
/ 5:48:23.114 pm // 5:48:44.031 pm /			Total - 33	
Check the Functionality of the Fixes Asset Return			Pass - 8	33
			Fail - 1	
@KUBS_FAT_UAT_007_005			Skip - 24	

#	Step / Hook Details	Status	Duration
1	Given Navigate the Azentio url	PASSED	11.968 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
	screenshot		
2	Then Click Second Segmant Icon	PASSED	0.311 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Click main module fixed Asset Module	PASSED	0.134 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	screenshot		
4	Then Asset Replacement Store the Referance No	PASSED	1.060 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		
5	Then Asset Return Click on Eye Icon	PASSED	0.153 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.374 s
	screenshot		
6	And Asset Return Add Icon button	PASSED	0.246 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.316 s
	screenshot		

| #	Step / Hook Details	Status	Duration
7	Then Give Asset Replacement Referance Number	PASSED	0.506 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot 		
8	And Select Asset Return Item Number	PASSED	0.164 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot 		
9	Then Click on save button in asset Return	FAILED	1.166 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [adbf13fa0b76371aff807e038e325672, clickElement {id=800ca2fa-e1a1-4888-b13c-2320685aa28d}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:59138}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59138/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (adbf13fa0b76371aff807e038e325672)] -> xpath: (//ion-toolbar[1]/ion-buttons[2]/ion-button[1])[2]] Session ID: adbf13fa0b76371aff807e038e325672 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.FIXEDASSET_AssetReturn.click_on_save_button_in_asset_return(FIXEDASSET_AssetReturn.java:114) at ?.Click on save button in asset Return(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/FIXEDASSET_AssetReturn.feature:13) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.114 s
10	And Click on Maker Notification icon button	SKIPPED	0.001 s
11	Then Click on Action icon	SKIPPED	0.000 s
12	And Approve the Asset Return Record	SKIPPED	0.000 s
13	Then Enter Remark and click submit button	SKIPPED	0.000 s
14	Given Launch the Azentio URL	SKIPPED	0.000 s
15	And Reviewer Notification icon button	SKIPPED	0.000 s
16	Then Click ACtion submitted record from maker	SKIPPED	0.000 s
17	And Click Approve button from Reviewer End	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
18	Then Enter remark then submit Record	SKIPPED	0.001 s
19	Given Launch the Azentio Checker URL	SKIPPED	0.000 s
20	Then Main module Security management	SKIPPED	0.000 s
21	And Sub module open pool Edit icon	SKIPPED	0.000 s
22	Then Claim the record in checker	SKIPPED	0.000 s
23	And Click Checker Notification icon button	SKIPPED	0.000 s
24	Then Action Icon from claim record	SKIPPED	0.000 s
25	And Click Approve icon button	SKIPPED	0.000 s
26	Then Submit the Record from Checker	SKIPPED	0.001 s
27	Given Navigate the Azentio url	SKIPPED	0.000 s
28	Then Click Second Segmant Icon	SKIPPED	0.000 s
29	And Click main module fixed Asset Module	SKIPPED	0.000 s
30	Then Asset Return Click on Eye Icon	SKIPPED	0.000 s
31	And Mouse click on search icon	SKIPPED	0.000 s
32	Then Enter Asset Referance No in that field	SKIPPED	0.000 s
33	When capture the Asset Grid view list	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if the replaced asset can be returned to its vendor	
(F) Check the Functionality of the Fixes Asset Return	

☰ 🌐 Kastle Universal Banking (Beta)   16-Oct-2022 English ▾   Azentio Software ▾   (AZENTMAIN) 🔔 ⌨ 👤 ANANT

Finance ▾

🛠 ⛓ 📋

⊙ Business partner setup
⊙ General ledger configuration
⊙ Accounting setup
⊙ Expense/AR & AP configurati...
⊙ Budget configuration
⊙ Fixed assets configuration
⊙ Inventory maintenance
⊙ Bank recon
⊙ Petty cash configuration

Welcome, anant

22 Appro... ✕   11 Messa... ✕   ⊞ Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if the replaced asset can be returned to its vendor	
(F) Check the Functionality of the Fixes Asset Return	

☰ 🌐 Kastle Universal Banking (Beta)   16-Oct-2022 English ▾   Azentio Software ▾   (AZENTMAIN) 🔔 ⌨ 👤 ANANT

Finance ▾

🛠 ⛓ 📋

⊙ General ledger transaction
⊙ Budget
⊙ Accounts payable
⊙ Adjustments (AR and AP)
⊙ Accounts receivable
⊙ Fixed assets
⊙ Inventory management
⊙ Petty cash
⊙ Bank recon

Welcome, anant

22 Appro... ✕   11 Messa... ✕   ⊞ Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if the replaced asset can be returned to its vendor

(F) Check the Functionality of the Fixes Asset Return

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if the replaced asset can be returned to its vendor

(F) Check the Functionality of the Fixes Asset Return

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check if the replaced asset can be returned to its vendor (F) Check the Functionality of the Fixes Asset Return	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check if the replaced asset can be returned to its vendor (F) Check the Functionality of the Fixes Asset Return	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if the replaced asset can be returned to its vendor	
(F) Check the Functionality of the Fixes Asset Return	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if the replaced asset can be returned to its vendor	
(F) Check the Functionality of the Fixes Asset Return	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if the replaced asset can be returned to its vendor

(F) Check the Functionality of the Fixes Asset Return