Cucumber Report

28-Mar-2022, 12:26:20 pm

Start : Mar 28, 12:25:52.588 pm	End : Mar 28, 12:26:18.151 pm	Duration : 25.563 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 11 FAILED - 1 SKIPPED - 16









#	Feature Name	T	P	F	S	Duration
1	Check unwanted inventory stock can be return to the Branch	1	0	1	0	25.563 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check unwanted inventory stock can be return to the Branch	Check inventory stock confirmation	28	11	1	16	25.557 s

(F)- Check unwanted inventory stock can be return to the Branch

FAILED	DURATION - 25.563 s	Scenarios		Steps	
/ 12:25:52.588 pm // 12:26:18.151 pm /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 28 Pass - 11 Fail - 1 Skip - 16	

(S)- Check inventory stock confirmation

FAILED	DURATION - 25.557 s		Steps	
/ 12:25:52.594 pm // 12:26:18.151 pm /			Total - 28 Pass - 11 Fail - 1 Skip - 16	
Check unwanted inventory stock can be return to the Branch				
@KUBS_INV_MGMT_UAT_004_StockConfirm				

#	Step / Hook Details	Status	Duration
1	Given Launch the Azentio maker url	PASSED	12.933 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.260 s
	screenshot		
			
2	Then Inventory Second direction icon	PASSED	0.333 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And Inventory Management Module	PASSED	0.188 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		
			
4	Then Click on Stock issue eye icon	PASSED	0.363 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.289 s
	screenshot		
			
5	And Click on First record eye icon	PASSED	0.159 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.509 s
	screenshot		
			
6	Then Get the New Request Referance No	PASSED	0.034 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.104 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then Click on Inventory stock confirmation eye icon	PASSED	0.307 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.311 s
	screenshot		
			
8	And Sub module Inventory stock confirmation click Add icon	PASSED	0.206 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.321 s
	screenshot		
			
9	Then Enter Request Referance Number	PASSED	0.487 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	screenshot		
			
10	And Enter Item code Number	PASSED	0.247 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then Accept the status in checkbox	PASSED	0.179 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		
			
12	And click the save icon for StockConfirm	FAILED	1.163 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" class="ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated button-disabled" ng-reflect-disabled="true" aria-disabled="true" disabled="">...</ion-button> is not clickable at point (1414, 88). Other element would receive the click: ... (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bd5014ea3aea19db1b03172f26525f4d, clickElement {id=b43f9b87-87ce-4db5-b177-f1715e664242}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55585}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55585/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (bd5014ea3aea19db1b03172f26525f4d)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: bd5014ea3aea19db1b03172f26525f4d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.INVENTORY_StockConfirm.click_the_save_icon_for_stockconfirm(INVENTORY_StockConfirm.java:152) at ?.click the save icon for StockConfirm(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/INVENTORY_InventoryManagement.feature:56) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  +	PASSED	0.191 s
13	And goto maker Notification icon	SKIPPED	0.000 s
14	Then Click Submit button to Inventory Record	SKIPPED	0.001 s
15	And Give Remark and submit to reviewer	SKIPPED	0.001 s
16	Given Login As Reviewer	SKIPPED	0.000 s
17	And Goto Reviewer Notification	SKIPPED	0.000 s
18	Then open the submitted Record from maker	SKIPPED	0.000 s
19	And Approve the Record in Reviewer	SKIPPED	0.000 s
20	Then Enter The Remark and submit in Reviewer	SKIPPED	0.000 s
21	Given Login As Checker	SKIPPED	0.000 s
22	Then Click Security management module	SKIPPED	0.000 s
23	And Click Sub module open Pool Edit icon	SKIPPED	0.000 s
24	And Claim the submitted Record	SKIPPED	0.000 s
25	Then Goto Checker Notification	SKIPPED	0.000 s
26	And Open the Record Approve from Reviewer	SKIPPED	0.000 s
27	And Approve the Record in Checker End	SKIPPED	0.000 s
28	Then Enter the Remark and submit the record in checker	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch