Cucumber Report

| Start : Mar 02, 9:47:58.939 PM	End : Mar 02, 9:49:32.790 PM	Duration : 1 m 33.851 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 9 FAILED - 1 SKIPPED - 6

Features: 1

Scenarios: 1

Steps: 16

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 56 %

#	Feature Name	T	P	F	S	Duration
1	_Checking the Acount Receivable Appropriation functionality_	1	0	1	0	1 m 33.851 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Acount Receivable Appropriation functionality	Below amount must be correctly calculated & displayed post receipt appropriation.	16	9	1	6	1 m 33.848 s

## (F)- Checking the Acount Receivable Appropriation functionality

| FAILED	DURATION - 1 m 33.851 s	Scenarios		Steps	
/ 9:47:58.939 PM // 9:49:32.790 PM /		Total - 1	1	Total - 16	16
		Pass - 0		Pass - 9	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

(S)- Below amount must be correctly calculated & displayed post receipt appropriation.

FAILED	DURATION - 1 m 33.848 s		Steps	
/ 9:47:58.942 PM // 9:49:32.790 PM /			Total - 16	16
Checking the Acount Receivable Appropriation functionality			Pass - 9	
@MultiAuth			Fail - 1	
@KUBS_AR/AP_UAT_010_005_TC_04			Skip - 6	

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.379 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.340 s
	screenshot		
2	Then Click on Direction icon	PASSED	2.334 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click on Account Recivable button	PASSED	0.117 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
	screenshot 		
4	Then Click on Account Recivable Appropriation eye button	PASSED	0.303 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
	screenshot 		
5	Then Click to add record in Account Recivable	PASSED	0.230 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.258 s
	screenshot 		
6	Then Check receipt is available for Appropriation	PASSED	0.732 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
	screenshot		

| #	Step / Hook Details	Status	Duration
7	Then enter App Amount check the calculation for Outstanding amount for Receivable	PASSED	2.264 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.108 s
	screenshot		
8	Then Click on Appropriation Save button	PASSED	0.090 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	screenshot		
9	Then Click on inventory stock Notification	PASSED	0.136 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
10	And Select and Submit the record	FAILED	1 m 14.182 s
	org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6850de3b52147be703dd8289df01cfd0, isElementDisplayed {id=50e65a8f-2a3b-4bf1-a7c6-a129a46d60cf}] Capabilities {acceptInsecureCerts:		

#	Step / Hook Details	Status	Duration

	false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:59146}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59146/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (6850de3b52147be703dd8289df01cfd0)] -> xpath: //span[contains(text(),'31')]] Session ID: 6850de3b52147be703dd8289df01cfd0
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	   at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	   at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:307)
	   at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)
	   at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40)
	   at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293)
	   at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)
	   at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:660)
	   at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:656)
	   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)
	   at helper.WaitHelper.waitForElement(WaitHelper.java:79)
	   at stepdefinitions.InventoryMaintenance.select_and_submit_the_record(InventoryMaintenance.java:202)
	   at ?.Select and Submit the record(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/AccountReceivable_Appropriation.feature:37)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.139 s
11	Then log in to the reviewer account	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
12	Then click on the Notification select the record and Approve	SKIPPED	0.000 s
13	Then log in to the Checker Account	SKIPPED	0.000 s
14	And then checker claim the record	SKIPPED	0.000 s
15	Then click on the checker Notification	SKIPPED	0.000 s
16	And select the record and Approve by checker	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Below amount must be correctly calculated & displayed post receipt appropriation.	
(F) Checking the Acount Receivable Appropriation functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Below amount must be correctly calculated & displayed post receipt appropriation.	
(F) Checking the Acount Receivable Appropriation functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Below amount must be correctly calculated & displayed post receipt appropriation.

(F) Checking the Acount Receivable Appropriation functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Below amount must be correctly calculated & displayed post receipt appropriation.

(F) Checking the Acount Receivable Appropriation functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Below amount must be correctly calculated & displayed post receipt appropriation.

(F) Checking the Acount Receivable Appropriation functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Below amount must be correctly calculated & displayed post receipt appropriation.

(F) Checking the Acount Receivable Appropriation functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Below amount must be correctly calculated & displayed post receipt appropriation.

(F) Checking the Acount Receivable Appropriation functionality

---

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Receipts Appropriation

| * Entity Branch | Txn Number | * Receipt Reference Number |
| Azentio Main Branch × | | REC_77_332022 × |

| Txn Date | *Value Date 19-Oct-2022 | * Receipt Amount 100.00 INR |

| * Receipts Outstanding Amount 0.00 INR | Appropriation Amount 100.00 INR | Remarks |

Txt Status

Accounts receivable (Advances)
Receipts
Receipts reversals
Cheque deposit
Update cheque status
Appropriation
Appropriation reversals
Fixed assets
Inventory management
Petty cash
Bank recon

Sr	Receivable type	Debtor Name	Reference Number	Receivable Amount	Appr Amount	Outstanding Amount
1	SOA	Aspire Dealers	DN_2_14122021	48960		38760
2	SOA	Aspire Dealers	DN_1_14122021	34000	100	6900
3	SOA	Aspire Dealers	DN_7_20122021	4047.36		487.36

22 Appro... | 11 Messa...   Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Below amount must be correctly calculated & displayed post receipt appropriation.

(F) Checking the Acount Receivable Appropriation functionality

---

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Receipts Appropriation

| * Entity Branch | Txn Number | * Receipt Reference Number |
| Azentio Main Branch × | | REC_77_332022 × |

| Txn Date | *Value Date 19-Oct-2022 | * Receipt Amount 100.00 INR |

| * Receipts Outstanding Amount 0.00 INR | Appropriation Amount 100.00 INR | Remarks |

Txt Status

Accounts receivable (Advances)
Receipts
Receipts reversals
Cheque deposit
Update cheque status
Appropriation
Appropriation reversals
Fixed assets
Inventory management
Petty cash
Bank recon

Sr	Receivable type	Debtor Name	Reference Number	Receivable Amount	Appr Amount	Outstanding Amount
1	SOA	Aspire Dealers	DN_2_14122021	48960		38760
2	SOA	Aspire Dealers	DN_1_14122021	34000	100	6900
3	SOA	Aspire Dealers	DN_7_20122021	4047.36		487.36

22 Appro... | 11 Messa...   Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Below amount must be correctly
calculated & displayed post receipt
appropriation.

(F) Checking the Acount Receivable
Appropriation functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Below amount must be correctly
calculated & displayed post receipt
appropriation.

(F) Checking the Acount Receivable
Appropriation functionality