

Cucumber Report

Nov 28, 2022, 1:40:58 PM

Start : Nov 28, 1:40:06.054 PM

End : Nov 28, 1:40:55.837 PM

Duration : 49.783 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 11


FAILED - 1

SKIPPED - 4







#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	49.783 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	PO should be created successfully and displayed in approved queue with Active Status	16	11	1	4	49.779 s



(F)- AR/AP Module

FAILED	DURATION - 49.783 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 16 Pass - 11 Fail - 1 Skip - 4	
/ 1:40:06.054 PM // 1:40:55.837 PM /					


(S)- PO should be created successfully and displayed in approved queue with Active Status


<div>FAILED</div> <div>DURATION - 49.779 s</div>			<div>Steps</div> <div>Total - 16</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 1:40:06.058 PM // 1:40:55.837 PM /				
AR/AP Module				
@KUBS_AR/AP_UAT_001_001_TC_02_01				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	14.080 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
	screenshot		
			
2	And user should navigate to accounts payable menu	PASSED	2.455 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	Then Click on purchase order Eye Icon	PASSED	0.461 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	screenshot		
			
4	Then Click on purchase order Add button	PASSED	1.539 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot		
			
5	And user update the data set ID for Purchase Order	PASSED	0.005 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		
			
6	Then Fill purchase order Mandatory fields	PASSED	7.659 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		
			
7	Then Click on Account Payable Save button	PASSED	0.076 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	Then close the confrimation msg	PASSED	1.076 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot		
			
9	Then Click on Item Details Record	PASSED	2.095 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		
			
10	And user update the data set ID for Purchase Order	PASSED	0.003 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
	screenshot		
			
11	Then Edit the item details fields	PASSED	6.910 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
12	<p>Then Click on Account Payable Save button</p> <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1895, 118). Other element would receive the click: <ion-buttons slot="end" class="ng-star-inserted buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bb3396a7505bda733af1d60296f0527f, clickElement {id=486d8419-21fa-4294-9faf-d312fd1423aa}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\chrome-win-1024x768\chrome-win-1024x768\}, goog:chromeOptions: {debuggerAddress: localhost:57089}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57089/devtools, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (bb3396a7505bda733af1d60296f0527f)] -> xpath: (//ion-toolbar[1]/ion-buttons[2]/ion-button[1])[2]] Session ID: bb3396a7505bda733af1d60296f0527f</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) atjdk.internal.reflect.GeneratedMethodAccessor5.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) atjdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.AccountPayable_VendorPurchaseOrder.click_on_account_payable_save_button(AccountPayable_VendorPurchaseOrder.java:157) at ?.Click on Account Payable Save button(file:///C:/Users/inindc00089/eclipse-workspace/AzenioAutomationFramework_ARAP/src/test/ </pre>	FAILED	1.070 s

#	Step / Hook Details	Status	Duration
	java/features/ArAp1.feature:77) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.144 s
13	Then Click on Account Payable Notification	SKIPPED	0.000 s
14	Then Search purchase order record in List	SKIPPED	0.000 s
15	Then Select the record from Notification	SKIPPED	0.000 s
16	And Submit the Selected record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status


(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status


(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status


(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status

(F) AR/AP Module



(F) AR/AP Module

☰

AZENTIO

ONEBanking

Finance

⚙️

↔️

🕒

🕒 General ledger transaction

🕒 Budget

🕒 Accounts payable

🕒 Vendor contracts

🕒 Vendor purchase orders

🕒 Goods received note (GRN)

🕒 Invoice booking

🕒 Payment settlement

🕒 Payment settlement cancellation

🕒 Auto payout

🕒 Manual payout

🕒 Payment file download

🕒 Payment response file upload

22 Appro... 11 Mess...

PO creation

PO Details

Entity Branch

BP Name

Reference Type

Azentio Main Branch

PO Type

(F) AR/AP Module

ONEBanking

07-Jan-2024EnglishAzentio Software(AZENTMAIN)

Finance

General ledger transaction

Budget

Accounts payable

Vendor contracts

Vendor purchase orders

Goods received note (GRN)

Invoice booking

Payment settlement

Payment settlement cancellation

Auto payout

Manual payout

Payment file download

Payment response file upload

22 Appro...11 Mess...

PO creation

PO Details

* Entity Branch
Azentio Main Branch

* BP Name
DELUXE 001

Reference Type
Contract

* Contract
tokyo

* PO Type
Purchases Contract

* PO Sub Type
PO For Asset Purchase

Transaction Date
07-Jan-2024

PO Number

PO Date
07-Jan-2024

* PO Delivery Date
19-Sep-2023

PO Amount
1,000.00 INR

* Cost Center
FINANCE

Upload PO

Choose File

No file chosen

DOWNLOAD

* PO Status
Active

Transaction Status

Remark

Additional Details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status

(F) AR/AP Module

07-Jan-2024EnglishAzentio Software(AZENTMAIN)ANANT

PO creation

PO Details

* Entity BranchAzentio Main Branch

* BP NameDELUXE 001

Reference TypeContract

* Contracttokyo

* PO TypePurchases Contract

* PO Sub TypePO For Asset Purchase

Transaction Date07-Jan-2024

PO Number

PO Date07-Jan-2024

* PO Delivery Date19-Sep-2023

PO Amount1,000.00

INR

* Cost CenterFINANCE

Upload PO

Choose File

No file chosen

DOWNLOAD

* PO StatusActive

Transaction Status

Remark

Additional Details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status

(F) AR/AP Module

07-Jan-2024EnglishAzentio Software(AZENTMAIN)ANANT

PO CreationItem DetailsBeneficiary Details


PO Item Data

Actions	HSN Code	Description	Qty	Total Amount	Currency
<input checked="" type="checkbox"/>	8471- Laptop	AUTOMATIC DATA PR	1	1000	INR
1 total					

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status


(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status

(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status

(F) AR/AP Module

07-Jan-2024EnglishAzentio Software(AZENTMAIN)ANANT

PO CreationItem DetailsBeneficiary Details

Item Details

HSN Code8471- LaptopExpense Code8471-LaptopQuantity1

UnitBoxesRate Per Unit1000Total Value1,000.00INR

Shipped From (Location)Delivery LocationMULAND BRANCHAuto Generate BillNO

StatusACTIVE

DescriptionLaptop

Finance

General ledger transactionBudgetAccounts payableVendor contractsVendor purchase ordersGoods received note (GRN)Invoice bookingPayment settlementPayment settlement cancellationAuto payoutManual payoutPayment file downloadPayment response file upload

22 Appro...11 Mess...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status

(F) AR/AP Module

07-Jan-2024EnglishAzentio Software(AZENTMAIN)ANANT

PO CreationItem DetailsBeneficiary Details

Item Details

HSN Code8471- LaptopExpense Code8471-LaptopQuantity1

UnitBoxesRate Per Unit1000Total Value1,000.00INR

Shipped From (Location)Delivery LocationMULAND BRANCHAuto Generate BillNO

StatusACTIVE

DescriptionLaptop

Finance

General ledger transactionBudgetAccounts payableVendor contractsVendor purchase ordersGoods received note (GRN)Invoice bookingPayment settlementPayment settlement cancellationAuto payoutManual payoutPayment file downloadPayment response file upload

22 Appro...11 Mess...