
Duration: 1 m 31.686 s Start: Dec 13, 12:04:38.314 pm End: Dec 13, 12:06:10.000 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 5 6 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90 100

FEATURES SUMMARY -- 2 --



| ‡ Fea | ature Name | T | P | F | S | Duration |
|-----------|------------|---|---|---|---|--------------|
| AR_ | _AP Module | 1 | 0 | 1 | 0 | 1 m 31.686 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|---|--------------|
| 1 | AR_AP Module | Verify cancelled payment txn is not available for payout on | 6 | 0 | 1 | 5 | 1 m 31.680 s |
| | | payout screen. | | | | | |

DETAILED SECTION -- 4 --

(F)- AR_AP Module

| FAILED | DURATION - 1 m 31.686 s | Scenarios | | Steps | |
|------------------|-------------------------|-----------|---|-----------|---|
| | | Total - 1 | | Total - 6 | |
| / 12:04:38.314 p | om // 12:06:10.000 pm / | Pass - 0 | 1 | Pass - 0 | 6 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 5 | |

(S)- Verify cancelled payment txn is not available for payout on payout screen.



| # | Step / Hook Details | Status | Duration |
|---|--|--------|--------------|
| 1 | Given User should go to the kubs url and login as a maker user | FAILED | 1 m 27.343 s |
| 1 | Given User should go to the kubs url and login as a maker user org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-select[@aria-label='Amlock']' (tried for 60 second(s) with 1 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:102) at stepdefinitions.KUBS_Login.loginToAzentioAppByMaker(KUBS_Login.java:51) at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts. user_should_go_to_the_kubs_url_and_login_as_a_maker_user(ACCOUNTSPAYABLE_VendorContracts.java:49) at ?.User should go to the kubs url and login as a maker user(file:///C:/Users/inindc00075/git/Updated_Kubs_Arshath/ AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/ArAp2.feature:472) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//ion-select[@aria-label='Amlock']"} (Session info: chrome=108.0.5359.99) For documentation on this error, please visit: https://selenium.dev/ exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [221583760cb4b0d16bae04a028882e3c, findElement {using=xpath, value=//ion-select[@aria-label='Amlock']} Capabilities | FAILED | 1 m 27.343 s |
| | {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.99, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:58775}, | | |
| | javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58775/devtoo, se:cdpVersion: 108.0.5359.99, setWindowRect: true, strictFileInteractability: false, timeouts: | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, | | |
| | webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 221583760cb4b0d16bae04a028882e3c | | |
| | at jdk.internal.reflect.GeneratedConstructorAccessor37.newInstance(Unknown Source) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) | | |
| | at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:102) | | |
| | at stepdefinitions.KUBS_Login.loginToAzentioAppByMaker(KUBS_Login.java:51) | | |
| | at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts. | | |
| | user_should_go_to_the_kubs_url_and_login_as_a_maker_user(ACCOUNTSPAYABLE_VendorContracts.java:49) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:64) | | |

| Step / Hook Details | Status | Duration |
|---|--------|----------|
| at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| at io.cucumber.core.runner.TestCase.run(TestCase.java:104) | | |
| at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) | | |
| at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) | | |
| at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) | | |
| at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) | | |
| at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) | | |
| at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) | | |
| at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) | | |
| at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) | | |
| at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) | | |
| at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) | | |
| at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) | | |
| at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| at org.testng.TestRunner.privateRun(TestRunner.java:794) | | |
| at org.testng.TestRunner.run(TestRunner.java:596) | | |
| at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) | | |
| at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) | | |
| at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) | | |
| at org.testng.SuiteRunner.run(SuiteRunner.java:276) | | |
| at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) | | |
| at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) | | |
| at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) | | |
| at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) | | |
| at org.testng.TestNG.runSuites(TestNG.java:1063) | | |
| at org.testng.TestNG.run(TestNG.java:1031) | | |
| at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) | | |
| at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) | | |
| at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) | | |
| * Not displayable characters are replaced by '?'. | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.499 s |
| screenshot | | |

DETAILED SECTION -- 7 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | WE SERVICE OF THE PROPERTY OF | | |
| 2 | And user should navigate to accounts payable menu | SKIPPED | 0.001 s |
| 3 | When click on eye button of manual payout | SKIPPED | 0.001 s |
| 4 | And click on add button for manual payout | SKIPPED | 0.000 s |
| 5 | And user update the Testdata for cancelled payout txn screen | SKIPPED | 0.001 s |
| 6 | And Fill the required fields for verify cancelled payment txn availability | SKIPPED | 0.000 s |

EXPANDED SECTION -- 8 --

