Cucumber Report

Jan 13, 2022, 10:59:53 AM

Start : Jan 13, 10:59:22.085 AM	End : Jan 13, 10:59:52.823 AM	Duration : 30.738 s

Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 17 FAILED - 0 SKIPPED - 0









#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	1	0	0	30.738 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	To verify maker can update the budget code	17	17	0	0	30.731 s

(F)- To check BudgetDefinition moduel feature

PASSED	DURATION - 30.738 s	Scenarios		Steps	
/ 10:59:22.085 AM // 10:59:52.823 AM /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 17 Pass - 17 Fail - 0 Skip - 0	

(S)- To verify maker can update the budget code

PASSED	DURATION - 30.731 s		Steps	
/ 10:59:22.092 AM // 10:59:52.823 AM /			Total - 17 Pass - 17 Fail - 0 Skip - 0	
To check BudgetDefinition moduel feature				
@Maker_BudgetCode_Update				

#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	10.269 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.490 s
	screenshot		
	+		
2	Then click on budget configuration Menu	PASSED	0.147 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.247 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And click on budget definition sub menu and click on eye icon	PASSED	0.139 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.448 s
	screenshot		
			
4	Then search the budget code want to update	PASSED	0.311 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		
			
5	And select the budget code	PASSED	0.093 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.266 s
	screenshot		
			
6	And update the budget code	PASSED	3.204 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then update the budget budget type	PASSED	0.246 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
			
8	Then update warning percentage	PASSED	0.113 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		
			
9	Then update budget name	PASSED	0.238 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot		
			
10	Then update remark	PASSED	0.222 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And click on save after update all the details	PASSED	3.168 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.115 s
	screenshot		
			
12	Then Click on notification icon	PASSED	0.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.277 s
	screenshot		
			
13	And select the first record	PASSED	0.192 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
	screenshot		
			
14	Then click on submit button	PASSED	0.715 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	And enter remark in alert tab	PASSED	0.186 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.330 s
	screenshot		
			
16	And click on submit	PASSED	0.065 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot		
			
17	When click on submit button save the reviewer id	PASSED	0.601 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) To verify maker can update the budget code	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) To verify maker can update the budget code	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) To verify maker can update the budget code

(F) To check BudgetDefinition moduel feature



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) To verify maker can update the budget code

(F) To check BudgetDefinition moduel feature



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) To verify maker can update the budget code	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) To verify maker can update the budget code	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify maker can update the budget code	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify maker can update the budget code	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) To verify maker can update the budget code

(F) To check BudgetDefinition moduel feature



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) To verify maker can update the budget code

(F) To check BudgetDefinition moduel feature



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify maker can update the budget code

(F) To check BudgetDefinition moduel feature



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify maker can update the budget code

(F) To check BudgetDefinition moduel feature



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify maker can update the budget code

(F) To check BudgetDefinition moduel feature



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify maker can update the budget code

(F) To check BudgetDefinition moduel feature



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify maker can update the budget code	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify maker can update the budget code	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) To verify maker can update the budget code

(F) To check BudgetDefinition moduel feature