Cucumber Report

| **Start : Mar 16, 12:44:08.935 pm**	**End : Mar 16, 12:44:44.139 pm**	**Duration : 35.204 s**
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 18 FAILED - 1 SKIPPED - 26

1

1

45

Pass %

0 %

0 %

40 %

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	0	1	0	35.204 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed	45	18	1	26	35.197 s

(F)- Check the Functionality of AR/AP Module

FAILED	DURATION - 35.204 s	Scenarios		Steps	
		Total - 1		Total - 45	
/ 12:44:08.935 pm // 12:44:44.139 pm /		Pass - 0	1	Pass - 18	45
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 26	

(S)- Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

FAILED	DURATION - 35.197 s		Steps	
/ 12:44:08.942 pm // 12:44:44.139 pm /			Total - 45	
Check the Functionality of AR/AP Module			Pass - 18	45
			Fail - 1	
@KUBS_AR_AP_UAT_004_007_TC_01			Skip - 26	

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	11.865 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	screenshot		
2	Then Choose the second Tab Segment	PASSED	0.346 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Click On Main module Accounts Receivable	PASSED	0.104 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot		
4	Then Click on Accounts Receive Advances Eye Icon	PASSED	0.218 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.356 s
	screenshot		
5	And Click Add icon button	PASSED	0.295 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.335 s
	screenshot		
6	Then Enter the Receivable Name as Advance to employee	PASSED	0.427 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And Enter Business partner Value For Employee	PASSED	0.372 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		
8	And Enter Payment mode	PASSED	0.305 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		
9	Then Enter Amount value	PASSED	0.170 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot		
10	And Choose Needed Currancy	PASSED	0.232 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Choose cost center	PASSED	0.304 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		
12	And Enter Description value	PASSED	0.215 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot		
13	Then Save the Advance Record	PASSED	0.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.329 s
	screenshot		
14	Then Goto The Notification Icon	PASSED	0.178 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.341 s
	screenshot		

| #	Step / Hook Details	Status	Duration
15	And Store the Referance Id and Open the Record	PASSED	0.734 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.358 s
	screenshot		
16	Then Click submit button and Enter Remark submit it	PASSED	2.850 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
17	Given Navigate as a Reviewer	PASSED	7.566 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		
18	Then click on Notify icon	PASSED	0.797 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.123 s
	screenshot		

#	Step / Hook Details	Status	Duration
19	And Click First record Action icon	FAILED	0.395 s

	org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=99.0.4844.51) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [10d16b5db05a681dc389fed037a72349, clickElement {id=2e06212e-6a5d-47f2-bd8d-2901696ec780}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53924}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53924/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (10d16b5db05a681dc389fed037a72349)] -> xpath: //datatable-row-wrapper[1]/datatable-body-row/div/datatable-body-cell[1]//ion-button] Session ID: 10d16b5db05a681dc389fed037a72349
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at jdk.internal.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	    at stepdefinitions.ARAP_AccountsReceivable_AccountsPayable. click_first_record_action_icon(ARAP_AccountsReceivable_AccountsPayable.java:1888)
	    at ?.Click First record Action icon(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ ARAP_AccountsReceivable_AccountsPayable.feature:875)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.281 s
	screenshot		
20	Then Approve the record in Reviewer	SKIPPED	0.000 s
21	And Give Remark and Submit	SKIPPED	0.000 s
22	Given Navigate as a Checker	SKIPPED	0.001 s
23	Then Click module security management	SKIPPED	0.000 s
24	And Claim the Record in Checker	SKIPPED	0.000 s
25	Then Goto the Checker notification Icon	SKIPPED	0.000 s
26	And Click the First Action Icon	SKIPPED	0.000 s
27	Then Approve the Record in checker stage	SKIPPED	0.000 s
28	And Give the Remark and Submit it	SKIPPED	0.000 s
29	Given Navigate The Azentio Url	SKIPPED	0.000 s
30	Then Choose the second Tab Segment	SKIPPED	0.000 s
31	And Click On Main module Accounts Receivable	SKIPPED	0.000 s
32	Then Click on Accounts Receive Advances Eye Icon	SKIPPED	0.000 s
33	And Click On Search Icon	SKIPPED	0.000 s
34	Then Enter Active Value In Advance Status	SKIPPED	0.000 s
35	Then Click on Table Row First Eye Icon	SKIPPED	0.000 s
36	And Get The Business Partner and Advance Number	SKIPPED	0.000 s
37	And Click On Main module Accounts payable	SKIPPED	0.000 s
38	Then Click sub module Payment settlement Eye Icon	SKIPPED	0.001 s
39	And Click Add icon button	SKIPPED	0.000 s
40	Then Enter payment option	SKIPPED	0.000 s
41	And Give stored Business partner Name	SKIPPED	0.000 s
42	Then Choose value date as System current date	SKIPPED	0.001 s
43	And find the Advance reference number and Net Adjustable value in the billing queue	SKIPPED	0.000 s
44	Then Click the Checkbox As Tick	SKIPPED	0.001 s
45	And Verify the Net Adjusted Value is correctly displayed	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed	
(F) Check the Functionality of AR/AP Module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed	
(F) Check the Functionality of AR/AP Module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed (F) Check the Functionality of AR/AP Module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed (F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

(F) Check the Functionality of AR/AP Module

☰ 🌐 Kastle Universal Banking (Beta)		27-Oct-2022 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔 ▶	👤 REVIEWER	

No Module Mapped ▾

← Advaces   ⓘViewSummary ✅Approve ↻Return ❌Reject

🔧   🚦   📋

* Entity Branch
AZENTMAIN-Azentio Main Branch   × ▾

* Receivable Name
Advance To Employee   × ▾

Business Partner/Employee Name
TRM agency   × ▾

Adavace Number

*Date
27-Oct-2022   📅

Po Number ▾

* Payment Mode
Cheque   × ▾

* Amount
100.00   INR × ▾

Cost Center
FINANCE   × ▾

* Description
Advance

* Status
Active ▾

22 Appro... ✖ 11 Messa... ✖

⚏ Home   ➤ Preference