Cucumber Report

| Start : Dec 22, 11:12:18.697 AM	End : Dec 22, 11:14:26.710 AM	Duration : 2 m 8.013 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 8 FAILED - 1 SKIPPED - 5

Features: 1

Scenarios: 1

Steps: 14

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 57 %

#	Feature Name	T	P	F	S	Duration
1	AR_AP Module	1	0	1	0	2 m 8.013 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR_AP Module	Verify Accounts Payable Report post payout approval	14	8	1	5	2 m 8.007 s

(F)- AR_AP Module

FAILED	DURATION - 2 m 8.013 s	Scenarios		Steps	
		Total - 1		Total - 14	
/ 11:12:18.697 AM // 11:14:26.710 AM /		Pass - 0	**1**	Pass - 8	**14**
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

(S)- Verify Accounts Payable Report post payout approval

| FAILED	DURATION - 2 m 8.007 s		Steps	
/ 11:12:18.703 AM // 11:14:26.710 AM /			Total - 14	
AR_AP Module			Pass - 8	**14**
@KUBS_AR_AP_UAT_006_002_TC_005 @AR/AP			Fail - 1 Skip - 5	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	1 m 19.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.757 s
	screenshot		
	+		
2	And click on accounts Payable module	PASSED	6.981 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.702 s
	screenshot		
	+		

| #	Step / Hook Details	Status	Duration
3	When click on eye button of manual payout	PASSED	2.220 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.962 s
	screenshot		
4	Then click on search	PASSED	0.441 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.582 s
	screenshot		
5	And search the payout completed reference number	PASSED	10.659 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.567 s
	screenshot		
6	Then click on report segment button	PASSED	3.806 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.570 s
	screenshot		
7	And click on report main menu	PASSED	0.310 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.378 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And click on accouts payable report	PASSED	1.053 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.839 s
9	And enter businessPartner name for multiple record	FAILED	0.808 s

	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence
	   at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92)
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	   at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source)
	   at stepdefinitions.AR_AP_Module.enter_businesspartner_name_for_multiple_record(AR_AP_Module.java:2515)
	   at ?.enter businessPartner name for multiple record(file:///C:/Users/ININDC00075/git/Arshath_Excel_AzentioAutomationFramework/AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/ArAp2.feature:699)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.579 s
10	And click on date icon	SKIPPED	0.000 s
11	And give date in report	SKIPPED	0.000 s
12	And give status of the settlement record	SKIPPED	0.001 s
13	And click on the view button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
14	And verify the advance record is available in the payable report section	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Accounts Payable Report post payout approval

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Accounts Payable Report post payout approval

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounts Payable Report post payout approval

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounts Payable Report post payout approval

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounts Payable Report post
payout approval

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounts Payable Report post
payout approval

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounts Payable Report post
payout approval

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounts Payable Report post
payout approval

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Accounts Payable Report post payout approval

(F) AR_AP Module