


FEATURES SUMMARY -- 2 --




#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Fixed Asset	1	0	1	0	54.095 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Fixed Asset	Check Asset Serial Number	13	12	1	0	54.085 s

## **(F)- Check the Functionality of Fixed Asset**




## (S)- Check Asset Serial Number



#	Step / Hook Details	Status	Duration
1	And User get the test data for check assert serial number	PASSED	4.633 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.383 s
	screenshot		
	+		
2	Given User should go to the kubs url and login as a maker user	PASSED	26.828 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.763 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And User click the fixed assert config button	PASSED	0.242 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  +	PASSED	0.288 s
4	And User click the assert serial number setup tempview	PASSED	0.761 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  +	PASSED	0.786 s
5	And User get the assert code in fixed assert config	PASSED	2.763 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  +	PASSED	0.468 s
6	Then click on report icon	PASSED	2.930 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.461 s
7	And user should navigate to master reports menu	PASSED	0.192 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.310 s

#	Step / Hook Details	Status	Duration
8	Then click on temp grid button of asset serial number	PASSED	0.416 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.308 s
	screenshot		
9	And User enter the assert code	PASSED	0.851 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.232 s
	screenshot		
	The state of the s		
10	And User enter the start assert serial number	PASSED	0.200 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.277 s
	screenshot		
11	And User select the date in assert report	PASSED	0.591 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	screenshot	]	
10	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And User enter the start assert serial number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And User select the date in assert report  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED PASSED PASSED	0.232 s  0.200 s  0.277 s



EXPANDED SECTION -- 8 --


(Step) AFTER\_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset Serial Number


(F) Check the Functionality of Fixed Asset




EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

