Cucumber Report

| Start : Jan 12, 1:41:03.579 PM	End : Jan 12, 1:42:08.832 PM	Duration : 1 m 5.253 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 1 SKIPPED - 1

1

1

8

Pass %

0 %

0 %

75 %

#	Feature Name	T	P	F	S	Duration
1	user create the patty cash login details	1	0	1	0	1 m 5.253 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	user create the patty cash login details	Check report for fund requisition	8	6	1	1	1 m 5.246 s

(F)- user create the patty cash login details

FAILED	DURATION - 1 m 5.253 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 1:41:03.579 PM // 1:42:08.832 PM /		Pass - 0	1	Pass - 6	8
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- Check report for fund requisition

FAILED	DURATION - 1 m 5.246 s		Steps	
/ 1:41:03.586 PM // 1:42:08.832 PM /			Total - 8	
user create the patty cash login details			Pass - 6	8
			Fail - 1	
@KUBS_PC_UAT_006_001			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	49.901 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.861 s
	screenshot		
	+		
2	Then click on report icon	PASSED	3.551 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.374 s
	screenshot		
	+		

#	Step / Hook Details	Status	Duration
3	And user should navigate to reports menu	PASSED	0.324 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot		
4	Then user update the Excel sheet testdata for Pettycash	PASSED	0.008 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	screenshot		
5	Then click on temp grid button of fund requisition report	PASSED	0.336 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.315 s
	screenshot		
6	And select the date to check the fund requisition details are displaying	PASSED	0.684 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.222 s
	screenshot		
7	Then click in the view button to check	FAILED	1.192 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a _ngcontent-kyp-c867="" target="_blank">... is not clickable at point (1884, 88). Other element would receive the click: <div class="cdk-overlay-backdrop cdk-overlay-transparent-backdrop		

| #	Step / Hook Details	Status	Duration
	{background-color:#f00;} cdk-overlay-backdrop-showing"></div> (Session info: chrome=108.0.5359.125) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.49', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9d88daa7902488cd7a7a9884b0b963c7, clickElement {id=c162b92c-37dd-4f7a-9ad1-a51074e21df0}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55793}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55793/devtoo..., se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (9d88daa7902488cd7a7a9884b0b963c7)] -> xpath: //ion-buttons/ion-button/a] Session ID: 9d88daa7902488cd7a7a9884b0b963c7 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.Pettycash.click_in_the_view_button_to_check(Pettycash.java:107) at ?.click in the view button to check(file:///C:/Users/ININDC00075/git/Arshath_Excel_AzentioAutomationFramework/AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/Pettycash.feature:10) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.222 s

#	Step / Hook Details	Status	Duration
8	Then the report is displaying all fund requisition details	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check report for fund requisition

(F) user create the patty cash login details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check report for fund requisition

(F) user create the patty cash login details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check report for fund requisition	
(F) user create the patty cash login details	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check report for fund requisition	
(F) user create the patty cash login details	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check report for fund requisition

(F) user create the patty cash login details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check report for fund requisition

(F) user create the patty cash login details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check report for fund requisition

(F) user create the patty cash login details