


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|--------------|
| 1 | FIXED ASSETS | 1 | 0 | 1 | 0 | 2 m 30.629 s |

SCENARIOS SUMMARY -- 3 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------|----------------|----|---|---|----|--------------|
| 1 | FIXED ASSETS | Asset Creation | 16 | 0 | 0 | 16 | 2 m 30.609 s |

DETAILED SECTION -- 4 --

(F)- FIXED ASSETS

| FAILED | DURATION - 2 m 30.629 s | Scenarios | | Steps | |
|------------------|-------------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 16 | |
| / 3:01:14.607 Al | M // 3:03:45.236 AM / | Pass - 0 | 1 | Pass - 0 | 16 |
| | | Fail - 1 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 16 | |

(S)- Asset Creation



| # | Step / Hook Details | Status | Duration |
|---|--|--------|--------------|
| | BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario) | FAILED | 2 m 30.219 s |
| | org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: unknown error: DevToolsActivePort file doesn't exist Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}, at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:166) at org.openqa.selenium.chromium.ChromiumDriver. <init>(ChromiumDriver.java:89)</init> | FAILED | 2 m 30.219 s |
| | at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:166)</init> | | |

DETAILED SECTION -- 5 --

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | at resources.BaseClass.initializeDriver(BaseClass.java:28) | | |
| | at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32) | | |
| 1 | Given User should go to the kubs url and login as a maker user | SKIPPED | 0.001 s |
| 2 | And user should navigate to fixed asset menu | SKIPPED | 0.001 s |
| 3 | When click on eye button of asset creation | SKIPPED | 0.000 s |
| 4 | And click on add button to create asset record | SKIPPED | 0.001 s |
| 5 | And Fill the required fields to create asset | SKIPPED | 0.001 s |
| 6 | Then Save and submit the asset creation record | SKIPPED | 0.000 s |
| 7 | And User should go to the kubs url and login as a reviewer user | SKIPPED | 0.000 s |
| 8 | Then Click on notification button in reviewer | SKIPPED | 0.001 s |
| 9 | And approve the record by reviewer user | SKIPPED | 0.000 s |
| 10 | Given User should go to the kubs url and login as a checker user | SKIPPED | 0.000 s |
| 11 | And Click on security management in checker | SKIPPED | 0.000 s |
| 12 | Then Click on open pool in checker | SKIPPED | 0.000 s |
| 13 | And Click on claim button in checker | SKIPPED | 0.001 s |
| 14 | And capture claimed status | SKIPPED | 0.000 s |
| 15 | Then click on notification in checker | SKIPPED | 0.000 s |
| 16 | Then checker should approved the asset creation record | SKIPPED | 0.000 s |
| | AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario) | FAILED | 0.059 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52) | | |