
Duration: 29.963 s Start: Mar 28, 11:33:41.395 AM End: Mar 28, 11:34:11.358 AM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 11 SKIPPED - 0 SKIPPED - 0 SKIPPED - 9 21 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 52 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	1	0	1	0	29.963 s

SCENARIOS SUMMARY




#		Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	Check inventory stock confirmation	21	11	1	9	29.957 s

DETAILED SECTION -- 4 --

(F)- Check the Functionality of Inventory

FAILED	DURATION - 29.963 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 11:33:41.395	5 AM // 11:34:11.358 AM /	Pass - 0	1	Pass - 11	21
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 9	

(S)- Check inventory stock confirmation



#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	11.106 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.593 s
	screenshot		
	The state of the s		
2	Then Inventory Second direction icon	PASSED	0.358 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.260 s
	screenshot		


#	Step / Hook Details	Status	Duration
	The Control of Control		
3	And Inventory Management Module	PASSED	0.152 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
4	Then Click on Stock issue eye icon	PASSED	0.394 s
-	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.263 s
5	And Click on First record eye icon	PASSED	0.154 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.438 s
6	Then Get the New Request Referance No	PASSED	0.149 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.113 s
	screenshot		

Ten Click on Inventory stock confirmation eye icon	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 8 And Sub module Inventory stock confirmation click Add icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 9 Then Enter the Request Referance Number AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(Company Comp		
Screenshot And Sub module Inventory stock confirmation click Add icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.206 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.250 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AGTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AGTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	7	Then Click on Inventory stock confirmation eye icon	PASSED	0.357 s
8 And Sub module Inventory stock confirmation click Add icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 Then Enter the Request Referance Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And Enter Item code Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.237 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
8 And Sub module Inventory stock confirmation click Add icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then Enter the Request Referance Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s 0.250 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.500 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.237 s 0.237 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.250 s Then Enter the Request Referance Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Enter Item code Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.237 s PASSED O.237 s PASSED O.237 s				
Screenshot 9 Then Enter the Request Referance Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.500 s PASSED 0.136 s Screenshot 10 And Enter Item code Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.237 s PASSED 0.377 s	8	And Sub module Inventory stock confirmation click Add icon	PASSED	0.206 s
9 Then Enter the Request Reference Number AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And Enter Item code Number AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.237 s PASSED 0.377 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
9 Then Enter the Request Referance Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And Enter Item code Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.237 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.377 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And Enter Item code Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.136 s PASSED 0.237 s PASSED 0.237 s PASSED 0.377 s		O		
Screenshot 10 And Enter Item code Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.237 s 0.377 s	9	Then Enter the Request Referance Number	PASSED	0.500 s
10 And Enter Item code Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.237 s 0.377 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
10 And Enter Item code Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.237 s 0.377 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.377 s				
	10	And Enter Item code Number	PASSED	0.237 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.377 s
		screenshot]	


#	Step / Hook Details	Status	Duration
	With the state of		
11	Then Accept the status in checkbox	PASSED	0.187 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.328 s
12	And click the save icon for StockConfirm	FAILED	1.216 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button class="ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated button-disabled" color="primary" disabled="mus" ion-button="" isabled="mus" ng-reflect-color="primary" ng-reflect-disabled="true"> is not clickable at point (1414, 88). Other element would receive the click: <div class="ng-tns-c135-0 ng-star-inserted ng-trigger ng-trigger-flylnOut ngx-toastr toast-error" style="opacity: 1," toast-component="">/div> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bo5511cbda' System info: host: 'INMUVADPO14667', ig: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '15.0.1' briver info: org.openqa. selenium.chrome.ChromeDriver Command: [0de412310371cd9152bf36d5d6eb61b5, clickElement {id=c0ce8c82-840d-478a-ac80-f518aba29927}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.82, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:63402/devtoo, se.cdpVersion: 99.0.4844.82, setWindowRect: true, strictFielnteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [ChromeDriver: chrome on WINDOWS (0de412310371cd9152bf36d5d6eb61b5)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-button[2]/ion-button[1]] Session ID: 0de412310371cd9152bf36d5d6eb61b5 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstruc</div></ion-button>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:277) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.InventoryManagament.click_the_save_icon_for_stockconfirm(InventoryManagament.java:1316) at ?.click the save icon for StockConfirm(file:///C:/Users/inindc00082/git/AzentioAutomationFramework/403/AzentioAutomationFramework/5rc/test/java/features/InventoryManagement.feature:251) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	Screenshot Output Output		
13	And goto maker Notification Icon	SKIPPED	0.000 s
14	Then Click Submit button to Inventory Record	SKIPPED	0.000 s
15	And Give Remark and submit to Reviewer	SKIPPED	0.001 s
16	Then Open Reviewer account	SKIPPED	0.000 s
17	And Click on notification	SKIPPED	0.000 s
18	Then Approve the record which we submitted from maker stage	SKIPPED	0.000 s
19	Then Go to Checker account	SKIPPED	0.000 s
20	And Clam the record	SKIPPED	0.000 s
21	Then Click on notification and approve the record	SKIPPED	0.000 s


EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

