
Duration: 1 m 28.533 s Start: Dec 13, 12:44:31.834 PM End: Dec 13, 12:46:00.367 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 16 17 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 100

FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration     |
|---|--------------|---|---|---|---|--------------|
| 1 | AR/AP Module | 1 | 0 | 1 | 0 | 1 m 28.533 s |




| # | Feature Name | Scenario Name   | T  | P | F | S  | Duration     |
|---|--------------|---|----|---|---|----|--------------|
| 1 | AR/AP Module | Verify No accounting entry is generated on cancelling | 17 | 0 | 1 | 16 | 1 m 28.522 s |
|   |              | advances to employees                                 |    |   |   |    |              |

DETAILED SECTION -- 4 --

## (F)- AR/AP Module

| FAILED           | DURATION - 1 m 28.533 s  | Scenarios |   | Steps      |    |
|------------------|--------------------------|-----------|---|------------|----|
| /40 44 04 004 5  | NA // 40 40 00 007 DA4 / | Total - 1 |   | Total - 17 |    |
| / 12:44:31.834 P | PM // 12:46:00.367 PM /  | Pass - 0  | 1 | Pass - 0   | 17 |
|                  |                          | Fail - 1  |   | Fail - 1   |    |
|                  |                          | Skip - 0  |   | Skip - 16  |    |

## (S)- Verify No accounting entry is generated on cancelling advances to employees



| # | Step / Hook Details   | Status | Duration      |
|---|---|--------|---------------|
| 1 | Given User should go to the kubs url and login as a maker user  | FAILED | 1 m 23.893 s  |
|   | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-select[@aria-label='Amlock']' (tried for 60 second(s) with 2 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:102) at stepdefinitions.KUBS_Login.loginToAzentioAppByMaker(KUBS_Login.java:47) at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts. user_should_go_to_the_kubs_url_and_login_as_a_maker_user(ACCOUNTSPAYABLE_VendorContracts.java:49)  |        | 1111 20.000 3 |
|   | at ?.User should go to the kubs url and login as a maker user(file:///C:/Users/inindc00091/git/repository6/ARAP_AzentioAutomationFramework_Excel/src/test/java/features/ArAp_2_Excel.feature:470)  Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-select[@aria-label='Amlock']"} (Session info: chrome=100.0.4896.60) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [47f13b6b8dd03db21d55549eb7bf15d5, findElement {using=xpath, value=//ion-select[@aria-label='Amlock']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:55431}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55431/devtoo, se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: |        |               |

| #        | Step / Hook Details   | Status | Duration |
|----------|---|--------|----------|
|          | {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, |        |          |
|          | webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 47f13b6b8dd03db21d55549eb7bf15d5          |        |          |
|          | at jdk.internal.reflect.GeneratedConstructorAccessor36.newInstance(Unknown Source)  |        |          |
|          | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)      |        |          |
|          | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  |        |          |
|          | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  |        |          |
|          | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)                     |        |          |
|          | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)                              |        |          |
|          | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)                               |        |          |
|          | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)   |        |          |
|          | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)                       |        |          |
|          | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)                             |        |          |
|          | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)   |        |          |
|          | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)                           |        |          |
|          | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  |        |          |
|          | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)   |        |          |
|          | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)   |        |          |
|          | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)                     |        |          |
|          | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)               |        |          |
|          | at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)  |        |          |
|          | at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307)                              |        |          |
|          | at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)                                    |        |          |
|          | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)                                     |        |          |
|          | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)                                     |        |          |
|          | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)   |        |          |
|          | at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:102)   |        |          |
|          | at stepdefinitions.KUBS_Login.loginToAzentioAppByMaker(KUBS_Login.java:47)  |        |          |
|          | at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts.   |        |          |
|          | user_should_go_to_the_kubs_url_and_login_as_a_maker_user(ACCOUNTSPAYABLE_VendorContracts.java:49)                               |        |          |
|          | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)   |        |          |
|          | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)                             |        |          |
|          | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)                     |        |          |
|          | at java.base/java.lang.reflect.Method.invoke(Method.java:568)   |        |          |
|          | at io.cucumber.java.lnvoker.dolnvoke(Invoker.java:66)   |        |          |
|          | at io.cucumber.java.Invoker.invoke(Invoker.java:24)   |        |          |
|          | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)   |        |          |
|          | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  |        |          |
|          | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)   |        |          |
|          | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)                                 |        |          |
|          | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  |        |          |
|          | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)   |        |          |
| <u> </u> | at io.cucumber.core.runner.TestStep.run(TestStep.java:64)   |        |          |

| Step / Hook Details   | Status | Duration |
|---|--------|----------|
| at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)                               |        |          |
| at io.cucumber.core.runner.TestCase.run(TestCase.java:104)  |        |          |
| at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)   |        |          |
| at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)            |        |          |
| at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)         |        |          |
| at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)                       |        |          |
| at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)          |        |          |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)                           |        |          |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)         |        |          |
| at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) |        |          |
| at java.base/java.lang.reflect.Method.invoke(Method.java:568)   |        |          |
| at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)                 |        |          |
| at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)                                       |        |          |
| at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)                                   |        |          |
| at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)                                     |        |          |
| at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)                      |        |          |
| at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)                                  |        |          |
| at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)                        |        |          |
| at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)                                      |        |          |
| at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)   |        |          |
| at org.testng.TestRunner.privateRun(TestRunner.java:794)  |        |          |
| at org.testng.TestRunner.run(TestRunner.java:596)   |        |          |
| at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)   |        |          |
| at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)   |        |          |
| at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)  |        |          |
| at org.testng.SuiteRunner.run(SuiteRunner.java:276)   |        |          |
| at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)   |        |          |
| at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)  |        |          |
| at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)  |        |          |
| at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)   |        |          |
| at org.testng.TestNG.runSuites(TestNG.java:1063)  |        |          |
| at org.testng.TestNG.run(TestNG.java:1031)  |        |          |
| at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)                                |        |          |
| at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)   |        |          |
| at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)  |        |          |
| * Not displayable characters are replaced by '?'.   |        |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)                            | PASSED | 0.340 s  |
| screenshot  |        |          |

DETAILED SECTION -- 7 --

| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
|    | ARONTO INSTANCE OF THE PROPERTY OF THE PROPERT |         |          |
| 2  | Then select data set ID for verify no accounting entries for cancelling advance to employee  | SKIPPED | 0.000 s  |
| 3  | Then Choose the second Tab Segment   | SKIPPED | 0.000 s  |
| 4  | Then go to ar ap adjustment module   | SKIPPED | 0.000 s  |
| 5  | Then click on search   | SKIPPED | 0.000 s  |
| 6  | And search the Ar cancelled advance in the adjustment screen   | SKIPPED | 0.000 s  |
| 7  | And select one record  | SKIPPED | 0.001 s  |
| 8  | Then click on report segment button  | SKIPPED | 0.000 s  |
| 9  | And click on equiry menu   | SKIPPED | 0.000 s  |
| 10 | Then click on edit icon near by fiancial transaction menu  | SKIPPED | 0.000 s  |
| 11 | And choose branch code   | SKIPPED | 0.000 s  |
| 12 | And click on transaction from date calender icon   | SKIPPED | 0.000 s  |
| 13 | Then choose the from date  | SKIPPED | 0.000 s  |
| 14 | And click on the transaction to date calender icon   | SKIPPED | 0.000 s  |
| 15 | Then choose the to date  | SKIPPED | 0.001 s  |
| 16 | And click on view button   | SKIPPED | 0.000 s  |
| 17 | Then adjustment reference number not availabe in the GL record   | SKIPPED | 0.000 s  |

EXPANDED SECTION -- 8 --

