

# Cucumber Report

11 Jan 2023, 11:53:09 AM

Start : Jan 11, 11:52:46.312 AM

End : Jan 11, 11:53:07.305 AM

Duration : 20.993 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 15







#	Feature Name	T	P	F	S	Duration
1	AR_AP Module	1	0	1	0	20.993 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR_AP Module	Login as Maker	16	0	1	15	20.985 s


**(F)- AR\_AP Module**

<b>FAILED</b>	<b>DURATION - 20.993 s</b>	Scenarios		Steps	
/ 11:52:46.312 AM // 11:53:07.305 AM /		Total - 1	1	Total - 16	16
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 15	

**(S)- Login as Maker**

<div><div>FAILED</div><div>DURATION - 20.985 s</div></div>			Steps	
/ 11:52:46.320 AM // 11:53:07.305 AM /			Total - 16	
AR_AP Module			Pass - 0	
@KUBS_AR_AP_UAT_008_002_TC_01_4			Fail - 1	
			Skip - 15	

#	Step / Hook Details	Status	Duration
1	<p>Given User should go to the kubs url and login as a maker user</p> <pre> java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFWorkbook.getSheetIndex(String)" because "this.workbook" is null     at resources.ExcelReader.isSheetExist(ExcelReader.java:412)     at resources.ExcelReader.getColumnCount(ExcelReader.java:426)     at resources.ExcelData.getTestdata(ExcelData.java:24)     at stepdefinitions.KUBS_Login.loginToAzentioAppByMaker(KUBS_Login.java:38)     at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts.user_should_go_to_the_kubs_url_and_login_as_a_maker_user(ACCOUNTSPAYABLE_VendorContracts.java:49)     at ?.User should go to the kubs url and login as a maker user(file:///C:/Users/ININDC00075/git/Arshath_Excel_AzentioAutomationFramework/AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/ArAp2.feature:842)     * Not displayable characters are replaced by '?'.           </pre>	FAILED	14.906 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>	PASSED	0.936 s

#	Step / Hook Details	Status	Duration
			
2	And click on arap configuration main menu	SKIPPED	0.000 s
3	And click on payment file generation setup sub menu	SKIPPED	0.000 s
4	And user update the Excel sheet testdata for online payment	SKIPPED	0.000 s
5	And verify payment file download format is in Bank wise wise	SKIPPED	0.000 s
6	And click on accounts Payable module	SKIPPED	0.000 s
7	When click on eye button of manual payout	SKIPPED	0.001 s
8	Then click on search	SKIPPED	0.001 s
9	And search the transfer as payment mode	SKIPPED	0.000 s
10	And goto payment file download module	SKIPPED	0.000 s
11	And enter branch name	SKIPPED	0.000 s
12	And click on calendar in the payment file download module	SKIPPED	0.000 s
13	And enter the payout date	SKIPPED	0.000 s
14	And click on go button	SKIPPED	0.001 s
15	And download the payment file	SKIPPED	0.000 s
16	Then logout from maker	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Login as Maker

(F) AR\_AP Module

