

## **Cucumber Report**



FEATURES SUMMARY -- 2 --



;	#	Feature Name	T	P	F	S	Duration
	1	AR/AP Module	1	0	1	0	1 m 8.761 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Create a contract for an active vendor with expense type	10	8	1	1	1 m 8.756 s
		Purchases					

DETAILED SECTION -- 4 --

## (F)- AR/AP Module

FAILED	DURATION - 1 m 8.761 s	Scenarios		Steps	
		Total - 1		Total - 10	
/ 3:47:14.584 PI	M // 3:48:23.345 PM /	Pass - 0	1	Pass - 8	10
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

## (S)- Create a contract for an active vendor with expense type Purchases


FAILED DURATION - 1 m 8.756 s	20 -	-		 † -	 <u> </u>		 	-	' -					 Steps			
/ 3:47:14.589 PM // 3:48:23.345 PM /	15 -	-	ı	 -	 - - -		 	-						 Total - 10			
AR/AP Module	10 -	-	ı	 	 <u> </u>		 	-						 Pass - 8		10	
@AR/AP @KUBS_AR/AP_UAT_001_001_TC_001_01	0 -			1	 							]		 Fall - 1 Skip - 1	◥		
@KOBS_AR/AF_OA1_001_001_1C_001_01			1	2	3	4	5	6	7	8	3	9	10				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	20.152 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.459 s
	screenshot		
	ASSETTO  TO SET THE ADMINISTRATE AND ADMINISTRATE ADMINIS		
2	And user should navigate to accounts payable menu	PASSED	3.562 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.242 s
	screenshot		


3 When click on eye button of vendor contract  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  5 And user update the data set ID for vendor contract  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  5 And user update the data set ID for vendor contract  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Contract  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  20.762 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  20.762 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  screenshot  4 And click on add button to create contract  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And user update the data set ID for vendor contract  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 And Elit the data set ID for vendor contract  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP -				
screenshot  4 And click on add button to create contract  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And user update the data set ID for vendor contract  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And user update the data set ID for vendor contract  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 And Fill the required fields to create contract  PASSED  2.012 s  0.456 s  0.456 s	3	When click on eye button of vendor contract	PASSED	0.427 s
4 And click on add button to create contract  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And user update the data set ID for vendor contract  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.005 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  pASSED  0.180 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.568 s
4 And click on add button to create contract  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Sorreenshot  5 And user update the data set ID for vendor contract  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Sorreenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.005 s  PASSED  O.180 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And user update the data set ID for vendor contract  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And Fill the required fields to create contract  PASSED  0.456 s  0.456 s				
screenshot  5 And user update the data set ID for vendor contract  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And Fill the required fields to create contract  PASSED  20.762 s	4	And click on add button to create contract	PASSED	2.012 s
5 And user update the data set ID for vendor contract  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And Fill the required fields to create contract  PASSED  0.005 s  0.180 s			PASSED	0.456 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And Fill the required fields to create contract  PASSED  0.180 s		AND THE PARTY OF T		
Screenshot    Screenshot	5	And user update the data set ID for vendor contract	PASSED	0.005 s
6 And Fill the required fields to create contract  PASSED 20.762 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
6 And Fill the required fields to create contract  PASSED 20.762 s		screenshot		
· ·		ASATO    Value 1980   Value 1980   Cartain		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.185 s	6	And Fill the required fields to create contract	PASSED	20.762 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
	Section   Sect		
7	And Save the Record from maker	PASSED	0.393 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot		
8	Then click on the Notification icon	PASSED	1.497 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	screenshot		
	No.   10   10   10   10   10   10   10   1		
9	Then store the Reference ID and open the vendor contract record	FAILED	0.001 s
	Step undefined		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
	screenshot		
	Table   Tabl		
10	Then click submit and enter remark for vendor contract	SKIPPED	0.000 s

EXPANDED SECTION -- 7



EXPANDED SECTION -- 8 --





EXPANDED SECTION -- 10 --

