


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the Fixed Assets	1	0	1	0	36.806 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the Fixed	Create an amendment to modify an asset for capitalization	36	11	1	24	36.797 s
	Assets	date					

DETAILED SECTION -- 4 --

(F)- Check the Functionality of the Fixed Assets

FAILED	DURATION - 36.806 s	Scenarios		Steps	
		Total - 1		Total - 36	
/ 4:15:02.544 pm	n // 4:15:39.350 pm /	Pass - 0	1	Pass - 11	36
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 24	

(S)- Create an amendment to modify an asset for capitalization date



#	Step / Hook Details	Status	Duration
1	Given Lauch The Azentio Url	PASSED	13.129 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	screenshot		
2	Then Click Second Segment Icon	PASSED	0.324 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	screenshot		

# ● One-controlled by the section of the section o	
3 And Click on fixed Asset Module PASSED 0.1	130 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.1	173 s
screenshot	
To the state of th	
4 Then click on Asset creation Eye icon PASSED 0.2	227 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.4	408 s
Screenshot # ** ********************************	
5 And Click to view First record and store RefNo PASSED 0.0	082 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.2	216 s
screenshot	
6 Then Click on Asset Ammendent submodule Eye Icon PASSED 0.2	222 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.2	264 s
screenshot	

#	Step / Hook Details	Status	Duration
	■ C 1000 (1000 1000 1000 1000 1000 1000 1		
7	And Click on Add Icon	PASSED	0.272 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.275 s
	screenshot		
8	Then Enter Asset Referance Number	PASSED	0.571 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Tender**	PASSED	0.133 s
	() the control of the		
9	And Enter Asset Item Number	PASSED	0.270 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.174 s
10	Then Choose Modification Type Which we need	PASSED	0.421 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	screenshot		

#	Step / Hook Details	Status	Duration
	** O SALE SALE SALE SALE SALE SALE SALE SALE		
11	And Click on calender Icon	PASSED	0.170 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		

12	And Choose a current date in calender	FAILED	11.173 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.11', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [f46e0b764af28011a1e226b257bfc693, findElement (using=xpath, value=//span[contains(text(), 'Mar 2022')]]] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: (chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:UJsers\iNINDC-1\AppData\int), goog:chromeOptions: (debuggerAddress: localhost:56830), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56830/devtoo, se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: f46e0b764af28011a1e226b257bfc693 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(OativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:23) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execut		


#	Step / Hook Details	Status	Duration
	at stepdefinitions.FIXEDASSET_AssetAmendment.choose_a_current_date_in_calender(FIXEDASSET_AssetAmendment.java:154) at ?.Choose a current date in calender(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/FIXEDASSET_AssetAmendment.feature:16) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	0.050 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: ['46e0b764af28011a1e226b257bfc693, screenshot {}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 ('7f0488e8ba0d8, userDataDir: C:Users\iNINDC-14\ppDataL), goog:chromeOptions: {debuggerAddress: localhost:56830, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56830/devtoo, se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:vitualAuthenticators: true} Session ID: fd6e0b764af28011a1e226b257bfc693 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.cecode(W3CHttpResponseCodec.java:230) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.cecode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.edec.v3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:139) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139) at org.openqa.selenium.r		
13	Then Save the Asset Record	SKIPPED	0.001 s
14	And Click on Maker Notification	SKIPPED	0.000 s
15	Then Select Saved record and click on action icon	SKIPPED	0.000 s
16	And Submit the Asset record to Reviewer	SKIPPED	0.000 s
17	Given Launch the Azentio Reviewer Page	SKIPPED	0.000 s
18	And Click the Reviewer Notification icon	SKIPPED	0.000 s
19	Then Click the submitted record from maker	SKIPPED	0.000 s
20	And Click the Approve icon from Reviewer End	SKIPPED	0.000 s
21	Then Enter the remark and submit the Record	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
22	Given Launch the Azentio Checker page	SKIPPED	0.000 s
23	Then Click the Security management module	SKIPPED	0.000 s
24	And Click the open pool Edit icon	SKIPPED	0.001 s
25	Then Claim the record Approved from Reviewer	SKIPPED	0.000 s
26	And Click the Checker Notification icon	SKIPPED	0.001 s
27	Then Click the Action Icon from claimed record	SKIPPED	0.000 s
28	And Click on Approve icon	SKIPPED	0.000 s
29	Then Submit the Record from Checker End	SKIPPED	0.000 s
30	Given Lauch The Azentio Url	SKIPPED	0.000 s
31	Then Click Second Segment Icon	SKIPPED	0.000 s
32	And Click on fixed Asset Module	SKIPPED	0.002 s
33	Then Click on Asset Ammendent submodule Eye Icon	SKIPPED	0.000 s
34	And Click the search icon	SKIPPED	0.001 s
35	Then Enter the Asset Referance No	SKIPPED	0.000 s
36	When capture the Asset Grid view	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	4.075 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.51) Build info: version: 't4.0.0-rc-1', revision: 'bc551.cbda' System info: host: 'INMU/ADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: ['Rde0b764af28011a1e226b257bfc693, close {]} Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: (chromedriverVersion: 98.0.4758.80 (760488e8ba0d8, userDataDir: C:\Users\ININDC-1\AppDataL), goog:chromeOptions: (debuggerAddress: localhost:56830), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56830//devtoo, se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFieleInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f46e0b764af28011a1e226b257bfc693 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:140) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(Dri		


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)		
	at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION --- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

