

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the GL2 Module	1	0	1	0	23.457 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL2	Check the created already and trying to create same	8	7	1	0	23.452 s
	Module	accounting book					

DETAILED SECTION -- 4 --

(F)- Check the Functionality of the GL2 Module

FAILED	DURATION - 23.457 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 4:34:58.578 pm	n // 4:35:22.035 pm /	Pass - 0	1	Pass - 7	8
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Check the created already and trying to create same accounting book



#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	16.072 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot		
	** On the Contract of the Cont		
2	And Click on Accounting Setup module	PASSED	0.109 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
	screenshot		


# Step / Hook Details Stat	us Duration
# * * * * * * * * * * * * * * * * * * *	
3 Then Click sub module Accounting book definition PASSE	0.391 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSE	0.317 s
screenshot	
## 0 - 10 - 10 - 10 - 10 - 10 - 10 - 10	
4 And Click on Add icon PASSE	0.252 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSE	0.273 s
screenshot	
5 Then Choose the Template Type of Custom Template PASSE	0.360 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSE	0.160 s
screenshot	
□ ■ ■ Section (a) ■ Out of the section of the sect	
6 And Enter Another Book Name PASSE	0.213 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSE	0.151 s
screenshot	


#	Step / Hook Details	Status	Duration
	# Descriptions # Descriptions De		
7	Then Enter the Remark	PASSED	0.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		
	** O and contamination		
8	Then Validate the Message we get	FAILED	0.020 s
	org.openga.selenium.JavascriptException: javascript error: Cannot read properties of null (reading 'shadowRoot') (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java version: '17.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [dbb86fb8f38f19761672c6aca553a8cd, executeScript {script=return document.querySelector('ion-toast').shadowRoot. querySelector('div[class=toast-message]'), args=[]]] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:USers\Nn\DC-1\AppDataL}} goog:chromeOptions: {debuggerAddress: localhost.62919}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformAmer. WINDOWS, proxy: Proxy(), se:cdp: ws://localhost.62919/devtoo, se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: dbb86fb8f38f19761672c6aca553a8cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(PolegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:489) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openga.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandE		

DETAILED SECTION -- 7 --


#	Step / Hook Details	Status	Duration
	at ?.Validate the Message we get(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/GL1_Accounting_Setup.feature:77) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		
	# © continuents # Out to the continuent continuent # Out to the continuent continuent continuent continuent # Out to the continuent con		

EXPANDED SECTION --- 8 --





EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --

