100

Start: Jan 10, 12:50:34.592 PM End: Jan 10, 12:51:26.791 PM **Duration: 52.199 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 2 3 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	52.199 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	reviewer user approve the record	3	0	1	2	52.193 s

DETAILED SECTION -- 4 --

(F)- AR/AP Module

FAILED	DURATION - 52.199 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 12:50:34.592 P	PM // 12:51:26.791 PM /	Pass - 0	1	Pass - 0	3
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- reviewer user approve the record



#	Step / Hook Details	Status	Duration
1	And User should login as a reviewer user to verify status of receipt	FAILED	43.656 s
	java.lang.NullPointerException: Cannot invoke "String.equals(Object)" because "id" is null at stepdefinitions.KUBS_Login.logintoAzentioappReviewer(KUBS_Login.java:70) at stepdefinitions.ARAP_ClearingReceiptViaChequeMode. user_should_login_as_a_reviewer_user_to_verify_status_of_receipt(ARAP_ClearingReceiptViaChequeMode.java:345) at ?.User should login as a reviewer user to verify status of receipt(file:///C:/Users/ININDC00091/git/AzentioAutomationFramework/DeveshFW_Excel/ARAP_AzentioAutomationFramework_Excel/src/test/java/features/ArAp_2_Excel.feature:1062) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.736 s
	screenshot		
	AZENTIO Mea		
2	Then update data set ID for verify status of the receipt is auto changed to deposit	SKIPPED	0.000 s
3	Then click on the Notification select the Cheque record and Approve	SKIPPED	0.001 s

EXPANDED SECTION -- 5 --

