Cucumber Report

Mar 25, 2022, 4:33:39 PM

Start : Mar 25, 4:31:35.697 PM	End : Mar 25, 4:33:33.514 PM	Duration : 1 m 57.817 s

Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 22 FAILED - 0 SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	1	1	0	0	1 m 57.817 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	Create a GRN	22	22	0	0	1 m 57.811 s

(F)- Check the Functionality of Inventory

PASSED	DURATION - 1 m 57.817 s	Scenarios		Steps	
/ 4:31:35.697 PM // 4:33:33.514 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 22 Pass - 22 Fail - 0 Skip - 0	

(S)- Create a GRN

PASSED	DURATION - 1 m 57.811 s		Steps	
/ 4:31:35.703 PM // 4:33:33.514 PM /			Total - 22 Pass - 22 Fail - 0 Skip - 0	
Check the Functionality of Inventory				
@KUBS_INV_MGMT_UAT_001_004				

#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	13.454 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.424 s
	screenshot  +		
2	Then Click on the Finance	PASSED	0.002 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.374 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click on the Direction	PASSED	0.336 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.316 s
	screenshot		
			
4	Then Click on Accounts Payable	PASSED	0.143 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		
			
5	Then Click on Good Recived Note GRN Eye buutton	PASSED	0.398 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		
			
6	Then Click on Add button	PASSED	0.519 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.416 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then Fill the form for GRN	PASSED	1.518 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		
			
8	Then Click on save button to save the record	PASSED	4.105 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot		
			
9	Then Click on notification & open record which we created for GRN	PASSED	4.168 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.355 s
	screenshot		
			
10	Then Click on Item Details Tab	PASSED	2.124 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.369 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then Select PO Number	PASSED	5.381 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot		
			
12	Then Add qty received qty approved	PASSED	1.361 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.106 s
	screenshot		
			
13	Then Click on GRN item save button	PASSED	4.507 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.116 s
	screenshot		
			
14	Then Click on the Notification	PASSED	0.144 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.312 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	Then Select the record which we saved	PASSED	0.865 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.291 s
	screenshot		
			
16	Then Submit record	PASSED	11.477 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s
	screenshot		
			
17	Then Open the Reviewer account	PASSED	15.901 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
	screenshot		
			
18	Then Click on the Notification	PASSED	0.301 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.438 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
19	Then Approve the record which we submitted from maker	PASSED	15.125 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		
			
20	Then Go to Checker login	PASSED	7.165 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.084 s
	screenshot		
			
21	Then Clam record	PASSED	2.045 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		
			
22	Then Click on the notification and approve the record	PASSED	8.805 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.870 s
	screenshot		

#	Step / Hook Details	Status	Duration
			

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Create a GRN	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Create a GRN	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Create a GRN (F) Check the Functionality of Inventory	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Create a GRN (F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory