

Cucumber Report

Feb 3, 2022, 11:33:26 PM

Start : Feb 03, 11:28:27.319 PM

End : Feb 03, 11:33:26.171 PM

Duration : 4 m 58.852 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 1
SKIPPED - 9







#	Feature Name	T	P	F	S	Duration
1	<u>Checking the Inventory Maintenance functionality</u>	1	0	1	0	4 m 58.852 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking the Inventory Maintenance functionality</u>	<u>Unique Inventory item code should be created</u>	15	5	1	9	4 m 58.849 s





(F)- Checking the Inventory Maintenance functionality

FAILED	DURATION - 4 m 58.852 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 15 Pass - 5 Fail - 1 Skip - 9	
/ 11:28:27.319 PM // 11:33:26.171 PM /					

(S)- Unique Inventory item code should be created

<div>FAILED</div> <div>DURATION - 4 m 58.849 s</div>			<div>Steps</div> <div>Total - 15</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 9</div>	
<div>/ 11:28:27.322 PM // 11:33:26.171 PM /</div>				
<div>Checking the Inventory Maintenance functionality</div>				
<div>@KUBS_INV_MGMT_UAT_002_003 @MultiAuth</div>				

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	8.832 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	screenshot		
			
2	Then Click on Direction icon for Inventory Maintenance	PASSED	0.101 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.098 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click on Inventory Maintenance	PASSED	0.793 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.116 s
	screenshot		
			
4	Then Click on Inventory Item Master Eye Icon	PASSED	0.304 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		
			
5	Then Click on Inventory Item Add button	PASSED	0.244 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
	screenshot		
			
6	Then Fill Inventory Item Mandatory fields	FAILED	4 m 41.536 s
	<p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c0886c8affa848fdb375cf92b7781a2, findElement {using=xpath, value=//ion-col[8]/app-kub-lov[1]/span[1]/ng-select[1]/div[1]/div[1]/div[3]/input}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir:</p>		

#	Step / Hook Details	Status	Duration
	<p>C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\DevTools\devtools-frontend-96.0.4664.45\resources\devtools\frontend\resources\cdp\ws://localhost:61714/devtools-frontend-96.0.4664.45, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3c0886c8affa848fdb375cf92b7781a2</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.InventoryMaintenance_InventoryItem.fill_inventory_item_mandatory_fields(InventoryMaintenance_InventoryItem.java:121) at ?.Fill Inventory Item Mandatory fields(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/InventoryMaintenance.feature:11) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c0886c8affa848fdb375cf92b7781a2, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\DevTools\devtools-frontend-96.0.4664.45\resources\devtools\frontend\resources\cdp\ws://localhost:61714/devtools-frontend-96.0.4664.45, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3c0886c8affa848fdb375cf92b7781a2</p>	FAILED	4.013 s


#	Step / Hook Details	Status	Duration
	Proxy(), se:cdp: ws://localhost:61714/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3c0886c8affa848fdb375cf92b7781a2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
7	Then Click on Inventory Item Save button	SKIPPED	0.000 s
8	Then Click on Inventory Item Notification	SKIPPED	0.000 s
9	And Select Inventory Item and Submit the record	SKIPPED	0.001 s
10	Then log in to reviewer account	SKIPPED	0.000 s
11	Then click on Notification select the record and Approve	SKIPPED	0.000 s
12	Then log in to Checker Account	SKIPPED	0.000 s
13	And checker claim the record	SKIPPED	0.000 s
14	Then click on checker Notification	SKIPPED	0.000 s
15	And select the record and Approve by checker	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3c0886c8affa848fdb375cf92b7781a2, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\NINDC~1\AppData\Local\Temp\chrome-win-1064621\chrome.exe}, goog:chromeOptions: {debuggerAddress: localhost:61714}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61714/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3c0886c8affa848fdb375cf92b7781a2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)	FAILED	0.242 s

#	Step / Hook Details	Status	Duration
	<pre>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)</pre>		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be
created


(F) Checking the Inventory Maintenance
functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be
created

(F) Checking the Inventory Maintenance
functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be
created

(F) Checking the Inventory Maintenance
functionality

Kastle Universal Banking (Beta)

03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Welcome, anant

Business partner setup

General ledger configurat...

Accounting setup

Expense/AR & AP configu...

Budget configuration

Fixed assets configuration

Inventory maintenance

Instrument code master

Denomination master

Inventory item master

Inventory access

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be
created

(F) Checking the Inventory Maintenance
functionality

Kastle Universal Banking (Beta)

03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Inventory Item View Grid

Actions	Branch Code	Branch Name	Currency Code	Transaction Date	Current Balance	Quantity	Reorder Level	Item Description
	BR0003	East Zone	INR	13-Jan-2022	100	10		Savings Bank
	AZENTMAIN	Azentio Main Branch	INR	22-Dec-2021	10	1		WHITE BOAR
	AZENTMAIN	Azentio Main Branch	INR	09-Dec-2021	200	1		Pay Order
	HO0001	Corporate Branch	INR	26-Nov-2021	479	1		STAPLERS
	AZENTMAIN	Azentio Main Branch	INR	26-Nov-2021	20	1		ENVELOPS
	AZENTMAIN	Azentio Main Branch	INR	25-Nov-2021	24	1		Fixed Deposit
	AZENTMAIN	Azentio Main Branch	INR	23-Nov-2021	50	1		White board M
	BR0003	East Zone	INR	23-Nov-2021	70	1		ATM Cards

11 total

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be
created

(F) Checking the Inventory Maintenance
functionality

Finance

Business partner setup

General ledger configurat...

Accounting setup

Expense/AR & AP configu...

Budget configuration

Fixed assets configuration

Inventory maintenance

Instrument code master

Denomination master

Inventory item master

22 Appro...

11 Messa...

Kastle Universal Banking (Beta)

03-Oct-2022 English Azentio Software (AZENTMAIN)

ANANT

Inventory Item Master

* Branch Code

Item Code

* Item Description

* Item Short Description

* Instrument Code

Instrument Description

* Currency Code

* Reorder Level

* Excess Level

* Reorder Qty

* Current Balance Quantity

QC Required

Fill Indicator

Home

Preference