Cucumber Report

| *Start : Apr 01, 4:18:14.675 AM*	*End : Apr 01, 4:18:40.638 AM*	*Duration : 25.963 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 12 FAILED - 1 SKIPPED - 55

Features

1

Scenarios

1

Steps

68

Pass %

0 %

Pass %

0 %

Pass %

17 %

#	Feature Name	T	P	F	S	Duration
1	Checking the Fixed Asset functionality	1	0	1	0	25.963 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Fixed Asset functionality	Check if any amended asset can be de-allocated	68	12	1	55	25.960 s

(F)- Checking the Fixed Asset functionality

FAILED	DURATION - 25.963 s	Scenarios		Steps	
/ 4:18:14.675 AM // 4:18:40.638 AM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 68 Pass - 12 Fail - 1 Skip - 55	68

(S)- Check if any amended asset can be de-allocated

FAILED	DURATION - 25.960 s		Steps	
/ 4:18:14.678 AM // 4:18:40.638 AM /			Total - 68	68
Checking the Fixed Asset functionality			Pass - 12	
@KUBS_FAT_UAT_006_011 @MultiAuth			Fail - 1 Skip - 55	

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.837 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		
2	Then Click on the Direction	PASSED	2.313 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.113 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click on Fixed Asset	PASSED	0.118 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		
4	Then Click on Asset Creation Eye button	PASSED	0.127 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot		
5	Then Click on the add button to add new record	PASSED	0.234 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
	screenshot		
6	Then Fill Form asset Creation	PASSED	0.946 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Save the filled form	PASSED	0.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		
8	Then Click on the Notification	PASSED	0.216 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	screenshot		
9	Then Select the record which we saved	PASSED	0.300 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot		
10	Then Click on Fixed Asset items	PASSED	2.142 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Click on the add button of asset items	PASSED	0.204 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot 		
12	Then fill the asset item details asset Creation	PASSED	3.659 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.111 s
	screenshot 		
13	Then Click on save button of item details	FAILED	1.087 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="false" class="ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated">...</ion-button> is not clickable at point (1414, 145). Other element would receive the click: <div class="cdk-overlay-backdrop cdk-overlay-transparent-backdrop {background-color:#f00;} cdk-overlay-backdrop-showing"></div> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [637f5f3de3391509e60df0ae3edc4864, clickElement {id=263f46d5-908a-4bb5-b833-0bb11f4ac179}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:63524}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63524/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (637f5f3de3391509e60df0ae3edc4864)] -> xpath: //page-fixed-asset-creation-item-dtl-update[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[1]/ion-button[1]] Session ID: 637f5f3de3391509e60df0ae3edc4864 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor6.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.FixedAsset.click_on_save_button_of_item_details(FixedAsset.java:239) at ?.Click on save button of item details(file:///C:/Users/inindc00089/git/AzentioAutomationFrameworkMaster_New2/AzentioAutomationFramework/src/test/java/features/FixedAsset_AssetDeallocation.feature:272) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.103 s
14	Then Click on Fixed Asset Notification	SKIPPED	0.000 s
15	And Select and Submit the record	SKIPPED	0.001 s
16	Then log in to the reviewer account	SKIPPED	0.000 s
17	Then click on the Notification select the record and Approve	SKIPPED	0.000 s
18	Then log in to the Checker Account	SKIPPED	0.000 s
19	And then checker claim the record	SKIPPED	0.000 s
20	Then click on the checker Notification	SKIPPED	0.000 s
21	And select the record and Approve by checker	SKIPPED	0.000 s
22	Given Maker Navigate to UAT URL login	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
23	Then Click on the Direction	SKIPPED	0.000 s
24	Then Click on Fixed Asset	SKIPPED	0.000 s
25	Then Click on Asset Creation Eye button	SKIPPED	0.000 s
26	Then Select Asset Reference Number	SKIPPED	0.001 s
27	Then Click on amended asset Eye button	SKIPPED	0.000 s
28	Then Click on the add button to add new record	SKIPPED	0.000 s
29	Then fill the form for amended asset	SKIPPED	0.000 s
30	Then Click on Fixed Asset Save button	SKIPPED	0.000 s
31	Then Click on Fixed Asset Notification	SKIPPED	0.000 s
32	And Select and Submit the record	SKIPPED	0.000 s
33	Then log in to the reviewer account	SKIPPED	0.000 s
34	Then click on the Notification select the record and Approve	SKIPPED	0.000 s
35	Then log in to the Checker Account	SKIPPED	0.000 s
36	And then checker claim the record	SKIPPED	0.000 s
37	Then click on the checker Notification	SKIPPED	0.000 s
38	And select the record and Approve by checker	SKIPPED	0.000 s
39	Given Maker Navigate to UAT URL login	SKIPPED	0.000 s
40	Then Click on fixed asset deallocaion Direction icon	SKIPPED	0.000 s
41	Then Click on Fixed assets field	SKIPPED	0.000 s
42	Then Click on Asset Allocation Eye button	SKIPPED	0.000 s
43	Then Click on the add button to add new record	SKIPPED	0.000 s
44	Then Fill Asset Allocation Form	SKIPPED	0.000 s
45	Then Click on Fixed Asset Save button	SKIPPED	0.000 s
46	Then Click on Fixed Asset Notification	SKIPPED	0.000 s
47	And Select and Submit the record	SKIPPED	0.000 s
48	Then log in to the reviewer account	SKIPPED	0.000 s
49	Then click on the Notification select the record and Approve	SKIPPED	0.001 s
50	Then log in to the Checker Account	SKIPPED	0.000 s
51	And then checker claim the record	SKIPPED	0.000 s
52	Then click on the checker Notification	SKIPPED	0.000 s
53	And select the record and Approve by checker	SKIPPED	0.001 s
54	Given Maker Navigate to UAT URL login	SKIPPED	0.000 s
55	Then Click on fixed asset deallocaion Direction icon	SKIPPED	0.000 s
56	Then Click on Fixed assets field	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
57	Then Click on asset deallocaion Eye button	SKIPPED	0.000 s
58	Then Click on Fixed Asset Add button	SKIPPED	0.000 s
59	Then Fill asset impaired deallocaion Mandatory fields	SKIPPED	0.000 s
60	Then Click on Fixed Asset Save button	SKIPPED	0.000 s
61	Then Click on Fixed Asset Notification	SKIPPED	0.000 s
62	And Select and Submit the record	SKIPPED	0.000 s
63	Then log in to the reviewer account	SKIPPED	0.000 s
64	Then click on the Notification select the record and Approve	SKIPPED	0.000 s
65	Then log in to the Checker Account	SKIPPED	0.000 s
66	And then checker claim the record	SKIPPED	0.000 s
67	Then click on the checker Notification	SKIPPED	0.000 s
68	And select the record and Approve by checker	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if any amended asset can be de-allocated

(F) Checking the Fixed Asset functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if any amended asset can be de-allocated

(F) Checking the Fixed Asset functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if any amended asset can be de-allocated

(F) Checking the Fixed Asset functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if any amended asset can be de-allocated

(F) Checking the Fixed Asset functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if any amended asset can be de-allocated

(F) Checking the Fixed Asset functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if any amended asset can be de-allocated

(F) Checking the Fixed Asset functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if any amended asset can be de-allocated

(F) Checking the Fixed Asset functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if any amended asset can be de-allocated

(F) Checking the Fixed Asset functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if any amended asset can be de-allocated

(F) Checking the Fixed Asset functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if any amended asset can be de-allocated

(F) Checking the Fixed Asset functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if any amended asset can be de-allocated

(F) Checking the Fixed Asset functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if any amended asset can be de-allocated

(F) Checking the Fixed Asset functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if any amended asset can be de-allocated

(F) Checking the Fixed Asset functionality