Cucumber Report

Start : Mar 21, 11:48:27.184 am	End : Mar 21, 11:48:46.158 am	Duration : 18.974 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 0

Features: 1

Scenarios: 1

Steps: 8

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 87 %

#	Feature Name	T	P	F	S	Duration
1	*Check the Functionality of the GL2 Module*	1	0	1	0	18.974 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL2 Module	Check the created already and trying to create same accounting book	8	7	1	0	18.969 s

(F)- Check the Functionality of the GL2 Module

FAILED	DURATION - 18.974 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 11:48:27.184 am // 11:48:46.158 am /		Pass - 0	1	Pass - 7	8
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Check the created already and trying to create same accounting book

FAILED	DURATION - 18.969 s		Steps	
			Total - 8	
/ 11:48:27.189 am // 11:48:46.158 am /			Pass - 7	8
Check the Functionality of the GL2 Module			Fail - 1	
@KUBS_GL_UAT_002_002			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	12.464 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		
2	And Click on Accounting Setup module	PASSED	0.105 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then Click sub module Accounting book definition	PASSED	0.381 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.312 s
	screenshot 		
4	And Click on Add icon	PASSED	0.251 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
	screenshot 		
5	Then Choose the Template Type of Custom Template	PASSED	0.378 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	screenshot 		
6	And Enter Another Book Name	PASSED	0.200 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Enter the Remark	PASSED	0.193 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		
8	Then Validate the Message we get	FAILED	0.020 s

	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of null (reading 'shadowRoot') (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1d7d40066363a6438b638a9ed454acba, executeScript {script=return document.querySelector('ion-toast').shadowRoot. querySelector('div[class=toast-message]'), args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:60367}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60367/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1d7d40066363a6438b638a9ed454acba
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:481)
	  at helper.JavascriptHelper.executeScript(JavascriptHelper.java:21)
	  at stepdefinitions.GL2_Accounting_Book_Definition.validate_the_message_we_get(GL2_Accounting_Book_Definition.java:172)		

#	Step / Hook Details	Status	Duration
	at ?.Validate the Message we get(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/GL2_Accounting_Setup.feature:77) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.100 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the created already and trying to create same accounting book	
(F) Check the Functionality of the GL2 Module	

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the created already and trying to create same accounting book	
(F) Check the Functionality of the GL2 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the created already and trying to create same accounting book

(F) Check the Functionality of the GL2 Module

Kastle Universal Banking (Beta) — 31-Oct-2022 English — Azentio Software — (AZENTMAIN) ANANT

Finance

← Accounting template grid view

Actions	Legal Entity Name	Accounting Book Name	Code	Book Type	Template Type	Txn Date	Created By
👁 ✏	Azentio Software	Testing02	ACCBOOK-07	IFRS Book	CUSTOM_TEMPLATE	10-Nov-2022	1002435
👁 ✏	Azentio Software	Testing01	ACCBOOK-06	IFRS Book	Base Template	10-Nov-2022	1002435
👁 ✏	Azentio Software	ledger		GAAP	CUSTOM_TEMPLATE	18-Mar-2022	1002435
👁 ✏	Azentio Software	aCC BOOK	ACCBOOK-04	IFRS Book	Base Template	18-Mar-2022	1002435
👁 ✏	Azentio Software	Account_Base		IFRS Book	Base Template	17-Mar-2022	1002435
👁 ✏	Azentio Software	CUSTOM BOOK2	ACCBOOK-02	IFRS Book	CUSTOM_TEMPLATE	18-Jan-2022	1002435
👁 ✏	Azentio Software	CUSTOM BOOK		IFRS Book	CUSTOM_TEMPLATE	18-Jan-2022	1002435
👁 ✏	Azentio Software	Base_GAPP2	ACCT05	GAAP	Base Template	06-Dec-2021	le4maker

11 total |◀ ◀ **1** 2 ▶ ▶|

Business partner setup
General ledger configurat...
Accounting setup
Accounting book definition
Account Category
Chart of accounts definition
Accounting scheme definition
Accounting scheme event mapping
Financial statements configuration

22 Appro... ✕   11 Messa... ✕

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the created already and trying to create same accounting book

(F) Check the Functionality of the GL2 Module

Kastle Universal Banking (Beta) — 31-Oct-2022 English — Azentio Software — (AZENTMAIN) ANANT

Finance

← Accounting Template

* Template Type

* Book Name

*Effective Date
21-Mar-2022

* Book Type

* Remarks

Business partner setup
General ledger configurat...
Accounting setup
Accounting book definition
Account Category
Chart of accounts definition
Accounting scheme definition
Accounting scheme event mapping
Financial statements configuration

22 Appro... ✕   11 Messa... ✕

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the created already and trying to create same accounting book	
(F) Check the Functionality of the GL2 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the created already and trying to create same accounting book	
(F) Check the Functionality of the GL2 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the created already and trying to create same accounting book	
(F) Check the Functionality of the GL2 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the created already and trying to create same accounting book	
(F) Check the Functionality of the GL2 Module	