Cucumber Report

| Start : Jan 18, 3:58:58.021 PM	End : Jan 18, 3:59:56.260 PM	Duration : 58.239 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 1 SKIPPED - 23

Features

1

Pass %

0 %

Scenarios

1

Pass %

0 %

Steps

30

Pass %

20 %

#	Feature Name	T	P	F	S	Duration
1	To create Bank Recon details	1	0	1	0	58.239 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To create Bank Recon details	Create format master and Data matching Rules for a specific Bank and Account Type	30	6	1	23	58.232 s

(F)- To create Bank Recon details

| FAILED	DURATION - 58.239 s	Scenarios		Steps	
/ 3:58:58.021 PM // 3:59:56.260 PM /		Total - 1		Total - 30	
		Pass - 0	1	Pass - 6	30
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 23	

(S)- Create format master and Data matching Rules for a specific Bank and Account Type

FAILED	DURATION - 58.232 s		Steps	
/ 3:58:58.028 PM // 3:59:56.260 PM /			Total - 30	
To create Bank Recon details			Pass - 6	30
@KUBS_BRS_UAT_001_001_TC_001 @MultiAuth			Fail - 1	
			Skip - 23	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	36.460 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.646 s
	screenshot		
	+		
2	Then Click on Direction Left	PASSED	1.272 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
	screenshot		
	+		

| #	Step / Hook Details	Status	Duration
3	Then Click on Bank Recon	PASSED	0.161 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.260 s
	screenshot		
4	Then click on Bank Recon format eye button	PASSED	0.512 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.744 s
	screenshot		
5	Then Click on Inventory Maintenance Add button	PASSED	0.957 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.526 s
	screenshot		
6	Then user update the Excel sheet testdata for BankRecon	PASSED	0.159 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.270 s
	screenshot		
7	Then fill the Bank Reconciliation Format	FAILED	4.861 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input aria-autocomplete="list" type="text" autocorrect="off" autocapitalize="off" autocomplete="a61f6eb2910c"> is not clickable at point (1094, 393). Other element would receive the		

#	Step / Hook Details	Status	Duration

	click: <div class="cdk-overlay-backdrop cdk-overlay-transparent-backdrop {background-color:#f00;} cdk-overlay-backdrop-showing"></div> (Session info: chrome=108.0.5359.125) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.49', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [c2fa0157fd80faeb14ab5f5517583dc2, clickElement {id=2720829a-ad54-4299-b90f-2dbd4a8690b9}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58986}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58986/devtoo..., se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (c2fa0157fd80faeb14ab5f5517583dc2)] -> xpath: //ion-row[1]/ion-col[9]/app-kub-lov[1]/span[1]/ng-select[1]/div[1]/div[1]/div[2]/input[1]] Session ID: c2fa0157fd80faeb14ab5f5517583dc2
	
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	  at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	  at stepdefinitions.BankRecons.fill_the_bank_reconciliation_format(BankRecons.java:141)
	  at ?.fill the Bank Reconciliation Format(file:///C:/Users/ININDC00075/git/Arshath_Excel_AzentioAutomationFramework/ AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/BankRecon.feature:11)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.351 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	Then fill the Bank Reconciliation PlaceHolder	SKIPPED	0.001 s
9	Then Click on Inventory Item Save button	SKIPPED	0.000 s
10	Then Click on Inventory Maintenance Add button	SKIPPED	0.001 s
11	Then user update the Excel sheet testdata for BankRecon	SKIPPED	0.000 s
12	Then File Data matching rule	SKIPPED	0.000 s
13	Then Click on Inventory Item Save button	SKIPPED	0.000 s
14	Then click back button	SKIPPED	0.001 s
15	Then Click on Inventory Maintenance Add button	SKIPPED	0.000 s
16	Then user update the Excel sheet testdata for BankRecon	SKIPPED	0.001 s
17	Then File Transaction Data matching rule	SKIPPED	0.001 s
18	Then Click on Inventory Item Save button	SKIPPED	0.000 s
19	Then click back button	SKIPPED	0.000 s
20	Then Click on Inventory Maintenance Add button	SKIPPED	0.002 s
21	Then user update the Excel sheet testdata for BankRecon	SKIPPED	0.000 s
22	Then File Deposit Data matching rule	SKIPPED	0.000 s
23	Then Click on Inventory Item Save button	SKIPPED	0.000 s
24	Then click back button	SKIPPED	0.000 s
25	Then Click on Inventory Maintenance Add button	SKIPPED	0.000 s
26	Then user update the Excel sheet testdata for BankRecon	SKIPPED	0.000 s
27	Then File Withdrawals Data matching rule	SKIPPED	0.000 s
28	Then Click on Inventory Item Save button	SKIPPED	0.001 s
29	Then Click on Inventory Item Notification	SKIPPED	0.000 s
30	And Select and Submit the record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create format master and Data matching Rules for a specific Bank and Account Type	
(F) To create Bank Recon details	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create format master and Data matching Rules for a specific Bank and Account Type	
(F) To create Bank Recon details	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create format master and Data
matching Rules for a specific Bank and
Account Type

(F) To create Bank Recon details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create format master and Data
matching Rules for a specific Bank and
Account Type

(F) To create Bank Recon details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create format master and Data matching Rules for a specific Bank and Account Type

(F) To create Bank Recon details

AZENTIO
ONEBanking

19-Nov-2022 English ▾ Azentio Software ▾ (AZENTMAIN) ✉ 🔲 👤 ANANT

Finance

← Bank Format Master List View   🔍

Actions	Bank Name	Applicable Account Typ	Upload File Extension	Status	Created By	Created Date	Modified By	Modified Date	Auth By	Auth Date
👁 ✏	Bank Of India	SAVINGS ACCOUNT	CSV	Active	1002435	04-Jan-2023			1002437	04-Jan-2023
👁 ✏	YES BANK	SAVINGS ACCOUNT	CSV	Active	1002435	26-Oct-2022	1002435	01-Nov-2022	1002437	01-Nov-2022
👁 ✏	ICICIBANK	SAVINGS ACCOUNT	Text	Active	1002435	26-Oct-2022			1002437	26-Oct-2022
👁 ✏	HDFC BANK	CURRENT ACCOUNT	CSV	Active	1002435	30-Sep-2022			1002437	30-Sep-2022
👁 ✏	HDFC BANK	CURRENT ACCOUNT	Text	Active	1002435	30-Sep-2022	1002435	30-Sep-2022	1002437	30-Sep-2022
👁 ✏	STATE BANK OF INDIA	CURRENT ACCOUNT	Text	Active	1002435	30-Sep-2022			1002437	30-Sep-2022

6 total

Business partner setup
General ledger configuration
Accounting setup
Expense/AR & AP configuration
Budget configuration
Fixed assets configuration
Inventory maintenance
Bank recon
Recon format
Petty cash configuration

22 Appro... ✕   11 Mess... ✕

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create format master and Data matching Rules for a specific Bank and Account Type

(F) To create Bank Recon details

AZENTIO
ONEBanking

19-Nov-2022 English ▾ Azentio Software ▾ (AZENTMAIN) ✉ 🔲 👤 ANANT

Finance

← Bank Reconciliation Format Master   🖫

➖ Bank Reconciliation Format

* Bank Name   * Applicable Account Type   * Upload File Extension

* Separator   * Allow unadjust entry from Bank statement   Effective Date 📅

Format Status   * Allow Value Date Upto   Summery Lines To Be Skipped *
ACTIVE

File Name Prefix *

➕ Bank Reconciliation Placeholder

Business partner setup
General ledger configuration
Accounting setup
Expense/AR & AP configuration
Budget configuration
Fixed assets configuration
Inventory maintenance
Bank recon
Recon format
Petty cash configuration

22 Appro... ✕   11 Mess... ✕

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create format master and Data
matching Rules for a specific Bank and
Account Type

(F) To create Bank Recon details