Cucumber Report

| **Start : Feb 12, 12:24:33.540 PM**	**End : Feb 12, 12:25:32.991 PM**	**Duration : 59.451 s**
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 15 FAILED - 1 SKIPPED - 6

#	Feature Name	T	P	F	S	Duration
1	_Check the Functionality of Fixed Asset_	1	0	1	0	59.451 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Fixed Asset	Create GRN for the generated PO No.s	22	15	1	6	59.442 s

(F)- Check the Functionality of Fixed Asset

| FAILED	DURATION - 59.451 s	Scenarios		Steps	
		Total - 1		Total - 22	
/ 12:24:33.540 PM // 12:25:32.991 PM /		Pass - 0	1	Pass - 15	22
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

(S)- Create GRN for the generated PO No.s

FAILED	DURATION - 59.442 s		Steps
/ 12:24:33.549 PM // 12:25:32.991 PM /			Total - 22
Check the Functionality of Fixed Asset			Pass - 15
			Fail - 1
@KUBS_FAT_UAT_001_004			Skip - 6

#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	14.764 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.561 s
	screenshot		
2	Then Click on the Finance	PASSED	0.017 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click on the Direction	PASSED	0.367 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
	screenshot		
4	Then Click on Accounts Payable	PASSED	0.146 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	screenshot		
5	Then Click on Good Recived Note GRN Eye buutton	PASSED	0.483 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
	screenshot		
6	Then Click on Add button	PASSED	0.366 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.278 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Fill the form for GRN	PASSED	1.124 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	screenshot 		
8	Then Click on save button to save the record	PASSED	3.127 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot 		
9	Then Click on notification & open record which we created for GRN	PASSED	0.995 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot 		
10	Then Click on Item Details Tab	PASSED	5.556 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.340 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Select PO Number	PASSED	3.454 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	screenshot		
12	Then Add qty received qty approved	PASSED	1.304 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	screenshot		
13	Then Click on GRN item save button	PASSED	12.451 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	screenshot		
14	Then Click on the Notification	PASSED	0.112 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.239 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	Then Select the record which we saved	PASSED	1.012 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot 		
16	Then Submit record	FAILED	3.165 s

	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence
	    at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source)
	    at stepdefinitions.FixedAsset.submit_record(FixedAsset.java:194)
	    at ?.Submit record(file:///C:/Users/inindc00082/git/repository2/Tushar_AzentioFramework/src/test/java/features/FixedAsset.feature:48)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.098 s
	screenshot 		
17	Then Open the Reviewer account	SKIPPED	0.000 s
18	Then Click on the Notification	SKIPPED	0.000 s
19	Then Approve the record which we submitted from maker	SKIPPED	0.001 s
20	Then Go to Checker login	SKIPPED	0.000 s

| #	Step / Hook Details	Status	Duration
21	Then Clam record	SKIPPED	0.000 s
22	Then Click on the notification and approve the record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create GRN for the generated PO No. s	
(F) Check the Functionality of Fixed Asset	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create GRN for the generated PO No. s	
(F) Check the Functionality of Fixed Asset	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create GRN for the generated PO No. s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create GRN for the generated PO No. s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create GRN for the generated PO No. s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create GRN for the generated PO No. s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create GRN for the generated PO No. s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create GRN for the generated PO No. s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset