Cucumber Report

| Start : Mar 25, 2:31:02.722 PM	End : Mar 25, 2:31:59.103 PM	Duration : 56.381 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 19 FAILED - 1 SKIPPED - 15

#	Feature Name	T	P	F	S	Duration
1	To verify user can see the GL report for stock return to vendors	1	0	1	0	56.381 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify user can see the GL report for stock return to vendors	Return inventories unwanted by branch to issuers	35	19	1	15	56.362 s

## (F)- To verify user can see the GL report for stock return to vendors

| FAILED	DURATION - 56.381 s	Scenarios		Steps	
/ 2:31:02.722 PM // 2:31:59.103 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 35 Pass - 19 Fail - 1 Skip - 15	35

(S)- Return inventories unwanted by branch to issuers

FAILED	DURATION - 56.362 s		Steps	
/ 2:31:02.741 PM // 2:31:59.103 PM /			Total - 35	
To verify user can see the GL report for stock return to vendors			Pass - 19 Fail - 1	35
@KUBS_INV_MGMT_UAT_005_StockReturn			Skip - 15	

#	Step / Hook Details	Status	Duration
1	Given Azentio Maker user url	PASSED	14.135 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.385 s
	screenshot		
2	Then Click on Second icon page	PASSED	0.487 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.359 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Click Inventory Management module	PASSED	0.430 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		
4	And Click on stock return from branch SubModule Eye icon	PASSED	0.825 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.341 s
	screenshot		
5	Then Click on stock return from branch Add icon	PASSED	0.565 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.367 s
	screenshot		
6	And Click on Request Referance No code	PASSED	0.687 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Click on Issue Referance No code	PASSED	0.283 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		
8	And Click on item code	PASSED	0.312 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
	screenshot		
9	And Enter Return Quantity Stock value	PASSED	0.411 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		
10	Then Click on Return Type and Choose Type	PASSED	0.461 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	And Click on Return Reason and Choose Type	PASSED	0.419 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	screenshot		
12	Then Save the Inventory Stock Record	PASSED	3.320 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		
13	And goto the maker Notification icon	PASSED	0.921 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.270 s
	screenshot		
14	Then Click Submit icon to Inventory Record	PASSED	0.796 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	And Give Remark and submit Inventory field	PASSED	3.819 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		
16	Given Login As Reviewer user	PASSED	11.703 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.074 s
	screenshot		
17	And Goto the Reviewer Notification	PASSED	0.871 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot		
18	Then Find submitted Record from maker End and open the Record	PASSED	0.312 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.306 s
	screenshot		

#	Step / Hook Details	Status	Duration
19	And Approve the Record from Reviewer End	PASSED	2.100 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		
20	Then Enter The Remark and submit from Reviewer End	FAILED	0.709 s

	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence
	    at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92)
	    at jdk.internal.reflect.GeneratedMethodAccessor7.invoke(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source)
	    at stepdefinitions.INVENTORY_StockReturnBranch.enter_the_remark_and_submit_from_reviewer_end(INVENTORY_StockReturnBranch.java:266)
	    at ?.Enter The Remark and submit from Reviewer End(file:///C:/Users/inindc00082/git/AzentioAutomationFramework2403/AzentioAutomationFramework/src/test/java/features/INVENTORY_InventoryManagement.feature:80)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.098 s
	screenshot		
21	Given Login As Checker user	SKIPPED	0.000 s
22	Then Click module Security management	SKIPPED	0.000 s
23	And Click Sub module open Pool	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
24	And Claim the Record Which submit from Reviewer	SKIPPED	0.000 s
25	Then Goto the Checker Notification	SKIPPED	0.000 s
26	And Find submitted Record from Reviewer End and Open the Record	SKIPPED	0.000 s
27	Then Get Item Description value	SKIPPED	0.000 s
28	And Approve the Record from Checker End	SKIPPED	0.000 s
29	Then Enter the Remark and submit from checker End	SKIPPED	0.000 s
30	Given Azentio Maker user url	SKIPPED	0.000 s
31	Then Click on Inventory Maintance module	SKIPPED	0.000 s
32	And click on Master Item eye icon	SKIPPED	0.001 s
33	Then click on the search icon	SKIPPED	0.000 s
34	And Give Item description value and Click Edit icon	SKIPPED	0.000 s
35	When validate the quantity of the Item	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Return inventories unwanted by branch to issuers	
(F) To verify user can see the GL report for stock return to vendors	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Return inventories unwanted by branch to issuers	
(F) To verify user can see the GL report for stock return to vendors	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Return inventories unwanted by branch to issuers	
(F) To verify user can see the GL report for stock return to vendors	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Return inventories unwanted by branch to issuers	
(F) To verify user can see the GL report for stock return to vendors	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Return inventories unwanted by
branch to issuers

(F) To verify user can see the GL report
for stock return to vendors

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Return inventories unwanted by
branch to issuers

(F) To verify user can see the GL report
for stock return to vendors

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Return inventories unwanted by branch to issuers (F) To verify user can see the GL report for stock return to vendors	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Return inventories unwanted by branch to issuers (F) To verify user can see the GL report for stock return to vendors	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Return inventories unwanted by branch to issuers	
(F) To verify user can see the GL report for stock return to vendors	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Return inventories unwanted by branch to issuers	
(F) To verify user can see the GL report for stock return to vendors	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Return inventories unwanted by branch to issuers (F) To verify user can see the GL report for stock return to vendors	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Return inventories unwanted by branch to issuers (F) To verify user can see the GL report for stock return to vendors	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Return inventories unwanted by branch to issuers	
(F) To verify user can see the GL report for stock return to vendors	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Return inventories unwanted by branch to issuers	
(F) To verify user can see the GL report for stock return to vendors	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Return inventories unwanted by branch to issuers	
(F) To verify user can see the GL report for stock return to vendors	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Return inventories unwanted by branch to issuers	
(F) To verify user can see the GL report for stock return to vendors	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors