

Cucumber Report

10-Mar-2022, 4:19:08 pm

Start : Mar 10, 4:18:49.254 pm

End : Mar 10, 4:19:07.461 pm

Duration : 18.207 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 7
FAILED - 1
SKIPPED - 10







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of AR/AP Module</u>	1	0	1	0	18.207 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	Verify accounting entries post receipt cancellation	18	7	1	10	18.199 s


(F)- Check the Functionality of AR/AP Module



FAILED	DURATION - 18.207 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 18 Pass - 7 Fail - 1 Skip - 10	
/ 4:18:49.254 pm // 4:19:07.461 pm /					


(S)- Verify accounting entries post receipt cancellation

<div>FAILED</div> <div>DURATION - 18.199 s</div>			<div>Steps</div> <div>Total - 18</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 10</div>	
/ 4:18:49.262 pm // 4:19:07.461 pm /				
Check the Functionality of AR/AP Module				
@KUBS_AR_AP_UAT_011_001_TC_03				

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	12.131 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
			
2	Then Choose the second Tab Segment	PASSED	0.334 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And Click On Main module Accounts Receivable	PASSED	0.115 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot 		
4	Then Click on the Receipt Reversels Eye Icon	PASSED	0.361 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.276 s
	screenshot 		
5	And Click On Search Icon	PASSED	0.141 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	screenshot 		
6	Then Enter Receipt Reversals type as Wire	PASSED	0.182 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	Then Click on Table Row First Eye Icon	PASSED	0.136 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.287 s
	screenshot 		
8	And Get The Txn Receipt Number	FAILED	0.043 s
	<pre>org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of undefined (reading 'value') (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os: name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [763d34884ad3f6fa1ebd34c143118481, executeScript {script=return document.getElementsByName('receiptNo')[1].value, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56646}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56646/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 763d34884ad3f6fa1ebd34c143118481 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:481) at helper.JavascriptHelper.executeScript(JavascriptHelper.java:21) at stepdefinitions.ARAP_AccountsReceivable_AccountsPayable. get_the_txn_receipt_number(ARAP_AccountsReceivable_AccountsPayable.java:2162)</pre>		

#	Step / Hook Details	Status	Duration
	<p>at ?.Get The Txn Receipt Number(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ARAP_AccountsReceivable_AccountsPayable.feature:766)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.118 s
9	Then Third Segment report Icon	SKIPPED	0.000 s
10	And Choose Enquiry Module	SKIPPED	0.001 s
11	Then Click Note iCon near by financial transection	SKIPPED	0.000 s
12	And choose branch code	SKIPPED	0.001 s
13	And click on transaction from date in calender	SKIPPED	0.000 s
14	Then Select from date in calender	SKIPPED	0.001 s
15	And click on transaction to date in calender icon	SKIPPED	0.000 s
16	Then Select To date in calender	SKIPPED	0.001 s
17	And Click View HyperLink	SKIPPED	0.000 s
18	Then Verify Accounting entries post receipt recording	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post receipt
cancellation


(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post receipt
cancellation

(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post receipt
cancellation

(F) Check the Functionality of AR/AP
Module

The screenshot shows the Kastle Universal Banking (Beta) interface. The top navigation bar includes the date (24-Oct-2022), language (English), software version (Azentio Software - (AZENTMAIN)), and user profile (ANANT). The left sidebar menu is expanded, showing the Finance section with options like General ledger transaction, Budget, Accounts payable, Adjustments (AR and AP), and Accounts receivable. The Accounts receivable option is selected, and a sub-menu is visible with options like Accounts receivable (Debit notes), Credit notes on invoice, Accounts receivable (Advances), and Receipts. The main content area displays a welcome message for 'anant'. The bottom navigation bar includes Home and Preference icons.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post receipt
cancellation

(F) Check the Functionality of AR/AP
Module

The screenshot shows the Kastle Universal Banking (Beta) interface with the Receipts Reversals table displayed. The table has columns for Actions, Branch Code - Name, Txn Number, Receipt Type, Receipt Number, Receipt Amount, Receipt Date, and Payer. The table contains 15 rows of data, with the first 8 rows visible. The bottom navigation bar includes Home and Preference icons.

Actions	Branch Code - Name	Txn Number	Receipt Type	Receipt Number	Receipt Amount	Receipt Date	Payer
	AZENTMAIN - Azentio N	RECAN_14_732022	Cheque	REC_92_732022	100	07-Mar-2022	ANANT
	AZENTMAIN - Azentio N	RECAN_13_732022	Wire	REC_93_732022	100	07-Mar-2022	ANANT
	AZENTMAIN - Azentio N	RECAN_12_2422022	Cheque	REC_10_21122021	7000	24-Feb-2022	Anant
	AZENTMAIN - Azentio N	RECAN_11_2422022	Cheque	REC_5_3122021	20000	24-Feb-2022	Rani
	AZENTMAIN - Azentio N	RECAN_10_2422022	Cheque	REC_34_2422022	100	24-Feb-2022	xzyxzy
	AZENTMAIN - Azentio N	RECAN_9_29122021	Wire	REC_23_29122021	3500	29-Dec-2021	Suraj
	AZENTMAIN - Azentio N	RECAN_8_29122021	Wire	REC_22_29122021	20000	29-Dec-2021	Raj
	AZENTMAIN - Azentio N	RECAN_7_29122021	Wire	REC_6_6122021	10000	29-Dec-2021	Shashee

15 total

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post receipt
cancellation

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 24-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Receipts Reversals

Actions	Branch Code - Name	Txn Number	Receipt Type	Receipt Number	Receipt Amount	Receipt Date	Payer
	AZENTMAIN - Azentio N	RECAN_14_732022	Cheque	REC_92_732022	100	07-Mar-2022	ANANT
	AZENTMAIN - Azentio N	RECAN_13_732022	Wire	REC_93_732022	100	07-Mar-2022	ANANT
	AZENTMAIN - Azentio N	RECAN_12_2422022	Cheque	REC_10_21122021	7000	24-Feb-2022	Anant
	AZENTMAIN - Azentio N	RECAN_11_2422022	Cheque	REC_5_3122021	20000	24-Feb-2022	Rani
	AZENTMAIN - Azentio N	RECAN_10_2422022	Cheque	REC_34_2422022	100	24-Feb-2022	xzyxzy
	AZENTMAIN - Azentio N	RECAN_9_29122021	Wire	REC_23_29122021	3500	29-Dec-2021	Suraj
	AZENTMAIN - Azentio N	RECAN_8_29122021	Wire	REC_22_29122021	20000	29-Dec-2021	Raj
	AZENTMAIN - Azentio N	RECAN_7_29122021	Wire	REC_6_6122021	10000	29-Dec-2021	Shashee

15 total

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post receipt
cancellation

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 24-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Receipts Reversals

Actions	Branch Code - Name	Txn Number	Receipt Type	Receipt Number	Receipt Amount	Receipt Date	Payer
	AZENTMAIN - Azentio N	RECAN_13_732022	Wire	REC_93_732022	100	07-Mar-2022	ANANT
	AZENTMAIN - Azentio N	RECAN_9_29122021	Wire	REC_23_29122021	3500	29-Dec-2021	Suraj
	AZENTMAIN - Azentio N	RECAN_8_29122021	Wire	REC_22_29122021	20000	29-Dec-2021	Raj
	AZENTMAIN - Azentio N	RECAN_7_29122021	Wire	REC_6_6122021	10000	29-Dec-2021	Shashee
	AZENTMAIN - Azentio N	RECAN_6_29122021	Wire	REC_21_29122021	8500	29-Dec-2021	Shashee
	AZENTMAIN - Azentio N	RECAN_5_22122021	Wire	REC_15_22122021	742	22-Dec-2021	Ravi Anna
	AZENTMAIN - Azentio N	RECAN_3_20122021	Wire	REC_8_20122021	6000	20-Dec-2021	Swapnil
	AZENTMAIN - Azentio N	RECAN_2_3122021	Wire	REC_4_3122021	5000	03-Dec-2021	Ravi

8 total

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post receipt
cancellation

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 24-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Receipts Reversals

Actions	Branch Code - Name	Txn Number	Receipt Type	Receipt Number	Receipt Amount	Receipt Date	Payer
	Search Branch Co	Search Txn Numb	Wire	Search Receipt Nu	Search Receipt Ar	Search Receipt De	Search Pay
	AZENTMAIN - Azentio A	RECAN_13_732022	Wire	REC_93_732022	100	07-Mar-2022	ANANT
	AZENTMAIN - Azentio A	RECAN_9_29122021	Wire	REC_23_29122021	3500	29-Dec-2021	Suraj
	AZENTMAIN - Azentio A	RECAN_8_29122021	Wire	REC_22_29122021	20000	29-Dec-2021	Raj
	AZENTMAIN - Azentio A	RECAN_7_29122021	Wire	REC_6_6122021	10000	29-Dec-2021	Shashee
	AZENTMAIN - Azentio A	RECAN_6_29122021	Wire	REC_21_29122021	8500	29-Dec-2021	Shashee
	AZENTMAIN - Azentio A	RECAN_5_22122021	Wire	REC_15_22122021	742	22-Dec-2021	Ravi Anna
	AZENTMAIN - Azentio A	RECAN_3_20122021	Wire	REC_8_20122021	6000	20-Dec-2021	Swapnil
	AZENTMAIN - Azentio A	RECAN_2_3122021	Wire	REC_4_3122021	5000	03-Dec-2021	Ravi

8 total

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post receipt
cancellation

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 24-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Receipts Reversal

Entity Branch	Txn Number	* Receipt Reference Number
Azentio Main Branch	RECAN_10_2422022	
Receipt Amount	Txn Date	* Cancellation Remarks
100.00 INR	24-Feb-2022	ok
Text Status		
A		

22 Appro... 11 Messa...

Home Preference