


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	0	1	0	26.858 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP	Verify cancelled advances is not available for payment	15	14	1	0	26.851 s
	Module	settlement					

DETAILED SECTION -- 4 --

## (F)- Check the Functionality of AR/AP Module

FAILED	DURATION - 26.858 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 7:42:18.817 p	om // 7:42:45.675 pm /	Pass - 0	1	Pass - 14	15
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## (S)- Verify cancelled advances is not available for payment settlement



#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	12.807 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		
	The Control of Control		
2	Then Choose the second Tab Segment	PASSED	0.327 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		

AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.385 s  PASSED  0.284 s  PASSED  0.131 s  PASSED  0.249 s  PASSED  0.573 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 Then Click on Accounts Receive Advances Eye Icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  screenshot  AATER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  ACTER_STEP - stepdefinitions. HooksClas		Compared   Compared		
screenshot  4 Then Click on Accounts Receive Advances Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And Click On Search Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And Click On Search Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.284 s  0.131 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.249 s	3	And Click On Main module Accounts Receivable	PASSED	0.136 s
4 Then Click on Accounts Receive Advances Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  5 And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
4 Then Click on Accounts Receive Advances Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  5 And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot		Promise © C		
screenshot  And Click On Search Icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  PASSED  0.131 s  0.249 s	4	Then Click on Accounts Receive Advances Eye Icon	PASSED	0.385 s
5 And Click On Search Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  The step of the s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot    PASSED   0.249 s		**   **   **   **   **   **   **   *	_	
Screenshot	5	And Click On Search Icon	PASSED	0.131 s
# \$\text{Parameters   \$\text{starter}    \$\text{   \$\text{		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
		screenshot		
6 Then Enter Cancelled Value In Advance Status PASSED 0.573 s				
	6	Then Enter Cancelled Value In Advance Status	PASSED	0.573 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.184 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
	1		
7	Then Click on Table Row First Eye Icon	PASSED	0.129 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.376 s
	screenshot		
	1		
8	And Get The Business Partner and Advance Number	PASSED	0.118 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot		
9	And Click On Main module Accounts payable	PASSED	0.113 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot		
10	Then Click sub module Payment settlement Eye Icon	PASSED	0.169 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.323 s
	screenshot	1	
		-	

AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED 0.272 s  PASSED 0.272 s  O.272 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario)  screenshot  2 Then Enter payment option AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario)  PASSED O.390 s PASSED O.145 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario)  PASSED O.126 s  PASSED O.127 s  PASSED O.128 s  PASSED O.129 s  PASSED O.156 s  Then Choose value date as System current date AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario)  PASSED O.168 s  PASSED O.168 s				
screenshot  12 Then Enter payment option PASSED 0.390 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  13 And Give stored Business partner Name PASSED 0.329 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot PASSED 0.166 s  14 Then Choose value date as System current date PASSED AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	11	And Click Add icon button	PASSED	0.207 s
Then Enter payment option		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
12 Then Enter payment option PASSED 0.390 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Give stored Business partner Name  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.329 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.156 s  Then Choose value date as System current date  PASSED 1.955 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.168 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  13 And Give stored Business partner Name  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.145 s  0.145 s  0.145 s  13 And Give stored Business partner Name  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.156 s  14 Then Choose value date as System current date  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.168 s				
screenshot  And Give stored Business partner Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Choose value date as System current date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.955 s  PASSED  0.168 s	12	Then Enter payment option	PASSED	0.390 s
And Give stored Business partner Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Choose value date as System current date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.955 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.168 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
And Give stored Business partner Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Choose value date as System current date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.955 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.168 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  14 Then Choose value date as System current date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.955 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.156 s				
Screenshot  14 Then Choose value date as System current date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.168 s	13	And Give stored Business partner Name	PASSED	0.329 s
14 Then Choose value date as System current date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 1.955 s  0.168 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
Then Choose value date as System current date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.168 s		screenshot	]	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.168 s		9		
	14	Then Choose value date as System current date	PASSED	1.955 s
screenshot		·	PASSED	0.168 s
		screenshot	]	


And find the Advance reference number for cancelled Advances is available at the billing queue  org openga-selenium. Elementhotinteractable Exception: element not interactable. (Session info. chrome-390.0484.51) Build info: version: 4.0.0-re.1; revision: hoSt-librad system into bott :NMM-VADPOL4547; pr. 10.1.04.2111; on some: Windows 10: os arch: 'amd64'; os. version: '10.0', java version: '17.0.1 briver info not :NMM-VADPOL4547; pr. 10.1.04.2111; on some: Windows 10: os arch: 'amd64'; os. version: '10.0', java version: '17.0.1 briver info not :NMM-VADPOL4547; pr. 10.1.04.2111; on some: Windows 10: os arch: 'amd64'; os. version: '10.0', java version: '17.0.1 briver info not :NMM-VADPOL4547; pr. 10.1.04.2111; on some: Windows 10: os arch: 'amd64'; os. version: '10.0', java version: '17.0.1 briver info not :NMM-VADPOL4547; pr. 10.1.04.2111; on some: Chrome-Driver Command/ Edea (Driversion: 99.0.4844.51, chrome: (chrome-driver/version: 99.0.788.80) (70.0888eha088., useroaalpii: Callses/briversion: 99.0.4844.51, chrome: (chrome-driver/version: 99.0.788.80) (70.0888eha088., useroaalpii: Callses/briversion: 99.0.4844.51, chrome: (chrome-driver/version: 99.0.788.80) (70.0888eha088.) version: (an international callses in	#	Step / Hook Details	Status	Duration
org.openga.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.51) Build info: version: 4.0.0-rc-1; revision: bc551cbda System info: host: "IMMUVADP014547", pr. 10.1.47.111", os.name: "Windows 10", os.arch: 'amd64', os. version: 1.00", java-version: "10.0", jav		Marie   0   0		
4.0 Gr.e.1, revision: hc6511cbda' System into: host: IMMUVADP0.14547, jp: 10.1.47.1111, os. name: Windows 10', os. arch: 'amd64', os. version' 10.0', java version' 17.0.1 briver info: org. openga. selenium chrome. ChromeDriver Commant's (dea61666301765342dba699f21ba, clickElement (Id=d238af6f-122a-44f7-8341-9629a71a1fc)] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: (chromedriverVersion: 590.04786.80 dpt.), group chromeOptions: (debuggerAddress: localhost.60516), javascriptinabled: rue, networkConnectionEnabled: lake, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), sec.opt; ws://localhost:60516/devtoosec.opt/version: 99.0.4844.51, setWindowRect: true, strict-fiellenteractability: false, timeousts: (implicit to, pageLoad: 30000), unhandledPromptBehavior: dismiss and notify, webauthnextension:redBlob: true, webauthn:extension:argeBlob: true, webauthn:rivtualAuthenticators: true) Element: [[ChromeCriver: chrome on WINDOWS (6da61fe630176f5342db3689ff21ba]] -> xpath: (//ii@class='datatable-icon-right')[2]] Session ID: 6da61fe630176f5342db3f689ff21ba] -> xpath: (//ii@class='datatable-icon-right')[2]] Session ID: 6da61fe6803176f5342db3f689ff21ba] -> xpath: (//ii@class='datatable-i	.5	And find the Advance reference number for cancelled Advances is availabe at the billing queue	FAILED	1.088 s
		Va.O.f.cr.l.**, revision: 'bc5511cbda' System info: host: 'INMUVADPO14547*, jp: '10.1.47.111*, os.name: Windows 10', os.arch. 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6da61fe6630176f5342db3fc89f12ba, clickElement {id=d238af61-122a-44f7-8341-9629aa71a1fc}] Capabilities {acceptlnsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\NiNINDC-1\AppDataL}) goog:chromeCoptions: {debuggerAddress: localhost60516}, javascriptEnabled: rue, networkCometionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), secdp: ws://localhost:60516/devtoo, secdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000, unhandedPormptBehavior: dismiss and notify, webauthn:extension.terdBlob: true, webauthn:atgreelbot: true, webauthn:vitualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (6da61fe6630176f5342db3fc89ff21ba)] -> xpath: (//i[@class='datatable-icon-right'])[2]] Session ID: 6da61fe6630176f5342db3fc89ff21ba)] -> xpath: (//i[@class='datatable-icon-right'])[2]] Session ID: 6da61fe6630176f5342db3fc89ff21ba) -> xpath: (//i[@class='datatable-icon-right'])[2]] Session ID: 6da61fe6630176f5342db3fc89ff21ba, a java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(OnstructorAccessorImpl.java.77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java.490) at java.base/java.lang.reflect.Constructor.newInstance(VithConstructor,Java.190) at org.openqa.se		
* Not displayable characters are replaced by '?'.		* Not displayable characters are replaced by '?'.		

#	Step / Hook Details	Status	Duration
	screenshot		
	■ © ***********************************		
	9		
	Name		
	Name of 0   1   1   1   1   1   1   1   1   1		
	200 € 100 €		


EXPANDED SECTION -- 10 --




**EXPANDED SECTION** 




EXPANDED SECTION --- 12 --




EXPANDED SECTION -- 13 --



**EXPANDED SECTION** 



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

