


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR_AP Module	1	0	1	0	40.231 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR_AP Module	Verify accounting entries post payment settlement cancellation	19	8	1	10	40.217 s

DETAILED SECTION -- 4 --

(F)- AR_AP Module

FAILED	DURATION - 40.231 s	Scenarios		Steps	
		Total - 1		Total - 19	
/ 2:32:10.413 pr	m // 2:32:50.644 pm /	Pass - 0	1	Pass - 8	19
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 10	

(S)- Verify accounting entries post payment settlement cancellation



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	22.983 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.539 s
	screenshot		
2	Then Choose the second Tab Segment	PASSED	0.870 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		


#	Step / Hook Details	Status	Duration
3	And click on accounts Payable module	PASSED	7.763 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.259 s
4	Then Click sub module Payment settlement Cancellation Eye Icon	PASSED	0.193 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.400 s
5	And Click On Search Icon	PASSED	1.627 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.270 s
6	And user update the Excelsheet testdata for payment settlement cancellation accounting Entries	PASSED	0.029 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.234 s
7	Then Enter Txn No for Advance to Empolyee	PASSED	0.206 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.211 s


#	Step / Hook Details	Status	Duration
	According Section Se		
8	Then Click on Table Row First Eye Icon in ARAP	PASSED	0.100 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
	screenshot	1	
	The state of the control of the cont		
9	And Get the Cancelled Txn Number	FAILED	0.013 s
	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of undefined (reading value') (Session info: chrome=108.0.5359.99) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [aab02cc534856703c6c757ab74c5e793, executeScript (script=return document.getElementsByName(cancellationNo')[0].value, args=[]]! Capabilities (acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.99, chrome: (chromedriverVersion: 107.0.5304.62 (1eec40d3a576, userDataDir: C:\UsersININDC-1\AppData\L}), goog:chromeOptions: (debuggerAddress: localhost:55142), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55142/devtoo, se:cdpVersion: 108.0.5359.99, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: aab02cc534856703c6c757ab74c5e793 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/ArAp2.feature:489) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.302 s
	screenshot		
	AND SECOND SECON		
10	Then Third Segment report Icon	SKIPPED	0.000 s
11	And Choose Enquiry Module	SKIPPED	0.000 s
12	Then Click Note iCon near by financial transction	SKIPPED	0.000 s
13	And choose branch codes	SKIPPED	0.000 s
14	And click on transaction from date calender icon	SKIPPED	0.000 s
15	Then choose the from date	SKIPPED	0.000 s
16	And click on the transaction to date calender icon	SKIPPED	0.000 s
17	Then choose the to date	SKIPPED	0.000 s
18	And click on view button	SKIPPED	0.000 s
19	Then Verify Accounting entries Advance to Empolyee post payment settlement cancellation	SKIPPED	0.000 s


EXPANDED SECTION -- 8 --







EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --

