


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | Checking the Acount Receivable Updating deposited cheques functionality | 1 | 0 | 1 | 0 | 39.938 s |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------------------------|-------------------------------|---|---|---|---|----------|
| 1 | Checking the Acount Receivable | Bouncing of deposited cheques | 8 | 5 | 1 | 2 | 39.935 s |
| | Updating deposited cheques * | _ | | | | | |

^{*} The feature name and/or scenario name has been cropped to fit in the available space.

DETAILED SECTION

(F)- Checking the Acount Receivable Updating deposited cheques functionality

| FAILED | DURATION - 39.938 s | Scenarios | | Steps | |
|----------------|---------------------------|-----------|---|-----------|---|
| | | Total - 1 | | Total - 8 | |
| / 10:32:34.637 | 7 AM // 10:33:14.575 AM / | Pass - 0 | 1 | Pass - 5 | 8 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 2 | |

(S)- Bouncing of deposited cheques

| FAILED DURATION - 39.935 s | 20 - | | | | 1 | | | | | | Steps | |
|---|------|---|---|---|-------|---|---|---|---|---|----------------------|---|
| / 10:32:34.640 AM // 10:33:14.575 AM / | 15 - | - | | | | | | - | | | Total - 8 | |
| Checking the Acount Receivable Updating deposited cheques functionality | 10 - | | | | | | | | | | Pass - 5 Fail - 1 | 8 |
| @MultiAuth @KUBS_AR/AP_UAT_010_003_TC_01 | 0 - | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | Skip - 2 | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Maker Navigate to UAT URL login | PASSED | 9.872 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.222 s |
| | screenshot | | |
| | ** • ** ** ** ** ** ** ** ** ** ** ** ** | | |
| 2 | Then Click on Direction icon | PASSED | 2.317 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.128 s |
| | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | The Description of the Descripti | | |
| 3 | Then Click on Account Recivable button | PASSED | 0.117 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.151 s |
| | screenshot *********************************** | | |
| 4 | Then Click on Update cheque status Note icon | PASSED | 0.217 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot + | PASSED | 0.258 s |
| 5 | Then Select the Record | PASSED | 0.113 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.293 s |
| 6 | Then Select Cheque Status Bounced | FAILED | 19.514 s |
| | org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [460614c2e36ba6815d0dbb4bec0870d7, findElement {using=xpath, value=//ion-row[1]/ion-col[8]/app-kub-lov[1]/span[1]/ng-select[1]/div[1]/div[1]/div[3]/input}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:53571}, javascriptEnabled: true, | | |
| | networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: | | |
| | ws://localhost:53571/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, | | |
| | pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, | | |
| | webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 460614c2e36ba6815d0dbb4bec0870d7 | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) | | |
| | at helper.WaitHelper.waitForElement(WaitHelper.java:79) | | |
| | at stepdefinitions.AccountReceivable_UpdateDepositedCheque. | | |
| | select_cheque_status_bounced(AccountReceivable_UpdateDepositedCheque.java:49) | | |
| | at ?.Select Cheque Status Bounced(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/ | | |
| | AccountReceivable_UpdateDepositedCheque.feature:11) | | |
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | FAILED | 4.012 s |
| | org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [460614c2e36ba6815d0dbb4bec0870d7, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: | | |
| | 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:53571}, | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), ser.cdp: ws://localhost:53571/devtoo, ser.cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virualAuthenticators: true} Session ID: 460614c2e36ba6815d0dbb4bec0870d7 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42) | | |
| 7 | Then Add Bank Charges | SKIPPED | 0.000 s |
| 8 | Then Select the bounced reason | SKIPPED | 0.002 s |
| | AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario) | FAILED | 0.252 s |
| | org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [460614c2e36ba6815d0dbb4bec0870d7, close {}} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45} (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:53571}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53571/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true) Session ID: 460614c2e36ba6815d0dbb4bec0870d7 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(WihCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:164) at org.openqa.selenium.remote.envice.DriverCommandExecutor.invokeExecute(DriverCommandExecutor. | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52) | | |

EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --

