

# Cucumber Report

10 Jan 2023, 9:58:02 AM

Start : Jan 10, 9:56:45.571 AM

End : Jan 10, 9:57:59.147 AM

Duration : 1 m 13.576 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 6  
FAILED - 1  
SKIPPED - 2







#	Feature Name	T	P	F	S	Duration
1	AR_AP Module	1	0	1	0	1 m 13.576 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR_AP Module	Verify download file is auto created basis the defined time and user is allowed to download the file.	9	6	1	2	1 m 13.569 s





**(F)- AR\_AP Module**

<b>FAILED</b>	<b>DURATION - 1 m 13.576 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 9 Pass - 6 Fail - 1 Skip - 2	
/ 9:56:45.571 AM // 9:57:59.147 AM /					

**(S)- Verify download file is auto created basis the defined time and user is allowed to download the file.**


<b>FAILED</b>	<b>DURATION - 1 m 13.569 s</b>		Steps Total - 9 Pass - 6 Fail - 1 Skip - 2	
/ 9:56:45.578 AM // 9:57:59.147 AM /				
AR_AP Module				
@blocker @KUBS_AR_AP_UAT_008_003_TC01 @AR/AP				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	48.542 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.854 s
	screenshot		
			
2	And click on arap configuration main menu	PASSED	0.811 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.281 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And click on payment file generation setup sub menu	PASSED	0.458 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.699 s
	screenshot		
			
4	And user update the Excel sheet testdata for online payments	PASSED	0.157 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.691 s
	screenshot		
			
5	And configure the file format as Payout wise	PASSED	1.249 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s
	screenshot		
			
6	And save the arap configure record	PASSED	2.376 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.356 s
	screenshot		
			
7	And validate the saved record	FAILED	10.058 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //div[@role='alert']' (tried for 10 second(s) with 1 milliseconds interval)		

#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:102)</p> <p>at stepdefinitions.ACCOUNTSPAYBLE_PaymentFileDownload.validate_the_saved_record(ACCOUNTSPAYBLE_PaymentFileDownload.java:870)</p> <p>at ?.validate the saved record(file:///C:/Users/ININDC00075/git/Arshath_Excel_AzentioAutomationFramework/AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/ArAp2.feature:863)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@role='alert']} (Session info: chrome=108.0.5359.125) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.150', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fcd87a6bcf235852f937390d437a2918, findElement {using=xpath, value=//div[@role='alert']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\Local\goog:chromeOptions: {debuggerAddress: localhost:64262}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64262/devtoo..., se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: fcd87a6bcf235852f937390d437a2918</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor37.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>atjdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:102)</p> <p>at stepdefinitions.ACCOUNTSPAYBLE_PaymentFileDownload.validate_the_saved_record(ACCOUNTSPAYBLE_PaymentFileDownload.java:870)</p>		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		


#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.213 s
8	Then Click on Update Deposited Cheque Notification	SKIPPED	0.001 s
9	And Select and Submit the Update Deposited Cheque record1	SKIPPED	0.001 s



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify download file is auto created  
basis the defined time and user is allowed  
to download the file.


(F) AR\_AP Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify download file is auto created  
basis the defined time and user is allowed  
to download the file.

(F) AR\_AP Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify download file is auto created  
basis the defined time and user is allowed  
to download the file.

(F) AR\_AP Module

Actions	Entity Code	Entity Branch	Status	Auth Status	Auth Date	Auth By	Created By	Created Date	Modified By	Modified Date
	Azentio_Soft	BR0003	Active	Approved	03-Nov-2022	1002437	1002435	27-Oct-2022		
	Azentio_Soft	AZENTMAIN	Active	Approved	30-Sep-2022	1002437	1002435	30-Sep-2022		

2 total

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify download file is auto created  
basis the defined time and user is allowed  
to download the file.

(F) AR\_AP Module

Actions	Entity Code	Entity Branch	Status	Auth Status	Auth Date	Auth By	Created By	Created Date	Modified By	Modified Date
	Azentio_Soft	BR0003	Active	Approved	03-Nov-2022	1002437	1002435	27-Oct-2022		
	Azentio_Soft	AZENTMAIN	Active	Approved	30-Sep-2022	1002437	1002435	30-Sep-2022		

2 total

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify download file is auto created  
basis the defined time and user is allowed  
to download the file.

(F) AR\_AP Module

12-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

PAYMENT\_FILE\_CONFIGURATION

\* Entity Branch Azentio Main Branch Txn Status ACTIVE

Txn Date \* Create File Basis Payout Wise

Hour Minute Action

03 04

1 total

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify download file is auto created  
basis the defined time and user is allowed  
to download the file.

(F) AR\_AP Module

12-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Payment File Configuration

Actions	Entity Code	Entity Branch	Status	Created By	Created Date	Modified By	Modified Date
<input checked="" type="checkbox"/>	Azentio_Soft	MUMBAIIC	Active	1002435	26-Oct-2022		
<input checked="" type="checkbox"/>	Azentio_Soft	AZENTMAIN	Active	1002435	30-Sep-2022	1002435	01-Jan-1970

2 total

PaymentFileConfiguration updated successfully.

Workflow initiated submit record from inbox.

(S) Verify download file is auto created  
basis the defined time and user is allowed  
to download the file.

## (F) AR\_AP Module

Azentio

ONEBanking

12-Nov-2022English -Azentio Software - (AZENTMAIN)

ANANT

Finance

Payment File Configuration

Actions	Entity Code	Entity Branch	Status	Created By	Created Date	Modified By	Modified Date
	Azentio, Soft	MUMBAIC	Active	1002435	26-Oct-2022		
	Azentio, Soft	AZENTMAIN	Active	1002435	30-Sep-2022	1002435	01-Jan-1970
2 total							

Business partner setup

General ledger configuration

Accounting setup

Expense/AR & AP configura...

AR & AP configuration

AR reference code setup

Receivable code setup

AP reference code setup

Expense code setup

Payment file generation setup

Payment file definition setup

Prepaid Expense Approval

Budget configuration

Fixed assets configuration

22 Appro...

11 Mess...