

Cucumber Report

12-May-2022, 2:30:33 pm

Start : May 12, 2:30:05.594 pm

End : May 12, 2:30:32.204 pm

Duration : 26.610 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 12


FAILED - 1

SKIPPED - 29







| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | <u>Check the Functionality of the GL1 Module</u> | 1 | 0 | 1 | 0 | 26.610 s |






| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|---|----|----|---|----|----------|
| 1 | <u>Check the Functionality of the GL1 Module</u> | <u>Create a category for the accounting type based on the base accounting book for Income</u> | 42 | 12 | 1 | 29 | 26.605 s |





(F)- Check the Functionality of the GL1 Module

| | | | | | |
|--------------------------------------|----------------------------|--|---|---|---|
| FAILED | DURATION - 26.610 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 42 Pass - 12 Fail - 1 Skip - 29 |  |
| / 2:30:05.594 pm // 2:30:32.204 pm / | | | | | |




(S)- Create a category for the accounting type based on the base accounting book for Income


| | | | | |
|---|----------------------------|--|---|---|
| FAILED | DURATION - 26.605 s |  | Steps Total - 42 Pass - 12 Fail - 1 Skip - 29 |  |
| / 2:30:05.599 pm // 2:30:32.204 pm / | | | | |
| Check the Functionality of the GL1 Module | | | | |
| @KUBS_GL_UAT_003_003 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to Azentio Kubs | PASSED | 14.843 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.162 s |
| | screenshot | | |
| |  | | |
| 2 | And Click on Accounting Setup module | PASSED | 0.114 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.156 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 3 | Then Click sub module Accounting book definition | PASSED | 0.217 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.571 s |
| | screenshot  | | |
| 4 | And Click On Search Icon | PASSED | 0.248 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.196 s |
| | screenshot  | | |
| 5 | When Give the type as Base Template | PASSED | 0.298 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.201 s |
| | screenshot  | | |
| 6 | And Get the Account Book Name | PASSED | 0.028 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.167 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| |  | | |
| 7 | Then click sub module Accounting Category | PASSED | 0.184 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.444 s |
| | screenshot | | |
| |  | | |
| 8 | And Click on Add icon | PASSED | 0.340 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.356 s |
| | screenshot | | |
| |  | | |
| 9 | And enter the category code as Income | PASSED | 0.214 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.218 s |
| | screenshot | | |
| |  | | |
| 10 | And select the accounting book for Income | PASSED | 0.420 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.233 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| |  | | |
| 11 | And enter the accounting category | PASSED | 0.381 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.182 s |
| | screenshot | | |
| |  | | |
| 12 | And select GI code generation | PASSED | 0.312 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.299 s |
| | screenshot | | |
| |  | | |
| 13 | And Save the Record | FAILED | 1.164 s |
| | <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=101.0.4951.54) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8a3da0c6b15c2258173f0c1e00280513, clickElement {id=3786a5af-cd85-4a2e-92f2-edd5f95c46b7}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.54, chrome: {chromedriverVersion: 101.0.4951.41 (93c720db8323..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:63119}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63119/devtoo..., se:cdpVersion: 101.0.4951.54, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (8a3da0c6b15c2258173f0c1e00280513)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: 8a3da0c6b15c2258173f0c1e00280513</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> | | |


| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.GL1_Accounting_Book_Definition.save_the_record(GL1_Accounting_Book_Definition.java:141) at ?.Save the Record(file:///C:/Users/inindc00075/git/AzentioAutomationFramework/AzentioAutomationFramework/src/test/java/features/GL1_UAT.feature:310) </pre> <p>* Not displayable characters are replaced by '?'. </p> | | |
| | <p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>  | PASSED | 0.119 s |
| 14 | And click notification button | SKIPPED | 0.000 s |
| 15 | Then choose first record in the notification record | SKIPPED | 0.000 s |
| 16 | And click on Submit button | SKIPPED | 0.000 s |
| 17 | Then enter remark in confirmation alert | SKIPPED | 0.000 s |
| 18 | Then click on submit button in alert | SKIPPED | 0.000 s |
| 19 | And capture the reviewer ID in pop up which is open when we submit our record in maker stage | SKIPPED | 0.000 s |
| 20 | Then logout from maker | SKIPPED | 0.000 s |
| 21 | And login with reviewer credentials | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| 22 | Then click on notification button | SKIPPED | 0.001 s |
| 23 | And select our record in notification records using reference ID | SKIPPED | 0.000 s |
| 24 | Then Approve the record from reviewer | SKIPPED | 0.000 s |
| 25 | And enter the remark in alert | SKIPPED | 0.001 s |
| 26 | Then click on submit in alert | SKIPPED | 0.000 s |
| 27 | Then verify the approval status of the record | SKIPPED | 0.000 s |
| 28 | And logout from reviewer | SKIPPED | 0.000 s |
| 29 | Then login as a checker | SKIPPED | 0.000 s |
| 30 | And click on security management menu in checker | SKIPPED | 0.001 s |
| 31 | Then click on action button under security management menu | SKIPPED | 0.000 s |
| 32 | And select our record and clime using reference ID | SKIPPED | 0.000 s |
| 33 | Then click on Notification button | SKIPPED | 0.000 s |
| 34 | Then select our record in notification records by the help of reference ID | SKIPPED | 0.000 s |
| 35 | And click on approve button in checker stage | SKIPPED | 0.000 s |
| 36 | Then give alert remark | SKIPPED | 0.000 s |
| 37 | Then click on submit button on alert | SKIPPED | 0.000 s |
| 38 | And verify the record got approved from checker | SKIPPED | 0.000 s |
| 39 | Given Navigate to Azentio Kubs | SKIPPED | 0.001 s |
| 40 | And Click on Accounting Setup module | SKIPPED | 0.000 s |
| 41 | Then click sub module Accounting Category | SKIPPED | 0.000 s |
| 42 | Then Click on Table Row First Eye Icon | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a category for the accounting
type based on the base accounting book
for Income


(F) Check the Functionality of the GL1
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a category for the accounting
type based on the base accounting book
for Income

(F) Check the Functionality of the GL1
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a category for the accounting
type based on the base accounting book
for Income

(F) Check the Functionality of the GL1
Module

Kastle Universal Banking (Beta)

19-Apr-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

Welcome, anant

Business partner setup

General ledger configurat...

Accounting setup

Accounting book definition

Account Category

Chart of accounts definition

Accounting scheme definition

Accounting scheme event mapping

Financial statements configuration

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

















(S) Create a category for the accounting
type based on the base accounting book
for Income

(F) Check the Functionality of the GL1
Module

Kastle Universal Banking (Beta)

19-Apr-2023 English Azentio Software (AZENTMAIN) ANANT

Accounting template grid view

| Actions | Legal Entity Name | Accounting Book Name | Code | Book Type | Template Type | Txn Date | Created By |
|---|-------------------|----------------------|-------------|-----------|-----------------|-------------|------------|
|   | Azentio Software | Testing_9602 | ACCB00K-067 | IFRS Book | CUSTOM_TEMPLATE | 02-May-2023 | 1002435 |
|   | Azentio Software | Testing_35963 | ACCB00K-066 | IFRS Book | Base Template | 02-May-2023 | 1002435 |
|   | Azentio Software | Testing_9983 | ACCB00K-065 | IFRS Book | CUSTOM_TEMPLATE | 02-May-2023 | 1002435 |
|   | Azentio Software | Testing_49 | ACCB00K-064 | IFRS Book | CUSTOM_TEMPLATE | 02-May-2023 | 1002435 |
|   | Azentio Software | Testing_35638 | ACCB00K-063 | IFRS Book | Base Template | 02-May-2023 | 1002435 |
|   | Azentio Software | Testing_8780 | ACCB00K-062 | IFRS Book | CUSTOM_TEMPLATE | 02-May-2023 | 1002435 |
|   | Azentio Software | Testing_46 | ACCB00K-061 | IFRS Book | CUSTOM_TEMPLATE | 02-May-2023 | 1002435 |
|   | Azentio Software | Testing_32587 | ACCB00K-060 | IFRS Book | Base Template | 02-May-2023 | 1002435 |

73 total

1 2 3 4 5

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a category for the accounting
type based on the base accounting book
for Income

(F) Check the Functionality of the GL1
Module

Kastle Universal Banking (Beta)

19-Apr-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting template grid view

| Actions | Legal Entity Name | Accounting Book Name | Code | Book Type | Template Type | Txn Date | Created By |
|----------|--------------------|----------------------|-------------|------------------|---------------|-----------------|------------|
| | Search Legal Entit | Search Accounting | Search Code | Search Book Type | Base Template | Search Txn Date | Search Cre |
| | Azentio Software | Testing_35963 | ACCB00K-066 | IFRS Book | Base Template | 02-May-2023 | 1002435 |
| | Azentio Software | Testing_35638 | ACCB00K-063 | IFRS Book | Base Template | 02-May-2023 | 1002435 |
| | Azentio Software | Testing_32587 | ACCB00K-060 | IFRS Book | Base Template | 02-May-2023 | 1002435 |
| | Azentio Software | Testing_32667 | ACCB00K-058 | IFRS Book | Base Template | 02-Mar-2023 | 1002435 |
| | Azentio Software | Testing_32507 | ACCB00K-056 | IFRS Book | Base Template | 02-Feb-2023 | 1002435 |
| | Azentio Software | Testing_32540 | ACCB00K-054 | IFRS Book | Base Template | 02-Feb-2023 | 1002435 |
| | Azentio Software | Testing_8902 | ACCB00K-053 | IFRS Book | Base Template | 02-Feb-2023 | 1002435 |
| | Azentio Software | Testing_32780 | ACCB00K-051 | IFRS Book | Base Template | 02-Feb-2023 | 1002435 |
| 42 total | | | | | | | |

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a category for the accounting
type based on the base accounting book
for Income

(F) Check the Functionality of the GL1
Module

Kastle Universal Banking (Beta)

19-Apr-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting template grid view

| Actions | Legal Entity Name | Accounting Book Name | Code | Book Type | Template Type | Txn Date | Created By |
|----------|--------------------|----------------------|-------------|------------------|---------------|-----------------|------------|
| | Search Legal Entit | Search Accounting | Search Code | Search Book Type | Base Template | Search Txn Date | Search Cre |
| | Azentio Software | Testing_35963 | ACCB00K-066 | IFRS Book | Base Template | 02-May-2023 | 1002435 |
| | Azentio Software | Testing_35638 | ACCB00K-063 | IFRS Book | Base Template | 02-May-2023 | 1002435 |
| | Azentio Software | Testing_32587 | ACCB00K-060 | IFRS Book | Base Template | 02-May-2023 | 1002435 |
| | Azentio Software | Testing_32667 | ACCB00K-058 | IFRS Book | Base Template | 02-Mar-2023 | 1002435 |
| | Azentio Software | Testing_32507 | ACCB00K-056 | IFRS Book | Base Template | 02-Feb-2023 | 1002435 |
| | Azentio Software | Testing_32540 | ACCB00K-054 | IFRS Book | Base Template | 02-Feb-2023 | 1002435 |
| | Azentio Software | Testing_8902 | ACCB00K-053 | IFRS Book | Base Template | 02-Feb-2023 | 1002435 |
| | Azentio Software | Testing_32780 | ACCB00K-051 | IFRS Book | Base Template | 02-Feb-2023 | 1002435 |
| 42 total | | | | | | | |

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a category for the accounting
type based on the base accounting book
for Income

(F) Check the Functionality of the GL1
Module

Kastle Universal Banking (Beta)

19-Apr-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Category Configuration

| Actions | Legal Entity Name | Category Code | Accounting Category | Accounting Book | Template Type | Txn Date | Status |
|---------|-------------------|------------------|---------------------|-----------------|-----------------|-------------|--------|
| | Azentio Software | ASSET308295 | ASSET109 | Testing02 | CUSTOM_TEMPLATE | 12-May-2022 | Active |
| | Azentio Software | ASSET308132 | ASSET108 | Testing02 | CUSTOM_TEMPLATE | 12-May-2022 | Active |
| | Azentio Software | LIABILITY1308 | LIABILITY1308 | Testing02 | CUSTOM_TEMPLATE | 12-May-2022 | Active |
| | Azentio Software | ASSET307453 | ASSET107 | Testing02 | CUSTOM_TEMPLATE | 12-May-2022 | Active |
| | Azentio Software | LIABILITY1304 | LIABILITY1304 | Testing02 | CUSTOM_TEMPLATE | 10-May-2022 | Active |
| | Azentio Software | LIABILITY1303463 | LIABILITY1303 | Testing02 | CUSTOM_TEMPLATE | 10-May-2022 | Active |
| | Azentio Software | EXPENDITURE6469 | Expenditure5379 | Testing_32587 | Base Template | 10-May-2022 | Active |
| | Azentio Software | INCOME3381 | Income3299 | Testing_32587 | Base Template | 10-May-2022 | Active |

88 total

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a category for the accounting
type based on the base accounting book
for Income

(F) Check the Functionality of the GL1
Module

Kastle Universal Banking (Beta)

19-Apr-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Category Configuration

| Actions | Legal Entity Name | Category Code | Accounting Category | Accounting Book | Template Type | Txn Date | Status |
|---------|-------------------|------------------|---------------------|-----------------|-----------------|-------------|--------|
| | Azentio Software | ASSET308295 | ASSET109 | Testing02 | CUSTOM_TEMPLATE | 12-May-2022 | Active |
| | Azentio Software | ASSET308132 | ASSET108 | Testing02 | CUSTOM_TEMPLATE | 12-May-2022 | Active |
| | Azentio Software | LIABILITY1308 | LIABILITY1308 | Testing02 | CUSTOM_TEMPLATE | 12-May-2022 | Active |
| | Azentio Software | ASSET307453 | ASSET107 | Testing02 | CUSTOM_TEMPLATE | 12-May-2022 | Active |
| | Azentio Software | LIABILITY1304 | LIABILITY1304 | Testing02 | CUSTOM_TEMPLATE | 10-May-2022 | Active |
| | Azentio Software | LIABILITY1303463 | LIABILITY1303 | Testing02 | CUSTOM_TEMPLATE | 10-May-2022 | Active |
| | Azentio Software | EXPENDITURE6469 | Expenditure5379 | Testing_32587 | Base Template | 10-May-2022 | Active |
| | Azentio Software | INCOME3381 | Income3299 | Testing_32587 | Base Template | 10-May-2022 | Active |

88 total

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a category for the accounting
type based on the base accounting book
for Income

(F) Check the Functionality of the GL1
Module

Kastle Universal Banking (Beta) 19-Apr-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Category

* Category Code INCOME3493 * Accounting Book * Effective Date 12-05-2022

Accounting Category * GI Code Generation New Sequence Flag

GI Prefix GI Suffix Separator

Starting Sequence Number Current Sequence Number Remarks

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a category for the accounting
type based on the base accounting book
for Income

(F) Check the Functionality of the GL1
Module

Kastle Universal Banking (Beta) 19-Apr-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Category

* Category Code INCOME3493 * Accounting Book Testing_35963 * Effective Date 12-05-2022

Accounting Category * GI Code Generation New Sequence Flag

GI Prefix GI Suffix Separator

Starting Sequence Number Current Sequence Number Remarks

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a category for the accounting
type based on the base accounting book
for Income

(F) Check the Functionality of the GL1
Module

Kastle Universal Banking (Beta) 19-Apr-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Category

* Category Code
INCOME3493

* Accounting Book

* Effective Date
12-05-2022

Accounting Category *
Income3573

GI Code Generation

New Sequence Flag

GI Prefix

GI Suffix

Separator

Starting Sequence Number

Current Sequence Number

Remarks

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a category for the accounting
type based on the base accounting book
for Income

(F) Check the Functionality of the GL1
Module

Kastle Universal Banking (Beta) 19-Apr-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Category

* Category Code
INCOME3493

* Accounting Book

* Effective Date
12-05-2022

Accounting Category *
Income3573

GI Code Generation
Auto

New Sequence Flag

GI Prefix

GI Suffix

Separator

Starting Sequence Number
206000000

Current Sequence Number
206000000

Remarks

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a category for the accounting
type based on the base accounting book
for Income

(F) Check the Functionality of the GL1
Module

≡

Kastle Universal Banking (Beta)

19-Apr-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

Business partner setup

General ledger configurat...

Accounting setup

Accounting book definition

Account Category

Chart of accounts definition

Accounting scheme definition

Accounting scheme event mapping

Financial statements configuration

22 Appro...

11 Messa...

← Accounting Category

* Category Code
INCOME3493

* Accounting Book

* Effective Date
12-05-2022

Accounting Category *
Income3573

GI Code Generation
Auto

New Sequence Flag

GI Prefix

GI Suffix

Separator

Starting Sequence Number
206000000

Current Sequence Number
206000000

Remarks

Home

Preference