
## **Cucumber Report**




FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	1	0	0	1 m 41.410 s

SCENARIOS SUMMARY -- 3 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify creating Bill is not allowed if YTD amount for expense	6	6	0	0	1 m 41.401 s
		exceeds mapped budget code limit.					

DETAILED SECTION -- 4 --

## (F)- AR/AP Module

PASSED	DURATION - 1 m 41.410 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 5:24:09.764 AM	M // 5:25:51.174 AM /	Pass - 1	1	Pass - 6	6
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- Verify creating Bill is not allowed if YTD amount for expense exceeds mapped budget code limit.


PASSED DURATION - 1 m 41.401 s	30 -	 						Steps	
/ 5:24:09.773 AM // 5:25:51.174 AM /	20 -	 				<u>.</u>		Total - 6	
								Pass - 6	6
AR/AP Module	10 -		- +				<b>=</b>	Fail - 0	
@KUBS_AR/AP_UAT_013_001_TC_05	0 -	 1				<u> </u>		Skip - 0	
		1	2	3	4	5	6		


#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	31.069 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.706 s
	screenshot		
2	And user should navigate to accounts payable menu	PASSED	1.197 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.724 s
	screenshot		

3 When click on eye button of invoice booking  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 And click on add button for invoice booking  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.752 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  pASSED  0.922 s  5 And Fill the required fields for invoice booking with exceeded amount  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  pASSED  0.268 s  Screenshot	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 And click on add button for invoice booking  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And Fill the required fields for invoice booking with exceeded amount  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.184 s  2.184 s		The state of the		
screenshot  4 And click on add button for invoice booking  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And Fill the required fields for invoice booking with exceeded amount  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  20.587 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.752 s  0.922 s	3	·	PASSED	
4 And click on add button for invoice booking  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And Fill the required fields for invoice booking with exceeded amount  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  20.587 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.268 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.184 s
4 And click on add button for invoice booking  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And Fill the required fields for invoice booking with exceeded amount  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  20.587 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.752 s  0.922 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Fill the required fields for invoice booking with exceeded amount  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  20.587 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.922 s				
Screenshot  5 And Fill the required fields for invoice booking with exceeded amount  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.268 s	4	And click on add button for invoice booking	PASSED	0.752 s
5 And Fill the required fields for invoice booking with exceeded amount  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.268 s			PASSED	0.922 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.268 s				
	5	And Fill the required fields for invoice booking with exceeded amount	PASSED	20.587 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
		screenshot		
The state of the s		************************************		
6 Then Save and submit the invoice billing with exceeded amount PASSED 7.013 s	6	Then Save and submit the invoice billing with exceeded amount	PASSED	7.013 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.395 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.395 s
		screenshot		

#	Step / Hook Details	Status	Duration
	## OF THE PROPERTY OF THE PROP		

EXPANDED SECTION -- 7





EXPANDED SECTION -- 9 --

