Cucumber Report

Start : May 04, 2:33:01.654 PM

End : May 04, 2:33:35.508 PM

Duration : 33.854 s

Features	Scenarios	Steps

PASSED - 0	PASSED - 0	PASSED - 12
FAILED - 1	FAILED - 1	FAILED - 1
SKIPPED - 0	SKIPPED - 0	SKIPPED - 3

1

1

16

Pass %

0 %

Pass %

0 %

Pass %

75 %

#	Feature Name	T	P	F	S	Duration
1	testing the fuctionalities of bank reconciliation module	1	0	1	0	33.854 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	testing the fuctionalities of bank reconciliation module	Click on Process button on Bank Recon Process screen post creating additional entries	16	12	1	3	33.850 s

(F)- testing the fuctionalities of bank reconciliation module

| FAILED	DURATION - 33.854 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 2:33:01.654 PM // 2:33:35.508 PM /		Pass - 0	1	Pass - 12	16
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

(S)- Click on Process button on Bank Recon Process screen post creating additional entries

FAILED	DURATION - 33.850 s		Steps	
/ 2:33:01.658 PM // 2:33:35.508 PM /			Total - 16	
testing the fuctionalities of bank reconciliation module			Pass - 12	16
			Fail - 1	
@text			Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given user log in to Azentio for bank recon	PASSED	13.744 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.828 s
	screenshot		
2	And user click bank recon module	PASSED	0.076 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And user click eye icon in bank recon module	PASSED	0.329 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.483 s
	screenshot		
4	And user click add icon in bank recon	PASSED	0.307 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.306 s
	screenshot		
5	And user select bank name in bank recon Module	PASSED	0.229 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	screenshot		
6	And user select bank account Number in bank recon Module	PASSED	0.206 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		

| #	Step / Hook Details	Status	Duration
7	And user click bank recon from date and select the date	PASSED	1.768 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.254 s
8	And user click bank recon to date and select the date	PASSED	1.542 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.218 s
9	And user click choose file and upload the bank statement	PASSED	0.229 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.238 s
10	And user click save button in bank recon	PASSED	0.145 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.191 s

#	Step / Hook Details	Status	Duration
11	And user click process button in bank recon	PASSED	3.640 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	screenshot 		
12	And user click the unmatched data in bank recon process	PASSED	0.149 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	screenshot 		
13	And user match the records in unmached tab	FAILED	0.087 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-grid[1]//datatable-row-wrapper[2]/datatable-body-row/div[2]/datatable-body-cell[6]/div"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016585', ip: '10.1.47.108', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8fd992ac061a6b4a2306a3fd55fc310d, findElement {using=xpath, value=//ion-grid[1]//datatable-row-wrapper[2]/datatable-body-row/div[2]/datatable-body-cell[6]/div}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53584}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53584/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8fd992ac061a6b4a2306a3fd55fc310d
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.Bank_ReconModule.user_match_the_records_in_unmached_tab(Bank_ReconModule.java:325) at ?.user match the records in unmached tab(file:///C:/Users/inindc00077/git/repository2/Ajith_AzentioAutomationFramework/src/test/java/features/Bank_ReconciliationModule.feature:37) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.170 s
14	And user click matched data tab	SKIPPED	0.001 s
15	Then user verify that Book entry will be matched with Bank entry and will be displayed in Matched Tab	SKIPPED	0.001 s
16	Then user verify that Unmatched entry from Bank Side will not be displayed	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module

Actions		Branch Code - Name	Legal Entity Branch	Bank Name	Account Number	Account Type	Period From	Period To
👁 ✎		AZENTMAIN - Azentio N	3	65	21	1105512	25-Feb-2023	26-Feb-2023
👁 ✎		AZENTMAIN - Azentio N	3	60	16	1105512	25-Feb-2023	26-Feb-2023
👁 ✎		AZENTMAIN - Azentio N	3	60	16	1105512	23-Feb-2023	24-Feb-2023
👁 ✎		AZENTMAIN - Azentio N	3	65	21	1105512	21-Feb-2023	22-Feb-2023
👁 ✎		AZENTMAIN - Azentio N	3	61	17	1105512	23-Feb-2023	24-Feb-2023
👁 ✎		AZENTMAIN - Azentio N	3	65	21	1105512	19-Feb-2023	20-Feb-2023
👁 ✎		AZENTMAIN - Azentio N	3	65	21	1105512	17-Feb-2023	18-Feb-2023
👁 ✎		AZENTMAIN - Azentio N	3	64	20	1105513	17-Feb-2023	18-Feb-2023

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Click on Process button on Bank
Recon Process screen post creating
additional entries

(F) testing the fuctionalities of bank
reconciliation module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Click on Process button on Bank
Recon Process screen post creating
additional entries

(F) testing the fuctionalities of bank
reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Click on Process button on Bank
Recon Process screen post creating
additional entries

(F) testing the fuctionalities of bank
reconciliation module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Click on Process button on Bank
Recon Process screen post creating
additional entries

(F) testing the fuctionalities of bank
reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Click on Process button on Bank Recon Process screen post creating additional entries (F) testing the fuctionalities of bank reconciliation module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Click on Process button on Bank Recon Process screen post creating additional entries (F) testing the fuctionalities of bank reconciliation module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module

Kastle Universal Banking (Beta)

20-Mar-2023   English   Azentio Software

✔ File validated successfully ✕

Bank Reconciliation Details   Matched Data   **Unmatched Data**   Bank Reconciliation Statement

← Unmatched Data

MATCH

Finance

🔧   ⊟   📋

⊙ General ledger transaction
⊙ Budget
⊙ Accounts payable
⊙ Adjustments (AR and AP)
⊙ Accounts receivable
⊙ Fixed assets
⊙ Inventory management
⊙ Petty cash
⊙ Bank recon
▶ **Bank reconcilliation**   ✏ 👁 🗑

22 Appro... ✕   11 Messa... ✕

Records from Book

Select	Value Date	Transaction Date	Particulars	Transaction Mode	Instrument No	Dr.Amount	Cr.Amount
☐	2023-02-17	2023-02-17	OK	WIRE	RRN444	560	

1 total

Records from Bank Statement

Unmatch	Transaction Date	Value Date	Particulars	Transaction Mode	Instrument No	Withdrawal Amount	Deposit Ar
☐	2023-02-17	2023-02-17	OK		RRN156		3000
☐	2023-02-17	2023-02-17	OK		RRN157		4000
☐	2023-02-17	2023-02-17	OK		RRN444	560	