Cucumber Report

| Start : Jan 13, 10:28:28.340 AM	End : Jan 13, 10:28:58.795 AM	Duration : 30.455 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 20 FAILED - 1 SKIPPED - 12

#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	0	1	0	30.455 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	To verify checker can reject the budget code which is approved by reviewer	33	20	1	12	30.450 s

(F)- To check BudgetDefinition moduel feature

| FAILED	DURATION - 30.455 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 33 Pass - 20 Fail - 1 Skip - 12	33
/ 10:28:28.340 AM // 10:28:58.795 AM /					

(S)- To verify checker can reject the budget code which is approved by reviewer

FAILED	DURATION - 30.450 s	Steps Total - 33 Pass - 20 Fail - 1 Skip - 12	33
/ 10:28:28.345 AM // 10:28:58.795 AM /			
To check BudgetDefinition moduel feature			
@Multiauth_Checker_rejectBudgetCode			

| #	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	9.574 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.545 s
	screenshot		
2	Then click on budget configuration Menu	PASSED	0.085 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And click on budget definition sub menu and click on eye icon	PASSED	0.341 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
	screenshot		
4	And click on add icon	PASSED	0.145 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	screenshot		
5	Then enter budget code	PASSED	0.144 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		
6	And enter budget type	PASSED	0.276 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And enter warning percentage	PASSED	0.079 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot		
8	And enter budget name	PASSED	0.085 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		
9	Then give remark	PASSED	0.072 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	screenshot		
10	Then click on save button	PASSED	3.114 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	Then Click on notification icon	PASSED	0.128 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.274 s
	screenshot		
12	And select the first record	PASSED	0.791 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.232 s
	screenshot		
13	Then click on submit button	PASSED	0.736 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		
14	And enter remark in alert tab	PASSED	0.240 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	And click on submit	PASSED	0.086 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		
16	When click on submit button save the reviewer id	PASSED	0.626 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		
17	Given navigate to URL and login as a reviewer	PASSED	6.409 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		
18	Then click on notification icon	PASSED	0.118 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
	screenshot		

#	Step / Hook Details	Status	Duration
19	When click on notification icon to check reviewer can get a record which is submited by maker	PASSED	0.136 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		
20	And click on action button	PASSED	0.060 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot		
21	Then verify the budget record is matched with maker submited record	FAILED	0.066 s

	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of undefined (reading 'value') (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c2f5246e2fceb0517d57467c03d79b69, executeScript {script=return document.getElementsByClassName('native-input sc-ion-input-md')[1].value, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:62539}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62539/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c2f5246e2fceb0517d57467c03d79b69
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:481) at helper.JavascriptHelper.executeScript(JavascriptHelper.java:21) at stepdefinitions.KUBS_reviewer.verify_the_budget_record_is_matched_with_maker_submited_record(KUBS_reviewer.java:85) at ?.verify the budget record is matched with maker submited record(file:///C:/Users/inindc00076/git/AzentioAutomationFramework2/AzentioAutomationFramework/src/test/java/features/KUBS_BudgetDefinition.feature:193) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.200 s
22	And approve the record in reviewer stage	SKIPPED	0.000 s
23	Then enter remark then submit	SKIPPED	0.000 s
24	Given navigate to URL and login as a checker	SKIPPED	0.000 s
25	Then click on security management menu	SKIPPED	0.000 s
26	And click on Action icon in security management	SKIPPED	0.000 s
27	Then clime the record	SKIPPED	0.000 s
28	And click on notification icon in checker stage	SKIPPED	0.000 s
29	When checker click on notification icon record might be showed in notification area	SKIPPED	0.000 s
30	And click on action button in checker stage	SKIPPED	0.000 s
31	Then validate the budget record	SKIPPED	0.000 s
32	Then reject the record	SKIPPED	0.000 s
33	And write negative remark and submit it	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can reject the budget code which is approved by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can reject the budget code which is approved by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can reject the
budget code which is approved by
reviewer

(F) To check BudgetDefinition moduel
feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can reject the
budget code which is approved by
reviewer

(F) To check BudgetDefinition moduel
feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can reject the budget code which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can reject the budget code which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	

(S) To verify checker can reject the budget code which is approved by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	

(S) To verify checker can reject the budget code which is approved by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can reject the
budget code which is approved by
reviewer

(F) To check BudgetDefinition moduel
feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can reject the
budget code which is approved by
reviewer

(F) To check BudgetDefinition moduel
feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can reject the budget code which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can reject the budget code which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can reject the budget code which is approved by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can reject the budget code which is approved by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can reject the budget code which is approved by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can reject the budget code which is approved by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can reject the budget code which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can reject the budget code which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can reject the budget code which is approved by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can reject the budget code which is approved by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can reject the budget code which is approved by reviewer

(F) To check BudgetDefinition moduel feature

≡ 🌐 Kastle Universal Banking   21-Oct-2021 English ▾   ▾ (AZENT-MAIN) 🔔 ▣ 👤 SARVESH

No Module Mapped

← Budget Definition   ⓘ ViewSummary ✅ Approve 🔄 Return ❌ Reject

🔧 🚏 📋

* Budget Code	* Budget Type	* Warning Percentage
BUD00103	QUARTERLY × ▾	20

* Budget Name	Remark	Status
Test	Ok	ACTIVE × ▾

22 Appro... ⊗   11 Messa... ⊗   ⠿ Home   ➤ Preference