


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking accountsPayable and accounts Receivable module	1	0	1	0	36.995 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking accountsPayable and	Verify cancelling Advance To employee is not allowed if the	40	7	1	32	36.990 s
	accounts Receivable module	same has been adjusted at payment settlement					

DETAILED SECTION -- 4 --

(F)- Checking accounts Payable and accounts Receivable module

FAILED	DURATION - 36.995 s	Scenarios		Steps	
		Total - 1		Total - 40	
/ 5:48:59.772 PI	M // 5:49:36.767 PM /	Pass - 0	1	Pass - 7	40
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 32	

(S)- Verify cancelling Advance To employee is not allowed if the same has been adjusted at payment settlement

FAILED DURATION - 36.990 s						-	-	-			-	1	1		-		Steps		
/ 5:48:59.777 PM // 5:49:36.767 PM /	15			-			-	- + -	-		-	-1		-	+-	-	Total - 40		
Checking accountsPayable and accounts	10						-1-				- [-		-	1		Pass - 7	40	
Receivable module	0.				_		_	_]	-	-	1		Skip - 32		
@KUBS_AR_AP_UAT_003_008_TC_03		_	1 2	2 3	4	5	6	7	8	9	10	11	12	13	14	15	5p 5=		

#	Step / Hook Details	Status	Duration
1	Given Navigate to KUBS URL and login with maker credentials	PASSED	18.564 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
	screenshot		
	■ Particularity with the state of the state		
2	And Goto accounts receivable advances module	PASSED	1.537 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.438 s
	screenshot		

3 Then click on search AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 And select the advance to employee active record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.597 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.203 s 4 And go to accounts payable module AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.270 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.255 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.151 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) APASSED 0.202 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.243 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.151 s		© Marrier 100		
screenshot And select the advance to employee active record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.243 s PASSED 0.151 s	3	Then click on search	PASSED	0.111 s
4 And select the advance to employee active record PASSED 0.597 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.203 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.270 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.243 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.151 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
4 And select the advance to employee active record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot APTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) APTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.597 s 0.203 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And go to aacounts payable module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.243 s PASSED 0.151 s		9		
Screenshot 5 And go to aacounts payable module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.243 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.151 s	4	And select the advance to employee active record	PASSED	0.597 s
5 And go to aacounts payable module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.243 s PASSED 0.151 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
5 And go to aacounts payable module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) DASSED O.270 s PASSED O.255 s O.255 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.243 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.255 s		© surface 1		
Screenshot 6 And Go to payment settlement module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.151 s	5	And go to aacounts payable module	PASSED	0.270 s
6 And Go to payment settlement module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.151 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.255 s
6 And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.243 s 0.151 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.151 s		• Mana		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.151 s	6	And Go to payment settlement module	PASSED	1.243 s
screenshot				
		screenshot	1	


#	Step / Hook Details	Status	Duration
	### OF TABLE AND TABLE AN		
7	And click on Add Icon	PASSED	0.396 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.380 s
	screenshot		
8	And fill the form for settlement	FAILED	5.034 s
	org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: "method": "path", "selector": "Itd[@aria-label='April 7, 2023"]/span"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [57e4bc9450c3891fa58b2459587398bc, findElement {using=xpath, value=i/fd[@aria-label='April 7, 2023"]/span]] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.85.] (d537ec02474b5, userDataDir: C:\Users\User\User\User\User\User\User\Use		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.ACCOUNTSPAYABLE_PaymentSettlement.fill_the_form_for_settlement(ACCOUNTSPAYABLE_PaymentSettlement. java:330) at ?.fill the form for settlement(file:///C:/Users/inindc00076/git/AzentioAutomationFrameworkAnandh/ Anandh_AzentioAutomationFramework1/src/test/java/features/ACCOUNTSPAYABLE_ACCOUNTSRECEIVABLE.feature:348) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.245 s
	screenshot		
9	And Save the form	SKIPPED	0.001 s
10	And click notification button	SKIPPED	0.000 s
11	Then choose first record in the notification record	SKIPPED	0.001 s
12	And click on Submit button	SKIPPED	0.000 s
13	Then enter remark in confirmation alert	SKIPPED	0.000 s
14	Then click on submit button in alert	SKIPPED	0.000 s
15	And capture the reviewer ID in pop up which is open when we submit our record in maker stage	SKIPPED	0.000 s
16	Then logout from maker	SKIPPED	0.000 s
17	And login with reviewer credentials	SKIPPED	0.000 s
18	Then click on notification button	SKIPPED	0.000 s
19	And select our record in notification records using reference ID	SKIPPED	0.001 s
20	Then Approve the record from reviewer	SKIPPED	0.000 s
21	And enter the remark in alert	SKIPPED	0.001 s
22	Then click on submit in alert	SKIPPED	0.001 s
23	Then verify the approval status of the record	SKIPPED	0.000 s
24	And logout from reviewer	SKIPPED	0.001 s
25	Then login as a checker	SKIPPED	0.000 s
26	And click on security management menu in checker	SKIPPED	0.000 s
27	Then click on action button under security management menu	SKIPPED	0.001 s
28	And select our record and clime using reference ID	SKIPPED	0.001 s
29	Then click on Notification button	SKIPPED	0.000 s
30	Then select our record in notification records by the help of reference ID	SKIPPED	0.000 s


DETAILED SECTION -- 8 --


#	Step / Hook Details	Status	Duration
31	And click on approve button in checker stage	SKIPPED	0.001 s
32	Then give alert remark	SKIPPED	0.000 s
33	Then click on submit button on alert	SKIPPED	0.000 s
34	And verify the record got approved from checker	SKIPPED	0.001 s
35	Then logout from checker	SKIPPED	0.000 s
36	And login with Maker ID	SKIPPED	0.001 s
37	And goto arap adjustment main module	SKIPPED	0.000 s
38	Then go to ar ap adjustment module	SKIPPED	0.001 s
39	And click on Add Icon	SKIPPED	0.001 s
40	Then check the settlement completed advance can be cancelled	SKIPPED	0.000 s

EXPANDED SECTION



EXPANDED SECTION -- 10 --





EXPANDED SECTION -- 12 --

