Cucumber Report

| Start : Feb 04, 1:14:59.052 AM	End : Feb 04, 1:16:51.850 AM	Duration : 1 m 52.798 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 15 FAILED - 1 SKIPPED - 2

#	Feature Name	T	P	F	S	Duration
1	ACCOUNTS PAYABLE	1	0	1	0	1 m 52.798 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	*ACCOUNTS PAYABLE*	*Create a contract*	*18*	*15*	*1*	*2*	*1 m 52.794 s*

(F)- ACCOUNTS PAYABLE

FAILED	DURATION - 1 m 52.798 s	Scenarios		Steps	
		Total - 1		Total - 18	
/ 1:14:59.052 AM // 1:16:51.850 AM /		Pass - 0	**1**	Pass - 15	**18**
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- Create a contract

FAILED	DURATION - 1 m 52.794 s		Steps	
/ 1:14:59.056 AM // 1:16:51.850 AM /			Total - 18	
ACCOUNTS PAYABLE			Pass - 15	**18**
			Fail - 1	
@KUBS_INV_MGMT_UAT_001_002			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	34.751 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.779 s
	screenshot		
	+		
2	And user should navigate to accounts payable menu	PASSED	1.046 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	When click on eye button of account payable	PASSED	0.673 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.942 s
	screenshot		
4	And click on add button to create contract	PASSED	0.590 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.208 s
	screenshot		
5	And Fill the required fields to create contract	PASSED	3.994 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
	screenshot		
6	Then Save and submit the creation contract record	PASSED	6.541 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And User should go to the kubs url and login as a reviewer user	PASSED	14.035 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		
8	Then Click on notification button in reviewer	PASSED	0.209 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.527 s
	screenshot		
9	And approve the record by reviewer user	PASSED	4.152 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	screenshot		
10	Given User should go to the kubs url and login as a checker user	PASSED	9.750 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.110 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	And Click on security management in checker	PASSED	0.161 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
	screenshot 		
12	Then Click on open pool in checker	PASSED	0.197 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.365 s
	screenshot 		
13	And Click on claim button in checker	PASSED	0.085 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot 		
14	And capture claimed status	PASSED	0.237 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	Then click on notification in checker	PASSED	0.131 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.490 s
16	Then checker should approved the contract record	FAILED	2.277 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-swg-c284="" color="success" ng-reflect-color="success" ng-reflect-disabled="false" class="ng-star-inserted ion-color ion-color-success md button button-clear in-toolbar ion-activatable ion-focusable hydrated">...</ion-button> is not clickable at point (1178, 28). Other element would receive the click: ... (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [207e36b18c418ff042210ad0562fba08, clickElement {id=5ec652ab-faf3-4784-bacd-11e432fa7d91}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:57048}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57048/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (207e36b18c418ff042210ad0562fba08)] -> xpath: //span/ion-button[1]] Session ID: 207e36b18c418ff042210ad0562fba08 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)		
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)		
	at jdk.internal.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)		
	at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)		
	at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts. checker_should_approved_the_contract_record(ACCOUNTSPAYABLE_VendorContracts.java:287)		
	at ?.checker should approved the contract record(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/ ACCOUNTSPAYABLE_VendorContracts.feature:23)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.308 s
17	And system should show the prompt message	SKIPPED	0.000 s
18	And checker logout	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a contract

(F) ACCOUNTS PAYABLE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a contract

(F) ACCOUNTS PAYABLE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a contract

(F) ACCOUNTS PAYABLE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a contract

(F) ACCOUNTS PAYABLE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a contract

(F) ACCOUNTS PAYABLE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a contract

(F) ACCOUNTS PAYABLE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a contract

(F) ACCOUNTS PAYABLE

| | Kastle Universal Banking (Beta) | | | | | 03-Oct-2022 | English ⌄ | Azentio Software ⌄ | (AZENTMAIN) | | | REVIEWER |

No Module Mapped

Welcome, Reviewer

22 Appro... ⊗   11 Messa... ⊗

Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a contract

(F) ACCOUNTS PAYABLE

| | Kastle Universal Banking (Beta) | | | | 03-Oct-2022 | English ⌄ | Azentio Software ⌄ | (AZENTMAIN) | | | REVIEWER |

No Module Mapped

← Inbox

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Event Desc	Workflow Desc	Created Date	Workflow Code
	170		CONTRACTCREATION_EVT		REVIEWER		REVIEWER		1002436
	37		INVENTORY_ITEM		REVIEWER		REVIEWER		1002436
	35		INVENTORY_ITEM		REVIEWER		REVIEWER		1002436
	36		INVENTORY_ITEM		REVIEWER		REVIEWER		1002436
	34		INVENTORY_ITEM		REVIEWER		REVIEWER		1002436

50 total |◁ ◁ **1** 2 3 4 5 ▷ ▷|

22 Appro... ⊗   11 Messa... ⊗

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a contract	
(F) ACCOUNTS PAYABLE	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a contract	
(F) ACCOUNTS PAYABLE	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a contract	
(F) ACCOUNTS PAYABLE	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a contract	
(F) ACCOUNTS PAYABLE	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a contract	
(F) ACCOUNTS PAYABLE	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a contract	
(F) ACCOUNTS PAYABLE	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a contract

(F) ACCOUNTS PAYABLE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a contract

(F) ACCOUNTS PAYABLE