

Cucumber Report

9 Jan 2023, 1:26:28 PM

Start : Jan 09, 1:25:16.940 PM

End : Jan 09, 1:26:26.317 PM

Duration : 1 m 9.377 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 1
SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	1	0	1	0	1 m 9.377 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	<u>Create denomination details</u>	7	5	1	1	1 m 9.342 s




(F)- Check the Functionality of Inventory


FAILED	DURATION - 1 m 9.377 s	Scenarios		Steps	
/ 1:25:16.940 PM // 1:26:26.317 PM /		Total - 1		Total - 7	
		Pass - 0		Pass - 5	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- Create denomination details

<div>FAILED</div> <div>DURATION - 1 m 9.342 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 1:25:16.975 PM // 1:26:26.317 PM /</div>				
<div>Check the Functionality of Inventory</div>				
<div>@KUBS_INV_MGMT_UAT_002_002_01</div>				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	52.247 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.044 s
	screenshot		
			
2	And user should navigate to denomination master menu	PASSED	0.836 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.277 s
	screenshot		
			


#	Step / Hook Details	Status	Duration
3	When click on eye button of denomination master	PASSED	0.769 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.750 s
	screenshot 		
4	And click on add button to create denomination details	PASSED	0.891 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.422 s
	screenshot 		
5	And user update the data set ID for denomination	PASSED	0.016 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot 		
6	And Fill the required fields to create denomination details	FAILED	0.098 s
	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at stepdefinitions.INVENTORY_MAINTENANCE_DenominationMaster. fill_the_required_fields_to_create_denomination_details(INVENTORY_MAINTENANCE_DenominationMaster.java:91) at ?.Fill the required fields to create denomination details(file:///C:/Users/ININDC00089/git/AzentioAutomationFramework/ArAp/ AzentioAutomationFramework_ARAP_Excel/src/test/java/features/InventoryManagement_Testing.feature:10) * Not displayable characters are replaced by '?'.	FAILED	0.098 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.220 s
7	Then Save and submit the creation denomination details	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details


(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details


(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) Check the Functionality of Inventory









(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details



(F) Check the Functionality of Inventory

AZENTIO
ONEBanking

- Business partner setup
- General ledger configuration
- Accounting setup
- Expense/AR & AP configurat...
- Budget configuration
- Fixed assets configuration
- Inventory maintenance
- Instrument code master  
- Denomination master**  
- 22 Appro...  11 Mess... 

Denomination Details Master

* Instrument Code * Currency * Denomination Type







Denomination Sub Type	Denomination Sequence N	Denomination Value	Denomination Description	Action
Note				 

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) Check the Functionality of Inventory

AZENTIO
ONEBanking

- Business partner setup
- General ledger configuration
- Accounting setup
- Expense/AR & AP configurat...
- Budget configuration
- Fixed assets configuration
- Inventory maintenance
- Instrument code master  
- Denomination master**  
- 22 Appro...  11 Mess... 

Denomination Details Master

* Instrument Code * Currency * Denomination Type

Denomination Sub Type	Denomination Sequence N	Denomination Value	Denomination Description	Action
Note				