Cucumber Report

Start : Mar 11, 5:47:42.601 pm	End : Mar 11, 5:48:55.436 pm	Duration : 1 m 12.835 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 18 FAILED - 0 SKIPPED - 0

1

1

18

40 50 60
30 Pass % 70
20 80
10 90
0 100
100 %

40 50 60
30 Pass % 70
20 80
10 90
0 100
100 %

40 50 60
30 Pass % 70
20 80
10 90
0 100
100 %

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	1	0	0	1 m 12.835 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	Verify No accounting entry is generated on approval of advances against PO	18	18	0	0	1 m 12.828 s

## (F)- Check the Functionality of AR/AP Module

PASSED	DURATION - 1 m 12.835 s	Scenarios		Steps	
/ 5:47:42.601 pm // 5:48:55.436 pm /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 18 Pass - 18 Fail - 0 Skip - 0	18

(S)- Verify No accounting entry is generated on approval of advances against PO

| PASSED	DURATION - 1 m 12.828 s		Steps	
/ 5:47:42.608 pm // 5:48:55.436 pm /			Total - 18	18
Check the Functionality of AR/AP Module			Pass - 18 Fail - 0	
@KUBS_AR_AP_UAT_002_004_TC_02			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	12.153 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		
2	Then Choose the second Tab Segment	PASSED	0.336 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Click On Main module Accounts Receivable	PASSED	0.131 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot		
4	Then Click on Accounts Receive Advances Eye Icon	PASSED	0.217 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.395 s
	screenshot		
5	And Click On Search Icon	PASSED	0.122 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		
6	Then Enter Active Value In Advance Status	PASSED	0.233 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Click on Table Row First Eye Icon	PASSED	0.125 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.384 s
	screenshot		
8	And Get The Business Partner and Advance Number	PASSED	0.091 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	screenshot		
9	Then Third Segment report Icon	PASSED	0.311 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		
10	And Choose Enquiry Module	PASSED	0.155 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Click Note iCon near by financial transction	PASSED	0.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
12	And choose branch code	PASSED	0.310 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		
13	And click on transaction from date in calender	PASSED	0.139 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		
14	Then Select from date in calender	PASSED	0.409 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	And click on transaction to date in calender icon	PASSED	0.162 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.168 s
16	Then Select To date in calender	PASSED	0.809 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.175 s
17	And Click View HyperLink	PASSED	0.084 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.133 s
18	Then Verify No accounting entry is generated on Active advances against PO	PASSED	50.383 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.140 s

#	Step / Hook Details	Status	Duration

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify No accounting entry is generated on approval of advances against PO	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify No accounting entry is generated on approval of advances against PO	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify No accounting entry is generated on approval of advances against PO	
(F) Check the Functionality of AR/AP Module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify No accounting entry is generated on approval of advances against PO	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify No accounting entry is
generated on approval of advances
against PO

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify No accounting entry is
generated on approval of advances
against PO

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify No accounting entry is
generated on approval of advances
against PO

(F) Check the Functionality of AR/AP
Module

| | Kastle Universal Banking (Beta) | | | 26-Oct-2022 | English | Azentio Software | (AZENTMAIN) | ANANT |

← Advances

ctions	Branch Code - Name	Receivable Name	ADV Number	BP Name	Amount	Date	ADV Status
	Search Branch Co	Search Receivable	Search ADV Numt	Search BP Name	Search Amount	Search Date	ACTIVE
👁 ✏	AZENTMAIN - Azentio N	Advance Against PO	ADV_77_1132022	Bonton Agency	100	26-Oct-2022	Active
👁 ✏	AZENTMAIN - Azentio N	Advance To Employee	ADV_66_132022	TRM agency	65644.44	19-Oct-2022	Active
👁 ✏	AZENTMAIN - Azentio N	Advance To Employee	ADV_65_132022	Swapnil Gore	50000	19-Oct-2022	Active
👁 ✏	AZENTMAIN - Azentio N	Advance Against PO	ADV_64_132022	Bonton Agency	1000	19-Oct-2022	Active
👁 ✏	AZENTMAIN - Azentio N	Advance Against PO	ADV_62_2822022	DELUXE 001	50000	19-Oct-2022	Active
👁 ✏	AZENTMAIN - Azentio N	Advance Against PO	ADV_61_2822022	DELUXE 001	5000	19-Oct-2022	Active
👁 ✏	AZENTMAIN - Azentio N	Advance To Employee	ADV_57_2422022	Swapnil Gore	1000	19-Oct-2022	Active
👁 ✏	AZENTMAIN - Azentio N	Advance To Employee	ADV_56_2422022	Swapnil Gore	1000	19-Oct-2022	Active

29 total |< < 1 2 3 4 > >|

Finance

General ledger transaction
Budget
Accounts payable
Adjustments (AR and AP)
Accounts receivable

Accounts receivable (Debit notes)
Credit notes on invoice
Accounts receivable (Advances)
Receipts

22 Appro... ⊗   11 Messa... ⊗

Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify No accounting entry is
generated on approval of advances
against PO

(F) Check the Functionality of AR/AP
Module

| | Kastle Universal Banking (Beta) | | | 26-Oct-2022 | English | Azentio Software | (AZENTMAIN) | ANANT |

← Adavaces

Finance

General ledger transaction
Budget
Accounts payable
Adjustments (AR and AP)
Accounts receivable

Accounts receivable (Debit notes)
Credit notes on invoice
Accounts receivable (Advances)
Receipts

22 Appro... ⊗   11 Messa... ⊗

* Entity Branch
Azentio Main Branch   × ▾

* Receivable Name
Advance Against PO   × ▾

Business Partner/Employee Name
Bonton Agency   × ▾

Adavace Number
ADV_77_1132022

*Date
26-Oct-2022

Po Number
Azentio_Soft-Agency-8-PO-123   × ▾

* Payment Mode
Cheque   × ▾

* Amount
100.00   INR × ▾

Cost Center
FINANCE   × ▾

* Description
Advance

* Status
Active   ▾

Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify No accounting entry is
generated on approval of advances
against PO

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify No accounting entry is
generated on approval of advances
against PO

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify No accounting entry is generated on approval of advances against PO	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify No accounting entry is generated on approval of advances against PO	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify No accounting entry is generated on approval of advances against PO	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify No accounting entry is generated on approval of advances against PO	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify No accounting entry is
generated on approval of advances
against PO

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify No accounting entry is
generated on approval of advances
against PO

(F) Check the Functionality of AR/AP
Module

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify No accounting entry is generated on approval of advances against PO

(F) Check the Functionality of AR/AP Module | |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify No accounting entry is generated on approval of advances against PO

(F) Check the Functionality of AR/AP Module | |