Cucumber Report

Start : Nov 28, 1:32:19.147 PM

End : Nov 28, 1:33:07.385 PM

Duration : 48.238 s

Features	Scenarios	Steps
PASSED - 0	PASSED - 0	PASSED - 5
FAILED - 1	FAILED - 1	FAILED - 1
SKIPPED - 0	SKIPPED - 0	SKIPPED - 10

1

1

16

Pass %

0 %

Pass %

0 %

Pass %

31 %

#	Feature Name	T	P	F	S	Duration
1	_AR/AP Module_	1	0	1	0	48.238 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	PO should be created successfully and displayed in approved queue with Active Status	16	5	1	10	48.233 s

(F)- AR/AP Module

FAILED	DURATION - 48.238 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 1:32:19.147 PM // 1:33:07.385 PM /		Pass - 0	1	Pass - 5	16
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 10	

(S)- PO should be created successfully and displayed in approved queue with Active Status

FAILED	DURATION - 48.233 s		Steps	
/ 1:32:19.152 PM // 1:33:07.385 PM /			Total - 16	
AR/AP Module			Pass - 5	16
@KUBS_AR/AP_UAT_001_001_TC_02_01			Fail - 1	
			Skip - 10	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	13.979 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.337 s
	screenshot		
2	And user should navigate to accounts payable menu	PASSED	2.480 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click on purchase order Eye Icon	PASSED	0.488 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot +		
4	Then Click on purchase order Add button	PASSED	1.586 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.497 s
	screenshot +		
5	And user update the data set ID for Purchase Order	PASSED	0.006 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	screenshot +		
6	Then Fill purchase order Mandatory fields	FAILED	22.053 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-row[1]/ion-col[7]/app-kub-lov[1]/span[1]/ng-select[1]/div[1]/div[1]/div[2]/input[1]' (tried for 15 second(s) with 1 milliseconds interval)
	   at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)
	   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)
	   at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:102)
	   at stepdefinitions.AccountPayable_VendorPurchaseOrder.fill_purchase_order_mandatory_fields(AccountPayable_VendorPurchaseOrder.java:146)
	   at ?.Fill purchase order Mandatory fields(file:///C:/Users/inindc00089/eclipse-workspace/AzentioAutomationFramework_ARAP/src/test/java/features/ArAp1.feature:71)
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-row[1]/ion-col[7]/app-kub-lov[1]/span[1]/ng-select[1]/div[1]/div[1]/div[2]/input[1]"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.		

#	Step / Hook Details	Status	Duration

	openqa.selenium.chrome.ChromeDriver Command: [8a74f25a436a1bfb8900c81f95665bd3, findElement {using=xpath, value=//ion-row[1]/ion-col[7]/app-kub-lov[1]/span[1]/ng-select[1]/div[1]/div[1]/div[2]/input[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56542}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56542/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8a74f25a436a1bfb8900c81f95665bd3
	   at jdk.internal.reflect.GeneratedConstructorAccessor36.newInstance(Unknown Source)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at jdk.proxy2/jdk.proxy2.$Proxy46.isDisplayed(Unknown Source)
	   at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)
	   at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40)
	   at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293)
	   at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)
	   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)
	   at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:102)
	   at stepdefinitions.AccountPayable_VendorPurchaseOrder.fill_purchase_order_mandatory_fields(AccountPayable_VendorPurchaseOrder.java:146)
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	   at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	   at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	   at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	   at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	   at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		

#	Step / Hook Details	Status	Duration
	at io.cumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Click on Account Payable Save button	SKIPPED	0.000 s
8	Then close the confrimation msg	SKIPPED	0.000 s
9	Then Click on Item Details Record	SKIPPED	0.001 s
10	And user update the data set ID for Purchase Order	SKIPPED	0.000 s
11	Then Edit the item details fields	SKIPPED	0.000 s
12	Then Click on Account Payable Save button	SKIPPED	0.000 s
13	Then Click on Account Payable Notification	SKIPPED	0.000 s
14	Then Search purchase order record in List	SKIPPED	0.000 s
15	Then Select the record from Notification	SKIPPED	0.000 s
16	And Submit the Selected record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status

(F) AR/AP Module