Cucumber Report

Start : Feb 16, 9:36:55.357 PM	*End : Feb 16, 9:38:10.943 PM*	*Duration : 1 m 15.586 s*
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 6 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	FIXED ASSETS	1	1	0	0	1 m 15.586 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	FIXED ASSETS	Asset Creation	6	6	0	0	1 m 15.579 s

(F)- FIXED ASSETS

PASSED	DURATION - 1 m 15.586 s		Scenarios		Steps	
/ 9:36:55.357 PM // 9:38:10.943 PM /			Total - 1	1	Total - 6	6
			Pass - 1		Pass - 6	
			Fail - 0		Fail - 0	
			Skip - 0		Skip - 0	

(S)- Asset Creation

PASSED	DURATION - 1 m 15.579 s		Steps	
/ 9:36:55.364 PM // 9:38:10.943 PM /			Total - 6	6
FIXED ASSETS			Pass - 6	
@KUBS_FAT_UAT_005_Creation			Fail - 0	
			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	30.879 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.709 s
	screenshot		
2	And user should navigate to fixed asset menu	PASSED	0.675 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	When click on eye button of asset creation	PASSED	0.779 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.604 s
	screenshot		
4	And click on add button to create asset record	PASSED	0.363 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.690 s
	screenshot		
5	And Fill the required fields to create asset	PASSED	2.662 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.222 s
	screenshot		
6	Then Save and submit the asset creation record	PASSED	14.764 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot		

#	Step / Hook Details	Status	Duration

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset Creation

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset Creation

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Asset Creation

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Asset Creation

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset Creation

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset Creation

(F) FIXED ASSETS