


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	1	0	0	1 m 18.452 s



-- 3 --

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Create a contract for an active vendor with expense type	10	10	0	0	1 m 18.444 s
		Purchases					

DETAILED SECTION -- 4 --

## (F)- AR/AP Module

PASSED	DURATION - 1 m 18.452 s	Scenarios		Steps	
		Total - 1		Total - 10	
/ 6:07:52.167 PM	1 // 6:09:10.619 PM /	Pass - 1	1	Pass - 10	10
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- Create a contract for an active vendor with expense type Purchases

PASSED DURATION - 1 m 18.444 s	20 -				 <u>.</u>			<u> </u>					Steps		
/ 6:07:52.175 PM // 6:09:10.619 PM /	15 -	.			 ¦	-		-					Total - 10		
AR/AP Module	10 -	-	•		 ¦ ·			-				- +	Pass - 10	10	
@AR/AP	5 -				 	_							Skip - 0		
@KUBS_AR/AP_UAT_001_001_TC_001_01			1	2	3	4	5	6	7	8	9	10			


#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	22.575 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.529 s
	screenshot		
	Was 10 year - machanic street		
2	And user should navigate to accounts payable menu	PASSED	2.975 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.270 s
	screenshot		

3 When click on eye button of vendor contract  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.878 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.004 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.181 s  ABTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.9718 s  ABTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.155 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot  4 And click on add button to create contract AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot  5 And user update the data set ID for vendor contract AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  5 And user update the data set ID for vendor contract AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot  6 And Fill the required fields to create contract PASSED 1.878 s  PASSED 0.416 s  PASSED 0.004 s  PASSED 0.181 s		(P) X (P) A A A A A A A A A A A A A A A A A A A		
screenshot  4 And click on add button to create contract  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And user update the data set ID for vendor contract  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP	3	When click on eye button of vendor contract	PASSED	0.487 s
4 And click on add button to create contract  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And user update the data set ID for vendor contract  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP -		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
4 And click on add button to create contract  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And user update the data set ID for vendor contract  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user update the data set ID for vendor contract  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  19.718 s				
Screenshot  5 And user update the data set ID for vendor contract  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And Fill the required fields to create contract  PASSED  0.004 s  PASSED  0.181 s	4	And click on add button to create contract	PASSED	1.878 s
5 And user update the data set ID for vendor contract  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And Fill the required fields to create contract  PASSED  0.004 s  0.181 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.416 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And Fill the required fields to create contract  PASSED  0.181 s		THE DESCRIPTION OF THE DESCRIPTI		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And Fill the required fields to create contract  PASSED  0.181 s  PASSED  19.718 s	5	And user update the data set ID for vendor contract	PASSED	0.004 s
6 And Fill the required fields to create contract  PASSED 19.718 s		·	PASSED	0.181 s
6 And Fill the required fields to create contract PASSED 19.718 s		screenshot	7	
		AND TO THE REPORT OF THE PARTY		
AETER STER - standafinitions HooksClass addScreenshot(in quoumber java Scenario)  DASSED 0.155 s	6	And Fill the required fields to create contract	PASSED	19.718 s
A TEIN_STEIR - Stephenmittons. Hooks Class. add Screen should be right value and in the stephen mittons. Hooks Class. add Screen should be right value and the stephen mittons. Hooks Class. add Screen should be right value and the stephen mittons and the stephen mittons. Hooks Class.		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
screenshot		screenshot		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	A SECTION  TO ADMINISTRATION OF THE PROPERTY O		
	State   Stat		


EXPANDED SECTION -- 8 --




EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --





EXPANDED SECTION -- 12 --

