Cucumber Report

| *Start : Mar 08, 10:07:37.026 AM*	*End : Mar 08, 10:09:18.014 AM*	*Duration : 1 m 40.988 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 8 FAILED - 1 SKIPPED - 0

Features: 1

Scenarios: 1

Steps: 9

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 88 %

#	Feature Name	T	P	F	S	Duration
1	General Ledger2 Transaction	1	0	1	0	1 m 40.988 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	General Ledger2 Transaction	Check the transactions as per reference number feeded	9	8	1	0	1 m 40.982 s

(F)- General Ledger2 Transaction

FAILED	DURATION - 1 m 40.988 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 10:07:37.026 AM // 10:09:18.014 AM /		Pass - 0	1	Pass - 8	9
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Check the transactions as per reference number feeded

FAILED	DURATION - 1 m 40.982 s		Steps	
/ 10:07:37.032 AM // 10:09:18.014 AM /			Total - 9	
General Ledger2 Transaction			Pass - 8	9
@KUBS_GL2_UAT_006_001 @Report			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	28.933 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.162 s
	screenshot		
2	And user should navigate to general ledger transaction menu	PASSED	2.233 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.705 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	When click on eye button of journal voucher	PASSED	1.248 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.672 s
	screenshot		
4	Then click on the record to get the voucher number	PASSED	1.554 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.966 s
	screenshot		
5	Then click on report icon	PASSED	0.550 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.413 s
	screenshot		
6	Then click on enquiry menu	PASSED	0.173 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then click on temp grid button of financial transaction	PASSED	0.246 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.294 s
	screenshot		
8	And fill the reference number field of financial transaction	PASSED	0.531 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.232 s
	screenshot		
9	Then click on view button to view the report as per reference number	FAILED	1.177 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-jog-c634="" shape="round" color="primary" ng-reflect-shape="round" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-round button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1404, 88). Other element would receive the click: <ion-buttons _ngcontent-jog-c634="" slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4fff90e193613a0e96bc71b1043d1da7, clickElement {id=4fdc6ac2-4252-4d59-b715-c3b28c5b71ff}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:60165}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60165/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (4fff90e193613a0e96bc71b1043d1da7)] -> xpath: //ion-button[contains(text(),'View')]] Session ID: 4fff90e193613a0e96bc71b1043d1da7 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.GeneralLedger2_JournalVoucher_Reports. click_on_view_button_to_view_the_report_as_per_reference_number(GeneralLedger2_JournalVoucher_Reports.java:86) at ?.click on view button to view the report as per reference number(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/GeneralLedger2_JournalVoucher.feature:14) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.517 s

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the transactions as per reference number feeded	
(F) General Ledger2 Transaction	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the transactions as per reference number feeded	
(F) General Ledger2 Transaction	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the transactions as per reference number feeded	
(F) General Ledger2 Transaction	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the transactions as per reference number feeded	
(F) General Ledger2 Transaction	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the transactions as per reference number feeded	
(F) General Ledger2 Transaction	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the transactions as per reference number feeded	
(F) General Ledger2 Transaction	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the transactions as per
reference number feeded

(F) General Ledger2 Transaction

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the transactions as per
reference number feeded

(F) General Ledger2 Transaction

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the transactions as per
reference number feeded

(F) General Ledger2 Transaction

Kastle Universal Banking (Beta)

22-Oct-2022 English ▾   Azentio Software ▾ (AZENTMAIN) ⚠ ▣ 👤 ANANT

Finance

Financial Transaction   VIEW

Reports

Financial reporting

Enquiry

Financial transaction ✎

Petty cash

* Branch Code ▾   Branch Name   GI Code ▾

Transaction From Date 📅   Transaction To Date 📅   Transaction Ref No
                                                                  JV_AZE_OCT2022_00123   ✕ ▾

Account Number ▾   No items found

22 Appro... ✕   11 Messa... ✕   ⊞ Home   ➤ Preference