
**Duration: 36.744 s** Start: Apr 11, 3:57:55.899 PM End: Apr 11, 3:58:32.643 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 7 SKIPPED - 0 SKIPPED - 0 SKIPPED - 32 40 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 17 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking accountsPayable and accounts Receivable module	1	0	1	0	36.744 s



#	Feature Name	Scenario Name		P	F	S	Duration
1	Checking accountsPayable and	Verify cancelling Advance To employee is not allowed if the	40	7	1	32	36.733 s
	accounts Receivable module	same has been adjusted at payment settlement					

DETAILED SECTION --

## (F)- Checking accounts Payable and accounts Receivable module

FAILED	DURATION - 36.744 s	Scenarios		Steps	
		Total - 1		Total - 40	
/ 3:57:55.899 F	PM // 3:58:32.643 PM /	Pass - 0	1	Pass - 7	40
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 32	

## (S)- Verify cancelling Advance To employee is not allowed if the same has been adjusted at payment settlement

FAILED DURATION - 36.733 s				-	-	-				1		-	1		1		Steps			
/ 3:57:55.910 PM // 3:58:32.643 PM /	15 -		- +	-		-	-1-	- + -	-!		-	-1		-		-	Total - 40			
Checking accountsPayable and accounts	10 -						- -			]		]		-	Ĭ		Pass - 7		40	
Receivable module	0 -				_			_				j.,				_	Skip - 32	N.		
@KUBS_AR_AP_UAT_003_008_TC_03		_	1 2	3	4	5	6	7	8	9	10	11	12	13	14	15				

#	Step / Hook Details	Status	Duration
1	Given Navigate to KUBS URL and login with maker credentials	PASSED	18.639 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		
	Made to the control of the control o		
2	And Goto accounts receivable advances module	PASSED	1.536 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.392 s
	screenshot		

3 Then click on search AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot  4 And go to accounts payable module AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot  5 And go to accounts payable module AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepd	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 And select the advance to employee active record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And go to accounts payable module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 And select the advance to employee active record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And go to accounts payable module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.224 s  0.224 s  0.224 s  0.224 s  0.336 s  PASSED  0.164 s		Description		
screenshot  And select the advance to employee active record  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  1.408 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.158 s	3	Then click on search	PASSED	0.161 s
4 And select the advance to employee active record PASSED 0.564 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED 1.408 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED 0.158 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
4 And select the advance to employee active record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And go to accounts payable module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.408 s  PASSED  0.158 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And go to aacounts payable module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And Go to payment settlement module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.164 s  0.164 s  0.164 s		Comparison   Com		
Screenshot  5 And go to aacounts payable module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And Go to payment settlement module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.408 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.158 s	4	And select the advance to employee active record	PASSED	0.564 s
5 And go to aacounts payable module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And Go to payment settlement module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.408 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.158 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
5 And go to aacounts payable module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And Go to payment settlement module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.408 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.336 s  0.227 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And Go to payment settlement module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.408 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.227 s		0   1   1   1   1   1   1   1   1   1		
Screenshot  6 And Go to payment settlement module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.158 s	5	And go to aacounts payable module	PASSED	0.336 s
6 And Go to payment settlement module  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  PASSED  0.158 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
6 And Go to payment settlement module  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.158 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.158 s		Comparison   Com		
	6	And Go to payment settlement module	PASSED	1.408 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
		screenshot		


#	Step / Hook Details	Status	Duration
	## Of the control of		
7	And click on Add Icon	PASSED	0.545 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.294 s
	screenshot		
	■ © Single State		
8	And fill the form for settlement	FAILED	2.455 s
	org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: "method": "path", "selector": "Ind[@aria-label='October 19, 2022']/span"] (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [8b863ff00ce61c7701495aecb492c4f8, findElement {using=xpath, value=/ltd[@aria-label='October 19, 2022']/span}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.85.} (dS37ec02474b5, userDataDir: C:\Users\User\User\User\User\User\User\Use		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.ACCOUNTSPAYABLE_PaymentSettlement.fill_the_form_for_settlement(ACCOUNTSPAYABLE_PaymentSettlement. java:329) at ?.fill the form for settlement(file:///C:/Users/inindc00076/git/AzentioAutomationFrameworkAnandh/ Anandh_AzentioAutomationFramework1/src/test/java/features/ACCOUNTSPAYABLE_ACCOUNTSRECEIVABLE.feature:348) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
	screenshot		
	Particularities    Particularities   Particulari		
9	And Save the form	SKIPPED	0.000 s
10	And click notification button	SKIPPED	0.001 s
11	Then choose first record in the notification record	SKIPPED	0.000 s
12	And click on Submit button	SKIPPED	0.000 s
13	Then enter remark in confirmation alert	SKIPPED	0.000 s
14	Then click on submit button in alert	SKIPPED	0.000 s
15	And capture the reviewer ID in pop up which is open when we submit our record in maker stage	SKIPPED	0.000 s
16	Then logout from maker	SKIPPED	0.000 s
17	And login with reviewer credentials	SKIPPED	0.000 s
18	Then click on notification button	SKIPPED	0.000 s
19	And select our record in notification records using reference ID	SKIPPED	0.001 s
20	Then Approve the record from reviewer	SKIPPED	0.000 s
21	And enter the remark in alert	SKIPPED	0.000 s
22	Then click on submit in alert	SKIPPED	0.000 s
23	Then verify the approval status of the record	SKIPPED	0.001 s
24	And logout from reviewer	SKIPPED	0.000 s
25	Then login as a checker	SKIPPED	0.001 s
26	And click on security management menu in checker	SKIPPED	0.000 s
27	Then click on action button under security management menu	SKIPPED	0.001 s
28	And select our record and clime using reference ID	SKIPPED	0.000 s
29	Then click on Notification button	SKIPPED	0.000 s
30	Then select our record in notification records by the help of reference ID	SKIPPED	0.000 s


DETAILED SECTION -- 8 --


#	Step / Hook Details	Status	Duration
31	And click on approve button in checker stage	SKIPPED	0.001 s
32	Then give alert remark	SKIPPED	0.000 s
33	Then click on submit button on alert	SKIPPED	0.001 s
34	And verify the record got approved from checker	SKIPPED	0.000 s
35	Then logout from checker	SKIPPED	0.000 s
36	And login with Maker ID	SKIPPED	0.000 s
37	And goto arap adjustment main module	SKIPPED	0.000 s
38	Then go to ar ap adjustment module	SKIPPED	0.000 s
39	And click on Add Icon	SKIPPED	0.000 s
40	Then check the settlement completed advance can be cancelled	SKIPPED	0.005 s

EXPANDED SECTION



EXPANDED SECTION --- 10 --





EXPANDED SECTION -- 12 --

