Cucumber Report

| *Start : Jan 25, 9:31:30.904 AM*	*End : Jan 25, 9:32:37.441 AM*	*Duration : 1 m 6.537 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 7

| #	Feature Name	T	P	F	S	Duration
1	to verify user can able to do transaction in petty cash module	1	0	1	0	1 m 6.537 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	*to verify user can able to do transaction in petty cash module*	*Check report for petty cash receipt*	8	0	1	7	*1 m 6.530 s*

(F)- to verify user can able to do transaction in petty cash module

FAILED	*DURATION - 1 m 6.537 s*	Scenarios		Steps	
/ 9:31:30.904 AM // 9:32:37.441 AM /		Total - 1	1	Total - 8	8
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	

(S)- Check report for petty cash receipt

FAILED	*DURATION - 1 m 6.530 s*		Steps	
/ 9:31:30.911 AM // 9:32:37.441 AM /			Total - 8	8
to verify user can able to do transaction in petty cash module			Pass - 0	
			Fail - 1	
@KUBS_PC_UAT_006_002			Skip - 7	

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	FAILED	53.879 s

	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=108.0.5359.126) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.226', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [440f1bc4590b08c5a7fcc518c1f2f3ec, sendKeysToElement {id=f7667888-6bdc-4ae7-837e-e6a82c550cbf, value=[Ljava.lang.CharSequence;@32646ecf]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:59353}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59353/devtoo..., se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (440f1bc4590b08c5a7fcc518c1f2f3ec)] -> xpath: //input[@name='username']] Session ID: 440f1bc4590b08c5a7fcc518c1f2f3ec
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source) at stepdefinitions.KUBS_Login.loginToAzentioAppByMaker(KUBS_Login.java:44) at stepdefinitions.InventoryMaintenance.maker_navigate_to_uat_url_login(InventoryMaintenance.java:62) at ?.Maker Navigate to UAT URL login(file:///C:/Users/ININDC00073/git/KamalaPriya_ExcelUpdated_KUBS/ AzentioAutomationFramework_ExcelKUBS_Kamalapriya2/src/test/java/features/PettyCash_UAT.feature:426) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	1.017 s
2	Then click on report icon	SKIPPED	0.001 s
3	And user should navigate to reports menu	SKIPPED	0.001 s
4	Then click on temp grid button of petty cash receipt report	SKIPPED	0.000 s
5	And Get the system data for petty cash	SKIPPED	0.000 s
6	And select the date to check the petty cash receipt details are displaying	SKIPPED	0.000 s
7	Then click in the view button to check	SKIPPED	0.000 s
8	Then the report is displaying all the petty cash receipt details	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check report for petty cash receipt	
(F) to verify user can able to do transaction in petty cash module	

User ID

User Id

Continue