Cucumber Report

| Start : Feb 24, 1:57:15.374 pm	End : Feb 24, 1:57:38.299 pm	Duration : 22.925 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 13 FAILED - 1 SKIPPED - 1

Features: 1

Scenarios: 1

Steps: 15

Pass % — Features: 0 %

Pass % — Scenarios: 0 %

Pass % — Steps: 86 %

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	0	1	0	22.925 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	Cancellation of Debit NOTE	15	13	1	1	22.918 s

(F)- Check the Functionality of AR/AP Module

| FAILED	DURATION - 22.925 s		Scenarios		Steps	
/ 1:57:15.374 pm // 1:57:38.299 pm /			Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 15 Pass - 13 Fail - 1 Skip - 1	15

(S)- Cancellation of Debit NOTE

FAILED	DURATION - 22.918 s		Steps	
/ 1:57:15.381 pm // 1:57:38.299 pm /			Total - 15	15
Check the Functionality of AR/AP Module			Pass - 13	
@KUBS_AR/AP_UAT_003_006_TC_04			Fail - 1 Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	13.126 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
2	Then Choose the second Tab Segment	PASSED	0.411 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Click On Main module Accounts Receivable	PASSED	0.128 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		
4	Then Click on Accounts Receivable Debit Note Eye Icon	PASSED	0.482 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.291 s
	screenshot		
5	And Click On Search Icon	PASSED	0.153 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	screenshot		
6	Then Enter Cancelled Value In Debit Not Status	PASSED	0.331 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	screenshot		

| #	Step / Hook Details	Status	Duration
7	Then Click on Table Row First Edit Icon	PASSED	0.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.448 s
	screenshot		
8	And Store The Business partner and Invoice Number	PASSED	0.283 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.277 s
	screenshot		
9	And Click On Main module Accounts payable	PASSED	0.114 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
	screenshot		
10	Then Click sub module Payment settlement Eye Icon	PASSED	0.226 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.390 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	And Click Add icon button	PASSED	0.274 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.273 s
	screenshot		
12	Then Enter payment option	PASSED	0.362 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		
13	And Enter Business partner	PASSED	0.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.222 s
	screenshot		
14	Then Choose value date as System current date	FAILED	0.242 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//i[@class='datatable-icon-right'])[2]"} (Session info: chrome=98.0.4758.102) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [1029e962f53bc15d7275a6c88cd9b421, findElement {using=xpath, value=(//i[@class='datatable-		

#	Step / Hook Details	Status	Duration

	icon-right'])[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:52721}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52721/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1029e962f53bc15d7275a6c88cd9b421
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	  at stepdefinitions.ARAP_CancellationOfGRN.choose_value_date_as_system_current_date(ARAP_CancellationOfGRN.java:522)
	  at ?.Choose value date as System current date(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ARAP_GrnCancellation.feature:79)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.168 s
15	And find the invoice reference number for cancelled DebitNote is availabe at the billing queue	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)


(S) Cancellation of Debit NOTE

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Cancellation of Debit NOTE

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancellation of Debit NOTE

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancellation of Debit NOTE

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancellation of Debit NOTE

(F) Check the Functionality of AR/AP Module

| | | Kastle Universal Banking (Beta) | | 19-Oct-2022 | English ▾ | Azentio Software ▾ | (AZENTMAIN) | ANANT |

← Debit Note View   ✕

Actions	Branch Code - Name	Receivable Name	Debit Number	Debit Date	Legal Entity Code	Branch ID	Txn Status
	Search Branch Co	Search Receivable	Search Debit Num	Search Debit Date	Search Legal Entit	Search Branch ID	Search Txn
👁 ✎	AZENTMAIN - Azentio N	SOA	DN-29-2422022	19-Oct-2022	Azentio_Soft	3	Approved
👁 ✎	AZENTMAIN - Azentio N	Return	DN-28-2322022	19-Oct-2022	Azentio_Soft	3	Approved
👁 ✎	AZENTMAIN - Azentio N	SOA	DN-27-2322022	19-Oct-2022	Azentio_Soft	3	Approved
👁 ✎	AZENTMAIN - Azentio N	Return	DN-26-2322022	19-Oct-2022	Azentio_Soft	3	Approved
👁 ✎	AZENTMAIN - Azentio N	Return	DN-25-2322022	19-Oct-2022	Azentio_Soft	3	Approved
👁 ✎	BR0004 - West Zone	Return	DN-24-2322022	19-Oct-2022	Azentio_Soft	108	Approved
👁 ✎	AZENTMAIN - Azentio N	Return	DN-23-2322022	19-Oct-2022	Azentio_Soft	3	Approved
👁 ✎	AZENTMAIN - Azentio N	SOA	DN-22-2322022	19-Oct-2022	Azentio_Soft	3	Approved

29 total |◁ ◁ **1** 2 3 4 ▷ ▷|

Finance ▾
General ledger transaction
Budget
Accounts payable
Adjustments (AR and AP)
Accounts receivable
Accounts receivable (Debit notes)
Credit notes on invoice
Accounts receivable (Advances)
Receipts

22 Appro... ✕   11 Messa... ✕

Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancellation of Debit NOTE

(F) Check the Functionality of AR/AP Module

| | | Kastle Universal Banking (Beta) | | 19-Oct-2022 | English ▾ | Azentio Software ▾ | (AZENTMAIN) | ANANT |

← Debit Note View   ✕

	Branch Co	Search Receivable	Search Debit Num	Search Debit Date	Search Legal Entit	Search Branch ID	Search Txn Status	CANCELLED
👁 ✎	BR0004 - West Zone	Return	DN-24-2322022	19-Oct-2022	Azentio_Soft	108	Approved
👁 ✎	AZENTMAIN - Azentio N	Return	DN-23-2322022	19-Oct-2022	Azentio_Soft	3	Approved
👁 ✎	AZENTMAIN - Azentio N	SOA	DN-22-2322022	19-Oct-2022	Azentio_Soft	3	Approved
👁 ✎	AZENTMAIN - Azentio N	Return	DN_12_22122021	01-Jan-2022	Azentio_Soft	3	Approved
👁 ✎	AZENTMAIN - Azentio N	SOA	DN_11_21122021	01-Jan-2022	Azentio_Soft	3	Approved
👁 ✎	AZENTMAIN - Azentio N	SOA	DN_10_21122021	01-Jan-2022	Azentio_Soft	3	Approved
👁 ✎	AZENTMAIN - Azentio N	Return	DN_5_17122021	01-Jan-2022	Azentio_Soft	3	Approved
👁 ✎	AZENTMAIN - Azentio N	SOA	DN_3_15122021	04-Dec-2021	Azentio_Soft	3	Approved

8 total

Finance ▾
General ledger transaction
Budget
Accounts payable
Adjustments (AR and AP)
Accounts receivable
Accounts receivable (Debit notes)
Credit notes on invoice
Accounts receivable (Advances)
Receipts

22 Appro... ✕   11 Messa... ✕

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Cancellation of Debit NOTE

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Cancellation of Debit NOTE

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Cancellation of Debit NOTE

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Cancellation of Debit NOTE

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancellation of Debit NOTE

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancellation of Debit NOTE

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Cancellation of Debit NOTE

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Cancellation of Debit NOTE

(F) Check the Functionality of AR/AP Module