

Cucumber Report

03-Mar-2022, 11:02:39 am

Start : Mar 03, 11:01:58.542 am

End : Mar 03, 11:02:37.054 am

Duration : 38.512 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 11


FAILED - 1

SKIPPED - 21







| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | <u>Check the functionality of Asset Revaluation</u> | 1 | 0 | 1 | 0 | 38.512 s |






| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|----|----|---|----|----------|
| 1 | <u>Check the functionality of Asset Revaluation</u> | <u>Alter the Value of an existing asset (Any)</u> | 33 | 11 | 1 | 21 | 38.507 s |

(F)- Check the functionality of Asset Revaluation





| | | | | | |
|--|----------------------------|-----------|---|------------|---|
| FAILED | DURATION - 38.512 s | Scenarios |  | Steps |  |
| / 11:01:58.542 am // 11:02:37.054 am / | | Total - 1 | | Total - 33 | |
| | | Pass - 0 | | Pass - 11 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 21 | |



(S)- Alter the Value of an existing asset (Any)

| | | | | |
|--|--|--|--|---|
| <div>FAILED</div> <div>DURATION - 38.507 s</div> | |  | <div>Steps</div> <div>Total - 33</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 21</div> |  |
| / 11:01:58.547 am // 11:02:37.054 am / | | | | |
| Check the functionality of Asset Revaluation | | | | |
| @KUBS_FAT_UAT_012_001 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate the Maker Url | PASSED | 12.717 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.143 s |
| | screenshot | | |
| |  | | |
| 2 | Then Choose Second Segment Icon | PASSED | 0.333 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.164 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 3 | And fixed Asset Module | PASSED | 0.131 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.171 s |
| | screenshot  | | |
| 4 | Then Asset Revaluation submodule Eye Icon | PASSED | 0.251 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.374 s |
| | screenshot  | | |
| 5 | And Add Icon button | PASSED | 0.266 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.302 s |
| | screenshot  | | |
| 6 | Then Give Asset Reference Number | PASSED | 0.361 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.184 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| |  | | |
| 7 | And Select Asset Item Number | PASSED | 0.341 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.180 s |
| | screenshot | | |
| |  | | |
| 8 | Then Alter the Book Value | PASSED | 0.246 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.146 s |
| | screenshot | | |
| |  | | |
| 9 | Then save the Revaluation record | PASSED | 0.119 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.271 s |
| | screenshot | | |
| |  | | |
| 10 | And Go to Maker Notification | PASSED | 0.223 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.394 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| |  | | |
| 11 | Then Select the first Action icon | PASSED | 0.192 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.363 s |
| | screenshot  | | |
| 12 | And Submit Record in maker org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDAP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [12914e55b18fb0387a243b6074cd249f, isElementDisplayed {id=ba22f3ee-7df8-4496-80d3-3b62a20d00c2}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:51976}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51976/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (12914e55b18fb0387a243b6074cd249f)] -> xpath: //span[contains(text(),'Submit')]] Session ID: 12914e55b18fb0387a243b6074cd249f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:307) at jdk.internal.reflect.GeneratedMethodAccessor4.invoke(Unknown Source) | FAILED | 4.283 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.FIXEDASSET_AssetRevaluation.submit_record_in_maker(FIXEDASSET_AssetRevaluation.java:155) at ?.Submit Record in maker(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/FIXEDASSET_AssetRevaluation.feature:16) * Not displayable characters are replaced by '?'. </pre> | | |
| | <p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [12914e55b18fb0387a243b6074cd249f, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\chrome-wk\12914e55b18fb0387a243b6074cd249f\chrome-win\12914e55b18fb0387a243b6074cd249f\chrome.exe}, goog:chromeOptions: {debuggerAddress: localhost:51976}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51976/devtools, se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 12914e55b18fb0387a243b6074cd249f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42) </pre> | FAILED | 12.153 s |


| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| 13 | Then Give Remark and Submit it | SKIPPED | 0.000 s |
| 14 | Given Launch Azentio Reviewer Url | SKIPPED | 0.000 s |
| 15 | And Reviewer Notification icon | SKIPPED | 0.000 s |
| 16 | Then submitted record from maker | SKIPPED | 0.000 s |
| 17 | And Approve icon from Reviewer End | SKIPPED | 0.000 s |
| 18 | Then Enter remark and submit Record | SKIPPED | 0.000 s |
| 19 | Given Launch Azentio Checker Url | SKIPPED | 0.000 s |
| 20 | Then Click the Security management | SKIPPED | 0.001 s |
| 21 | And Click the open pool Note icon | SKIPPED | 0.000 s |
| 22 | Then Claim the record from Checker | SKIPPED | 0.001 s |
| 23 | And Checker Notification icon | SKIPPED | 0.000 s |
| 24 | Then Action Icon from claimed record | SKIPPED | 0.000 s |
| 25 | And Press Approve icon | SKIPPED | 0.000 s |
| 26 | Then Submit Record from Checker | SKIPPED | 0.000 s |
| 27 | Given Navigate the Maker Url | SKIPPED | 0.000 s |
| 28 | Then Choose Second Segment Icon | SKIPPED | 0.001 s |
| 29 | And fixed Asset Module | SKIPPED | 0.000 s |
| 30 | Then Asset Revaluation submodule Eye Icon | SKIPPED | 0.000 s |
| 31 | And Click search icon button | SKIPPED | 0.000 s |
| 32 | Then Give the Asset Reference Number | SKIPPED | 0.000 s |
| 33 | When capture Asset Grid view List | SKIPPED | 0.000 s |
| | AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario) | FAILED | 0.238 s |
| | org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [12914e55b18fb0387a243b6074cd249f, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:51976}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51976/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 12914e55b18fb0387a243b6074cd249f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52) | | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Alter the Value of an existing asset
(Any)


(F) Check the functionality of Asset
Revaluation



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Alter the Value of an existing asset
(Any)

(F) Check the functionality of Asset
Revaluation



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Alter the Value of an existing asset
(Any)

(F) Check the functionality of Asset
Revaluation

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Alter the Value of an existing asset
(Any)

(F) Check the functionality of Asset
Revaluation

| Actions | entity | Branch Code - Name | Asset Reference No | Item No | Book Value | Old Book Value | Status |
|---------|------------------|--|--------------------|---------|------------|----------------|--------|
| | Azentio Software | AZENTMAIN - Azentio N. 01-001-desk_AZENTM/ | re2343 | | 10000 | | Active |
| | Azentio Software | AZENTMAIN - Azentio N. 01-001-desk_AZENTM/ | IN153 | | 15000 | | Active |
| | Azentio Software | AZENTMAIN - Azentio N. 01-001-adjustable table | 159 | | 5000 | | Active |
| | Azentio Software | AZENTMAIN - Azentio N. 01-001-adjustable table | 1223 | | 5000 | | Active |
| | Azentio Software | AZENTMAIN - Azentio N. 01-001-adjustable table | 123 | | 5000 | | Active |
| | Azentio Software | AZENTMAIN - Azentio N. 01-001-adjustable table | 47 | | 10000 | | Active |
| | Azentio Software | AZENTMAIN - Azentio N. 01-001-Study Table_AZ | 7610 | | 50000000 | | Active |
| | Azentio Software | AZENTMAIN - Azentio N. FIXTURESANDFITTING: | 8888 | | 800000 | | Active |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Alter the Value of an existing asset
(Any)

(F) Check the functionality of Asset
Revaluation

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Asset Revaluation

| | | |
|--------------------------|------------------|-------------------|
| * Asset Reference Number | Asset Code | Asset Description |
| * Item Number | Item Description | * Book Value INR |

Inventory management
Petty cash
Bank recon

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Alter the Value of an existing asset
(Any)

(F) Check the functionality of Asset
Revaluation

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Asset Revaluation

| | | |
|--------------------------|------------------|-------------------|
| * Asset Reference Number | Asset Code | Asset Description |
| 01-001-desk_AZENTMAIN_20 | 01-001-desk | desk |
| * Item Number | Item Description | * Book Value INR |

Inventory management
Petty cash
Bank recon

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Alter the Value of an existing asset
(Any)

(F) Check the functionality of Asset
Revaluation

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Asset Revaluation

| | | |
|--------------------------|-------------|-------------------|
| * Asset Reference Number | Asset Code | Asset Description |
| 01-001-desk_AZENTMAIN_20 | 01-001-desk | desk |

| | | |
|---------------|------------------|---------------|
| * Item Number | Item Description | * Book Value |
| re2343 | done | 10,000.00 INR |

Inventory management
Petty cash
Bank recon

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Alter the Value of an existing asset
(Any)

(F) Check the functionality of Asset
Revaluation

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Asset Revaluation

| | | |
|--------------------------|-------------|-------------------|
| * Asset Reference Number | Asset Code | Asset Description |
| 01-001-desk_AZENTMAIN_20 | 01-001-desk | desk |

| | | |
|---------------|------------------|-----------------|
| * Item Number | Item Description | * Book Value |
| re2343 | done | 9,00,000.00 INR |

Inventory management
Petty cash
Bank recon

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Alter the Value of an existing asset
(Any)

(F) Check the functionality of Asset
Revaluation

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Asset Revaluation

| | | |
|--------------------------|-------------|-------------------|
| * Asset Reference Number | Asset Code | Asset Description |
| 01-001-desk_AZENTMAIN_20 | 01-001-desk | desk |

| | | |
|---------------|------------------|-----------------|
| * Item Number | Item Description | * Book Value |
| re2343 | done | 9,00,000.00 INR |

Inventory management
Petty cash
Bank recon

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Alter the Value of an existing asset
(Any)

(F) Check the functionality of Asset
Revaluation

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Inbox Revaluation

| Actions | Entity | Branch Code - Name | Asset Reference No | Type | Status |
|--------------------|------------------|-----------------------------|------------------------------|-------------|--------|
| No data to display | Azentio Software | AZENTMAIN - Azentio Main Br | 01-001-desk_AZENTMAIN_20 | REVALUATION | Active |
| | Azentio Software | AZENTMAIN - Azentio Main Br | 01-001-adjustable table BR00 | REVALUATION | Active |
| 0 total | Azentio Software | AZENTMAIN - Azentio Main Br | ELECTRONICS-LAP001-Fixed | REVALUATION | Active |
| 3 total | | | | | |

assetRevaluation created successfully.

Inventory management
Petty cash
Bank recon

22 Appro... 11 Messa...

Home Preference

(F) Check the functionality of Asset Revaluation

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

- ☒ undertaking
- ☒ Asset sale
- ☒ Asset allocation
- ☒ Asset de-allocation
- ☒ Asset return
- ☒ Asset replacement
- ☒ Asset impairment
- ☒ Asset ammendment
- ☒ Asset revaluation

Inbox

| Actions | Reference Id | Event Code | Stage Code | Role Code | Employee Name |
|---------|--------------|-------------------|------------|-----------|---------------|
| | 1585 | ASSET_REVALUATION | MAKER | MAKER | 1002435 |
| | 31 | AP_PAYMENT_SET | MAKER | MAKER | 1002435 |
| | 30 | AP_PAYMENT_SET | MAKER | MAKER | 1002435 |
| | 181 | POCREATION_EVENT | MAKER | MAKER | 1002435 |
| | 430 | POCREATION_EVENT | MAKER | MAKER | 1002435 |

assetRevaluation created successfully.

1,262 total

1 2 3 4 5