


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	INVENTORY MAINTENANCE	1	0	1	0	34.047 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	INVENTORY MAINTENANCE	Create denomination details	17	5	1	11	34.041 s

DETAILED SECTION -- 4 -

## (F)- INVENTORY MAINTENANCE

FAILED	DURATION - 34.047 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 9:27:59.478 AN	Л // 9:28:33.525 AM /	Pass - 0	1	Pass - 5	17
		Fail - 1.		Fail - 1	
		Skip - 0		Skip - <b>11</b>	

## (S)- Create denomination details



#	Step / Hook Details	Status	Duration
1	Given User should navigate to the kubs url and login as a maker user	PASSED	15.798 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.807 s
	screenshot		
	The Description of the Control of th		
2	And user should navigate to denomination master menu	PASSED	0.271 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		

#	Step / Hook Details	Status	Duration
	# © Maniferance		
3	When click on eye button of denomination master	PASSED	0.541 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.570 s
4	And click on add button to create denomination details	PASSED	0.346 s
i i	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.526 s
	Screenshot   ***Printed States***  ***Printed States**  **Printed States**  ***Printed States**  ***Printed States**  ***Printed States**  **Printed States**  **Printed States**  **Print		
5	And Fill the required fields to create denomination details	PASSED	1.480 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  **Tex_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)*  **Tex_stepdefinitions.HooksClass.addScreenshot(io.cu	PASSED	0.149 s
6	Then Save and submit the creation denomination details	FAILED	7.182 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-cta-c290="" aria-disabled="true" class="subButton ios button button-solid button-disabled ion-activatable ion-focusable hydrated" disabled="" ng-reflect-disabled="true"></ion-button> is not clickable at point (723, 436). Other element would receive the click: <ion-col _ngcontent-cta-c290="" class="md hydrated" ng-reflect-size="12" size="12" size-lg="12" size-md="12" size-sm="12" style="flex: 0 0 calc(calc(12 / var(ion-grid-columns, 12)) * 100%); width: calc(calc(12 / var(ion-grid-columns, 12)) * 100%); max-width: calc(calc(12 / var(ion-grid-columns, 12)) * 100%);"><td></td><td></td></ion-col>		


DETAILED SECTION -- 6 --


#	Step / Hook Details	Status	Duration
	col> (Session info: chrome=96.0.4664.45) Build info: version: 4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: Windows 10', os.arch: 'amid64', os.version: '10.0', java version: '17.0.1' Driver info: org.openga.selenium.chrome. ChromeDriver Command: [21ff1395532ca2418abdoc2025e122a, dickElement [461-lo042afcbbd-44f56-ac63-6eac6878265] [Capabilities (acceptinsecureCers: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: (chromedriverVersion: 96.0.4664.45 (76e4c1bba3bd-6 userJaatbir: C*UserSiNINDC-11AppDatalL), goog: chromeOptions: (debuggerAddress: localhost54900) javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp. ws://localhost54900/devtoo se:cdp/version: 96.0.4664.45, setWindowRect: rue, strictFileInteractability; false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandedPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:networkce2025e122a] > xalixiva.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.apva-2025e122a) > xalixiva.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java-77) > xalixiv.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java-45) > xalixiva.base/jdx.alang.reflect.Constructor.newInstanceWithCaller(Constructor.java-499) > xalixiva.base/jdx.alang.reflect.Constructor.newInstanceWithCaller(Constructor.java-499) > xalixiva.base/jdx.alang.reflect.Constructor.newInstanceWithCaller(Constructor.java-499) > xalixiva.base/jdx.alang.reflect.Constructor.newInstanceWithCaller(Constructor.java-499) > xalixiva.base/jdx.alang.reflect.Constructor.newInstanceWithCaller(Constructor.java-499) > xalixiva.base/jdx.alang.reflect.Constructor.n		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.120 s
	screenshot     Compared to the		

DETAILED SECTION --- 7 -

#	Step / Hook Details	Status	Duration
7	And User should go to the kubs url and login as a reviewer user	SKIPPED	0.000 s
8	Then Click on notification button in reviewer	SKIPPED	0.000 s
9	And approve the record by reviewer user	SKIPPED	0.000 s
10	Given User should go to the kubs url and login as a checker user	SKIPPED	0.000 s
11	And Click on security management in checker	SKIPPED	0.001 s
12	Then Click on open pool in checker	SKIPPED	0.000 s
13	And Click on claim button in checker	SKIPPED	0.000 s
14	And capture claimed status	SKIPPED	0.000 s
15	Then click on notification in checker	SKIPPED	0.000 s
16	Then checker should approved the denomination details	SKIPPED	0.000 s
17	And checker should logout	SKIPPED	0.000 s

EXPANDED SECTION -- 8 --





EXPANDED SECTION -- 10 --

