Cucumber Report

| Start : Jan 12, 1:22:00.637 pm	End : Jan 12, 1:22:22.524 pm	Duration : 21.887 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 18 FAILED - 1 SKIPPED - 0

Features: 1

Scenarios: 1

Steps: 19

Pass % — Features: 0 %

Pass % — Scenarios: 0 %

Pass % — Steps: 94 %

#	Feature Name	T	P	F	S	Duration
1	Check Budget Request and Allocation feature module	1	0	1	0	21.887 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check Budget Request and Allocation feature module	To verify the impact if user enters all the valid details and clicking on save button	19	18	1	0	21.882 s

(F)- Check Budget Request and Allocation feature module

| FAILED	DURATION - 21.887 s	Scenarios		Steps	
/ 1:22:00.637 pm // 1:22:22.524 pm /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 19 Pass - 18 Fail - 1 Skip - 0	19

(S)- To verify the impact if user enters all the valid details and clicking on save button

FAILED	DURATION - 21.882 s		Steps	
/ 1:22:00.642 pm // 1:22:22.524 pm /			Total - 19	
Check Budget Request and Allocation feature module			Pass - 18 Fail - 1	19
@KUBS_BP_BC_01_03_Autoauth_Savarecord			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given Navigate The url	PASSED	10.626 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.266 s
	screenshot		
	+		
2	Then Transfer icon	PASSED	0.577 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Budget module field	PASSED	0.130 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	screenshot		
4	Then Budget module Budget Request and Allocation clk Eye Icon	PASSED	0.421 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		
5	And the Budget Code fields	PASSED	0.036 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		
6	Then the Budget Name Fields	PASSED	0.032 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And the Budget Year fields	PASSED	0.024 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		
8	Then the Budget Type fields	PASSED	0.022 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.116 s
	screenshot		
9	And the Budget Budget Amount fields	PASSED	0.030 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
	screenshot		
10	Then the Budget Status fields	PASSED	0.022 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.108 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	And Add icon Request and Allocation	PASSED	0.212 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
	screenshot		
12	Then choose current Budget Code	PASSED	0.248 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		
13	And Clk current Budget Year	PASSED	0.345 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	screenshot		
14	Then Clk on Branch fields	PASSED	0.129 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	And Clk one Branch in branch field	PASSED	0.119 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.115 s
16	Then Clk on Branch ok button in pop up	PASSED	0.269 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.189 s
17	Then Clk Need currency	PASSED	0.182 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.166 s
18	And Select Amount for which Budget Type Show in Budget type	PASSED	1.436 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.124 s

#	Step / Hook Details	Status	Duration
19	And Clk on save icon	FAILED	1.133 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1413, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=97.0.4692.71) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d91ba6170d38bb459fdd3161d761e886, clickElement {id=938e9fd4-92ea-4a71-a6ef-653a01a20a85}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.71, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56975}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56975/devtoo..., se:cdpVersion: 97.0.4692.71, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (d91ba6170d38bb459fdd3161d761e886)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: d91ba6170d38bb459fdd3161d761e886
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	    at stepdefinitions.KUBS_Requestandallocation_autoauth_Saverecord.		

#	Step / Hook Details	Status	Duration
	Clk_on_save_icon(KUBS_Requestandallocation_autoauth_Saverecord.java:341) at ?.Clk on save icon(file:///C:/Users/inindc00075/eclipse-workspace/AzentioFramework/AzentioAutomationFramework/src/test/java/features/KUBS_BudgetRequestandAllocation.feature:326) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.119 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify the impact if user enters all the valid details and clicking on save button	
(F) Check Budget Request and Allocation feature module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify the impact if user enters all the valid details and clicking on save button	
(F) Check Budget Request and Allocation feature module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the impact if user enters all the valid details and clicking on save button

(F) Check Budget Request and Allocation feature module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the impact if user enters all the valid details and clicking on save button

(F) Check Budget Request and Allocation feature module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the impact if user enters all the valid details and clicking on save button

(F) Check Budget Request and Allocation feature module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the impact if user enters all the valid details and clicking on save button

(F) Check Budget Request and Allocation feature module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the impact if user enters all
the valid details and clicking on save
button

(F) Check Budget Request and Allocation
feature module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the impact if user enters all
the valid details and clicking on save
button

(F) Check Budget Request and Allocation
feature module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the impact if user enters all the valid details and clicking on save button

(F) Check Budget Request and Allocation feature module

☰ 🌐 Kastle Universal Banking   21-Oct-2021 English ▾ Azentio Software ▾ (AZENT-MAIN) 🔔 ▣ 👤 ANANT

Finance ▾

🔧 ⇄ 📋

⊘ General ledger transaction

⌄ Budget

  ▶ Budget request & allocation ✎ 👁
  ▶ Supplementary budget ✎ 👁
  ▶ Budget transfer ✎ 👁

⊘ Accounts payable

⊘ Adjustments (AR and AP)

⊘ Accounts receivable

⊘ Fixed assets

⊘ Inventory management

22 Appro... ✕   11 Messa... ✕

← Budget Req and Allocation View   🔍

Actions	Budget Code	Budget Name	Budget Year	Budget Type	Total Budget Amount	Status
👁 ✎	544515	test1	2022-2023	MONTHLY	12000000	Active
👁 ✎	544515	test1	2022-2023	MONTHLY	12000000	Active
👁 ✎	544515	test1	2022-2023	MONTHLY	12000000	Active
👁 ✎	2525	test	2021-2022	QUARTERLY	119746723.16	Active
👁 ✎	2525	test	2022-2023	QUARTERLY	4000000	Active
👁 ✎	BDG02	BDG02	2021-2022	QUARTERLY	20000	Active
👁 ✎	BCD_HYR_1	half YR	2022-2023	HALFYEARLY	2920119.5300000003	Active
👁 ✎	BCD_HYR_1	half YR	2021-2022	HALFYEARLY	54554.54	Active

50 total |◀ ◀ **1** 2 3 4 5 ▶ ▶|

                                                                          +

▦ Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the impact if user enters all the valid details and clicking on save button

(F) Check Budget Request and Allocation feature module

☰ 🌐 Kastle Universal Banking   21-Oct-2021 English ▾ Azentio Software ▾ (AZENT-MAIN) 🔔 ▣ 👤 ANANT

Finance ▾

🔧 ⇄ 📋

⊘ General ledger transaction

⌄ Budget

  ▶ Budget request & allocation ✎ 👁
  ▶ Supplementary budget ✎ 👁
  ▶ Budget transfer ✎ 👁

⊘ Accounts payable

⊘ Adjustments (AR and AP)

⊘ Accounts receivable

⊘ Fixed assets

⊘ Inventory management

22 Appro... ✕   11 Messa... ✕

← Budget Req and Allocation View   🔍

Actions	Budget Code	Budget Name	Budget Year	Budget Type	Total Budget Amount	Status
👁 ✎	544515	test1	2022-2023	MONTHLY	12000000	Active
👁 ✎	544515	test1	2022-2023	MONTHLY	12000000	Active
👁 ✎	544515	test1	2022-2023	MONTHLY	12000000	Active
👁 ✎	2525	test	2021-2022	QUARTERLY	119746723.16	Active
👁 ✎	2525	test	2022-2023	QUARTERLY	4000000	Active
👁 ✎	BDG02	BDG02	2021-2022	QUARTERLY	20000	Active
👁 ✎	BCD_HYR_1	half YR	2022-2023	HALFYEARLY	2920119.5300000003	Active
👁 ✎	BCD_HYR_1	half YR	2021-2022	HALFYEARLY	54554.54	Active

50 total |◀ ◀ **1** 2 3 4 5 ▶ ▶|

                                                                          +

▦ Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the impact if user enters all
the valid details and clicking on save
button

(F) Check Budget Request and Allocation
feature module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the impact if user enters all
the valid details and clicking on save
button

(F) Check Budget Request and Allocation
feature module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the impact if user enters all the valid details and clicking on save button

(F) Check Budget Request and Allocation feature module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the impact if user enters all the valid details and clicking on save button

(F) Check Budget Request and Allocation feature module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the impact if user enters all the valid details and clicking on save button

(F) Check Budget Request and Allocation feature module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the impact if user enters all the valid details and clicking on save button

(F) Check Budget Request and Allocation feature module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify the impact if user enters all the valid details and clicking on save button	
(F) Check Budget Request and Allocation feature module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify the impact if user enters all the valid details and clicking on save button	
(F) Check Budget Request and Allocation feature module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the impact if user enters all the valid details and clicking on save button

(F) Check Budget Request and Allocation feature module