

Cucumber Report



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
2	AR/AP Module	1	0	1	0	46.155 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify Accounts Receivable Report post Debit Note is	17	15	1	1	46.150 s
		cancelled					

DETAILED SECTION -- 4 --

(F)- AR/AP Module

FAILED	DURATION - 46.155 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 5:47:21.566 PN	M // 5:48:07.721 PM /	Pass - 0	1	Pass - 15	17
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- Verify Accounts Receivable Report post Debit Note is cancelled



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	24.870 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.891 s
	screenshot		
	ALESTIC NAME AND ADDRESS ADMINISTRATION OF THE PARTY AND ADMI		
2	Then select data set ID for accounts receivable report post debit note is cancelled	PASSED	0.059 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.563 s
	screenshot		

PASSED 1.860 s Passed 0.303 s
enario) PASSED 0.303 s
PASSED 0.131 s
enario) PASSED 0.252 s
PASSED 0.202 s
enario) PASSED 0.486 s
PASSED 0.999 s
PASSED 0.999 s enario) PASSED 0.273 s
PASSED 0.252 s PASSED 0.202 s

7 Then Enter Cancelled Value in Debit Not Status AFTER_STEP - stepdefinitions. HooksClass. addScreenshot((o.cucumber.java.Scenario) 9 And Get The Bp Name and Debit Number Store it AFTER_STEP - stepdefinitions. HooksClass. addScreenshot((o.cucumber.java.Scenario) 9 And Get The Bp Name and Debit Number Store it AFTER_STEP - stepdefinitions. HooksClass. addScreenshot((o.cucumber.java.Scenario) 9 Ard Get The Bp Name and Debit Number Store it AFTER_STEP - stepdefinitions. HooksClass. addScreenshot((o.cucumber.java.Scenario) 9 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot((o.cucumber.java.Scenario))	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Then Third Segment report Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.403 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.224 s		AZENTO		
screenshot Some content of the point of t	7	Then Enter Cancelled Value In Debit Not Status	PASSED	0.208 s
8 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 And Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 Art ER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 8 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 Art ER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 10 Then Third Segment report Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.403 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.224 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
8 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And Firer_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 10 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.403 s PASSED 0.403 s PASSED 0.403 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.495 s 0.495 s 0.495 s PASSED 0.403 s PASSED 0.403 s PASSED 0.403 s PASSED 0.224 s		ASSISTED PARTICIPATION PARTICIPATI		
Screenshot 9 And Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.127 s 10 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.403 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.224 s	8	Then Click on Table Row First Eye Icon in ARAP	PASSED	0.125 s
9 And Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.403 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.224 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.495 s
9 And Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.403 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.224 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.127 s PASSED 0.403 s PASSED 0.403 s PASSED 0.224 s		AZENTO		
Screenshot 10 Then Third Segment report Icon AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.403 s 0.224 s	9	And Get The Bp Name and Debit Number Store It	PASSED	2.163 s
10 Then Third Segment report Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.403 s 0.224 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
10 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.403 s 0.224 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.224 s		ASSUTTO STATE AND		
	10	Then Third Segment report Icon	PASSED	0.403 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
		screenshot		


#	Step / Hook Details	Status	Duration
11	And Click main Reports module	PASSED	0.084 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot		
	Part		
12	Then Click on sub module Accounts Receivable Report	PASSED	0.129 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.312 s
	screenshot		
	August 100 Part of type Control of type Part of type Par		
13	And Give Getted Business Partner Name in field	PASSED	0.211 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	screenshot		
	ALBUTO		
14	Then Give Current business Date in Account receivable report	PASSED	0.345 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		

#	Step / Hook Details	Status	Duration
	ALBUTO		
15	And Give Accounts Payable Status	PASSED	0.126 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot		
	ASPTO PA 207 Tags. 1 Control And Part CONTROL AND PART TAGS. 1 CO		
16	Then Click on View buttons	FAILED	1.063 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a _ngcontent-aer-c849="" target="_blank"> is not clickable at point (1404, 88). Other element would receive the click: <div class="cdk-overlay-backdrop cdk-overlay-transparent-backdrop {background-color:#f00;} cdk-overlay-backdrop-showing"></div> (Session info: chrome=100.0.4896.60) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ae8d2c0f2d7f10105855dd5c92dc0d4d, clickElement {id=44093e88-8a42-4dbe-ac24-56a553de41de}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:58817}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58817/devtoo, se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (ae8d2c0f2d7f10105855dd5c92dc0d4d)] -> xpath: //a[contains(text(),'View')]] Session ID: ae8d2c0f2d7f10105855dd5c92dc0d4d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.rntpcommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)		


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.ARAP_AccountsPayableReport.click_on_view_buttons(ARAP_AccountsPayableReport.java:221) at ?.Click on View buttons(file:///C:/Users/inindc00091/git/AzentioAutomationFramework/ ARAP_Excel_priyanka0612/AzentioAutomationFramework_ARAP_Excel/src/test/java/features/ArAp_2_Excel.feature:62) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.134 s
17	And Verify Accounts Receivable Report post Debit Note is cancelled	SKIPPED	0.000 s


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

