
**Duration: 2 m 10.558 s** Start: Dec 06, 3:52:05.531 pm End: Dec 06, 3:54:16.089 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 15 16 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 100

FEATURES SUMMARY -- 2 --



;	#	Feature Name	T	P	F	S	Duration
	1	AR/AP Module	1	0	1	0	2 m 10.558 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify Balance sheet post Bill is cancelled	16	0	1	15	2 m 10.553 s

DETAILED SECTION -- 4 --

## (F)- AR/AP Module

FAILED	DURATION - 2 m 10.558 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 3:52:05.531 pr	m // 3:54:16.089 pm /	Pass - 0	1	Pass - 0	16
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 15	

## (S)- Verify Balance sheet post Bill is cancelled



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	FAILED	50.037 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:  {"method":"xpath", "selector":"//p[contains(text(),'Otp')]"} (Session info: chrome=108.0.5359.71) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [dac1b1635a413f79fd2a65a6cb2b69e9, findElement {using=xpath, value=//p[contains(text(),'Otp')]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.71, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:58506}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58506/devtoo, se:cdpVersion: 108.0.5359.71, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: dac1b1635a413f79fd2a65a6cb2b69e9  at java.base/jdk.internal.reflect.GeneratedConstructorAccessor36.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java.331)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openga.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.getText(Unknown Source)		
	at stepdefinitions.KUBS_Login.loginToAzentioAppByMaker(KUBS_Login.java:45)		
	at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts.		
	user_should_go_to_the_kubs_url_and_login_as_a_maker_user(ACCOUNTSPAYABLE_VendorContracts.java:49)		
	at ?.User should go to the kubs url and login as a maker user(file:///C:/Users/inindc00075/eclipse-workspace/ AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/ArAp2.feature:136)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	5.419 s
	screenshot		
	Marian Ma		
2	When click the account payable main module	SKIPPED	0.000 s
3	And click the eye icon of invoice bill booking	SKIPPED	0.000 s
4	And click the search icon in list view	SKIPPED	0.000 s
5	And user update the Excelsheet Testdata for balancesheet	SKIPPED	0.001 s
6	And search invoice type as expense	SKIPPED	0.000 s
7	And click the first eye icon in the list view of cancelled invoice bill	SKIPPED	0.000 s
8	And get the invoice number from the bill viewed	SKIPPED	0.001 s
9	And get buisness partner name and Bill Status	SKIPPED	0.000 s
10	And click the notes option in top	SKIPPED	0.001 s
11	And click the financial reporting	SKIPPED	0.000 s
12	And click the balance sheet report	SKIPPED	0.000 s
13	Then Fill branch details for report	SKIPPED	0.000 s
14	And select the date	SKIPPED	0.000 s
15	And click the view icon	SKIPPED	0.000 s

DETAILED SECTION -- 6 --

j	# Step / Hook Details	Status	Duration
1	Then Verify Balance sheet should be updated correctly basis the legs impacted in accounting entries.	SKIPPED	0.000 s

EXPANDED SECTION -- 7 -

